

先生

24 VI 1989

Reprinted without change in pagination from

QUARTERLY JOURNAL OF THE TAIWAN MUSEUM

Vol. XXX Nos. 3 & 4 December 1977

pp. 348-372

PUBLISHED BY THE TAIWAN MUSEUM, TAIPEI, TAIWAN, CHINA.

A CATALOGUE OF THE FAMILY DROSOPHILIDAE IN TAIWAN (DIPTERA)¹

FEI-JANN LIN, HO-CHI TSENG and WEN-YUNG LEE

林飛棟、曾和枝、李文容

Institute of Zoology, Academia Sinica

Nankang, Taipei, Taiwan, Republic of China

57 61+13 21
The Drosophilidae is one of the big insect fauna in Taiwan. Since 1923, two hundred and twenty-one species belonging to 21 genera were reported; some of them have been collected by the members of our laboratory since 1966. Seventy-four new species will be reported by Lin and Wheeler (The Drosophilidae of Taiwan) are also included. We are quite sure that there are still a lot of drosophilid flies yet described at the present time, meanwhile, some new species we have in hand will be published later. The collections made by H. Sauter with the old local names are no longer used in Taiwan. In this paper, a new local name in parenthesis is followed with the old local name, if question mark followed with the new local name, it means we are not sure.

About 40 species of Taiwan drosophilid flies have been raised in our laboratory. The laboratory is opened for anyone who needs them for research in

1. This *Drosophila* research program was supported in part by Biology Center, Academia Sinica and in part by National Science Council, Republic of China.

genetics and cytology.

Genus *Amiota* Loew

Amiota Loew, 1862: 229. Type-species: *A. leucostoma* Loew, 1862.

Subgenus *Amiota* Loew

subfurcata Okada, 1971b: 85.

Distribution: Wulai.

Subgenus *Apsiphortica* Okada

lini Okada, 1971b: 90.

Distribution: Puli.

Subgenus *Phortica* Schiner

foliiseta Duda, 1923: 35 (as *Phortica*).

Distribution: Wulai; Chip Chip (Chi-chi); Mt. Hoozan (Fong-fang-shan); Chi-tou; San-ti-meng; Kankau (Heng-chung).

orientalis Hendel, 1914: 16.

Syn.: *Phortica maculiceps* de Meijere in litt., Duda, 1924a: 183. *Amiota variegata* Fallen, Duda, 1923: 35.

Distribution: Wulai; Kosempo (Chia-hsieng); Puli; Chip Chip (Chi-chi); Chi-tou; Yun-shui; San-ti-meng; Macuyama (Ma-chia-hsiang?); Kankau (Heng-chung).

paramagna Okada, 1971b: 92.

Distribution: Pei-keng, Miao-Li; Feng-chi-hu, Chia-I.

Genus *Stegana* Meigen

Stegana Meigen, 1830: 79. Type-species: *S. coleoptrata* (Scopoli, 1763).

Subgenus *Gibbergana* Lin & Wheeler, n. subg.

lisocephalooides Lin & Wheeler, n. sp. *zebra nom. nud.* *W.T. 75*

Distribution: Wulai; Chi-tou.

Subgenus *Eostegana* Hendel

✓ *taiwanensis* Lin & Wheeler, n. sp.

Distribution: Puli; Yun-shui.

Subgenus *Steganina* Wheeler

✓ *minuclaspum* Lin & Wheeler, n. sp.

Distribution: Wulai.

nigrifrons de Meijere, 1911: 418.

Distribution: Chi-tou; Takao (Kao-hsiung).

nigrolimbata Duda, 1923: 37 (nom. nud.); Duda 1924a: 181.

Distribution: Chung-tou, I-Lan; Luan-luan, Keelung; Wulai; Chip Chip (Chi-chi); Mu-kua-hsi, Hwalian.

shirozui Okada, 1971c: 84.

Distribution: Tong-pu, Nan-Tou.

Subgenus *Parastegana* Okada

femorata Duda, 1923: 33.

Distribution: Chung-tou, I-Lan; Nankang; Yun-shui; Ken-ting.

maculipennis Okada, 1971c: 92.

Distribution: Shih-tsu-lu, Chia-I.

Subgenus *Orthostegana* Hendel

curvinervis Hendel, 1914: 115.

Distribution: Chi-tu, Keelung; Wulai; Nankang; Kosempo (Chia-hsieng).

nigripennis (Hendel), 1914: 115.

Syn.: *Chaetocnema (Oxyphortica) peociloptera* Duda, 1926a: 243.

Distribution: Kosempo (Chia-hsieng); Toyenmongai (Tainan); Koshun (Heng-chung); Sokutsu (?); Tapani (Tai-po, Taitung?).

Subgenus *Oxyphortica* Duda

convergens (de Meijere), 1911: 400 (as *Drosophila*)

Distribution: Chung-tou, I-Lan; Chi-tu, Keelung; Wulai; Kosempo (Chia-hsieng); Puli; Chip Chip (Chi-chi); Toa Tsui Kutsu (Ta-shui-ku); Chi-tou; Yun-shui; Taihorin (Tai-pao-hsiang); Hoozan (Fong-fang-shan); Chu-kou; Macuyama (Ma-chia-hsiang?); Szu-chung-hsi; Sokutsu (?).

Genus *Steganophenga* Lin & Wheeler, n. g.

lili Lin & Wheeler, n. sp.

Distribution: Chi-tou; Wulai.

Genus *Leucophenga* Mik

Leucophenga Mik, 1886: 317. Type species: *L. maculata* (Dufour, 1839).

abbreviata (de Meijere), 1911: 113 (as *Drosophila*).

Hendel, 1914: 113 (as *Drosomyiella*).

Distribution: Chip Chip (Chi-chi); Ta-shui-ku; Puli; Yun-shui; Chu-kou; Taihorin (Tai-pao-hsiang); Tappani (Tai-po, Taitung?).

angusta Okada, 1956: 28.

Distribution: Puli; Liu-feng, Taipei; Ta-shui-ku; Yun-shui; Ken-ting.

argentata (de Meijere), 1914: 258.

Distribution: Wulai; Puli; Chi-tou; Yun-shui; Paroe (Chu-shui-po, Taitung?).

atriventris Lin & Wheeler, 1972: 243.

Distribution: Chung-tou, I-Lan.

bifasciata Duda, 1923: 30.

Distribution: Chip Chip (Chi-chi).

confluens Duda, 1923: 32 (as *maculata confluens*).

Distribution: Nankang; Wulai; Shih-ting; Ta-shui-ku; Chi-tou; Kuang-tsui-ling; Ken-ting.

digmasocma Lin & Wheeler, 1972: 244.

Distribution: Wulai; Yun-shui.

flavicosta Duda, 1926: 53.

Distribution: Toyenmongai (Tainan).

fuscipennis Duda, 1923: 28.

Distribution: Takao (Kao-hsiung).

guttiventris (de Meijere), 1911: 414.

new name for *maculiventris* de Meijere, 1908 (Wheeler, 1959: 191).

Distribution: Gaisokai, Taihoku Distr. (Wai-shuang-hsi); Chi-tou; Yun-shui; Tainan; Yentempo (Kao-hsiung); Takao (Kao-hsiung); Ma-cuyama (Ma-chia-hsiang ?); Kankau (Heng-chung); Paroe (Chu-shui-po, Taitung ?); Chipun (Chi-peng, Taitung); Pilam (Pi-nan, Taitung).

halteropunctata Duda, 1923: 28.

female form of *argentata* (Lin & Wheeler, The Drosophilidae of Taiwan).

interrupta Duda, 1924a, b: 187, 237.

Distribution: Yun-shui, Paroe (Chu-shui-po, Taitung ?).

latifrons Duda, 1923: 32.

Distribution: Takao (Kao-hsiung).

limbipennis de Meijere, 1908: 150.

Distribution: Paroe (Chu-shui-po, Taitung ?).

magnipalpis Duda, 1923: 27.

Distribution: Chip Chip (Chi-chi).

meijerei Duda, 1924a, b: 190, 240.

Syn.: *Stegana lineata* de Meijere, 1911: 420.

Leucophenga meijerea Duda, 1924a: 190.

Leucophenga lineata de Meijere, i. litt., Duda, 1924b: 240.

Distribution: Taihoku (Taipei); Puli; Chip Chip (Chi-chi); Hoozan (Fong-fang-shan); Yun-shui; Alishan; Tainan; Sokutsu (?).

nigrinervis Duda, 1924b: 236.

Distribution: Wulai; Kosempo (Chia-hsieng); Yun-shui.

nigripalpis Duda, 1923: 29.

Distribution: Shih-ting; Chip Chip (Chi-chi).

orientalis Lin & Wheeler, 1972: 249.

Distribution: Wulai; Puli.

ornata Wheeler, 1959: 184, 195.

new name for *ornatipennis* (Wheeler, 1959: 184, 195).

Distribution: Wulai; Yun-shui; Alishan.

paraguttiventris Duda, i. litt. ?

Distribution: Gai So Kai, Taihoku Distr. (Wai-shuang-hsi); Paroe (Chu-shui-po, Taitung?).

pectinata Okada, 1968a: 310.

Distribution: Wulai; Ken-ting.

quadripunctata (de Meijere), 1908: 154.

Distribution: Wulai; Yun-shui.

setipalpis Duda, 1923: 31.

Distribution: Takao (Kao-hsiung).

sordida Duda, 1923: 31.

Distribution: Koshun (Heng-chung).

spilosoma Lin & Wheeler, 1972: 251.

Distribution: Shih-ting; Alishan.

subacutipennis Duda, 1924b: 239.

Distribution: Macuyama (Ma-chia-hsiang?); Paroe (Chu-shui-po, Taitung?); Pilam (Pi-nan, Taitung).

subpollinosa (de Meijere), 1914: 263.

Distribution: Chung-tou, I-Lan; Gai So Kai, Taihoku Distr. (Wai-hsuang-hsi); Tainan; Anping; Chip Chip (Chi-chi).

taiwanensis Lin & Wheeler, 1972: 253.

Distribution: Puli; Yun-shui.

umbratula Duda, 1924a: 187.

Distribution: Wulai; Paroe (Chu-shui-po, Taitung?).

varinervis Duda, 1923: 31.

Distribution: Sokutsu (?).

Genus *Paraleucophenga* Hendel

Paraleucophenga Hendel, Duda, 1923: 43 (Syn. *Trichiasiphenga* Duda, 1924a: 185). Type species: *P. invicta* (Walker, 1857) (as *Helomyza*).
invicta (Walker), 1857: 130.

Syn.: *Paraleucophenga triseta* Hendel, 1914: 114.

Distribution: Wulai; Gai So Kai (Wai-hsuang-hsi); Yun-shui; Kankau (Heng-chung).

Genus *Hypselothyrea* de Meijere

Hypselothyrea de Meijere, 1906: 193. Type-species: *H. dimidiata* de Meijere, 1906.

breviscutellata Duda, 1928: 82.

Distribution: "Formosa".

guttata Duda, 1926b: 56.

Distribution: Wulai; Fu-shan, Wulai; Polisha (Puli); Kosempo (Chia-hsieng); Chip Chip (Chi-chi); Chi-tou; Yun-shui; Chung-tou, I-Lan; Mu-kua-shan.

Genus *Microdrosophila* Malloch

Microdrosophila Malloch, 1921: 312 (Syn. *Incisurifrons* Duda, 1923: 40).

Type-species: *M. quadrata* (Sturtevant, 1916).

↪ *liodrosophiloides* Lin & Wheeler, n. sp. (ungrouped species).

Distribution: Mu-kua-hsi.

Subgenus *Incisurifrons* Duda

congesta Zetterstedt, 1847: 2558.

Distribution: Taihoku (Taipei).

distincta Wheeler & Takada, 1964: 217.

Distribution: Yun-shui.

Subgenus *Oxystyloptera* Duda

↪ *longisurus* Lin & Wheeler, n. sp.

Distribution: Wulai.

Subgenus *Microdrosophila* Malloch

↪ *chungtouensis* Lin & Wheeler, n. sp.

Distribution: Chung-tou, I-Lan.

~fasciata Lin & Wheeler, n. sp.

Distribution: Chung-tou; I-Lan; Wulai; Nankang; Alishan.

✓ frongibbus Lin & Wheeler, n. sp.

Distribution: Chung-tou, I-Lan; Alishan.

✓ fushanensis Lin & Wheeler, n. sp.

Distribution: Fu-shan, Wulai.

✓ pleuralfirmus Lin & Wheeler, n. sp.

Distribution: Wulai.

✓ pleurolineata Wheeler & Takada, 1964: 217.

Distribution: Yun-shui.

pseudopleurolineata Okada, 1968c: 319.

Distribution: Alishan.

✓ wulaina Lin & Wheeler, n. sp.

Distribution: Wulai.

Genus *Nesiodrosophila* Wheeler & Takada

Nesiodrosophila Wheeler & Takada, 1964: 238. Type-species: *N. lindae*

Wheeler & Takada, 1964.

✓ fascilis Lin & Ting, 1971: 19.

Distribution: Chi-tou.

✓ haruoi Lin & Wheeler, n. sp.

Distribution: Wulai.

✓ kaoea Lin & Wheeler, n. sp.

Distribution: Shih-meng, Tao-yuan; Chu-kou.

✓ lynni Lin & Wheeler, n. sp.

Distribution: Wulai.

✓ marshalli Lin & Wheeler, n. sp.

Distribution: Wulai.

Genus *Mycodrosophila* Oldenberg

Mycodrosophila Oldenberg, 1914: 4. Type-species: *M. poecilogastra* (Loew, 1874).

basalis Okada, 1956: 50.

Distribution: Wulai.

- ✓ *chitouensis* Lin & Wheeler, n. sp.
Distribution: Chi-tou.
- fumusala* Lin & Ting, 1971: 17.
Distribution: Wulai.
- ✓ *nigrofrontalis* Lin & Wheeler, n. sp.
Distribution: Yun-shui.
- ✓ *wulaiensis* Lin & Wheeler, n. sp.
Distribution: Wulai.
- ✓ *yunshuiensis* Lin & Wheeler, n. sp.
Distribution: Yun-shui.

Genus *Paramycodrosophila* Duda

Paramycodrosophila Duda, 1924a: 191 (Syn. *Upolomyia* Malloch, 1934: 280).
Type-species: *P. pictula* (de Meijere, 1911).
pictula (de Meijere), 1911: 412.
Distribution: Paroe (Chu-shui-po, Taitung ?); Yun-shui; Kuang-tzu-ling.

Genus *Dettopsomyia* Lamb

Dettopsomyia Lamb, 1914: 349. Type-species: *D. formosa* Lamb, 1914.

- ~ *guttaseta* Lin & Wheeler, n. sp.
Distribution: Ken-ting.
- ✓ *multidestricta* Lin & Wheeler, n. sp.
Distribution: Nankang; Wulai; Fu-shan, Wulai; Chi-tou; Mu-kua-hsi.
- ~ *nigrovittata* (Malloch), 1924: 352.
Syn.: *D. argentifrons* Okada, 1956: 55.
Distribution: Kuang-hsing; Chi-tou; Chu-kou.
- sumatrana* Duda, 1926b: 62 (as *D. pictipes* var. *sumatrana*).
Distribution: Chu-kou.

Genus *Styloptera* Duda

Styloptera Duda, 1924a: 193. Type-species: *S. formosae* Duda, 1924.
formosae Duda, 1924a: 194.
Distribution: Chung-tou, I-Lan; Macuyama (Ma-chia-hsiang ?).

Genus *Spuriostyloptera* Duda

Spuriostyloptera Duda, 1923: 38. Type-species: *S. multipunctata* Duda, 1923.
multipunctata Duda, 1923: 38.

Distribution: Chip Chip (Chi-chi).

Genus *Liodrosophila* Duda

Liodrosophila Duda, 1922: 153. Type species: *L. coeruleifrons* (de Meijere, 1918).
aerea Okada, 1956: 57.

Distribution: Mu-kua-hsi; Alishan; Chi-tou.
ciliatipes Okada, 1974: 42.

Distribution: Alishan.
dimidiata Duda, 1922: 158.

Distribution: Puli; Chia-hsieng.
fuscata Okada, 1974: 41.

Distribution: Chi-tou; Yun-shui.
globosa Okada, 1965: 334.

Distribution: Ken-ting; Kuang-tsung; Yun-shui.
marginifrons Duda, 1922: 157.

Distribution: Fu-shan, Wulai; Wulai; Yun-shui; Ken-ting.
✓ *nigrohypandria* Lin & Wheeler, n. sp.

Distribution: Fu-shan, Wulai.
nitida Duda, 1922: 157.

Distribution: Fu-shan, Wulai; Wulai; Chung-tou, I-Lan; Hokuto (Pei-tou); Kosempo (Chia-hsieng); Polisha (Puli); Yun-shui; Tai-horin (Tai-pao-hsiang, Chia-I); Chi-tu; Alishan; Ken-ting.

pusilla (de Meijere), 1911: 423 (as *Camilla*).

Distribution: Alishan.
quadrimaculata Okada, 1974: 34.

Distribution: Chi-tou.
rugulosa (de Meijere), 1914: 234, 269 (as *Camilla*).

Distribution: Luan-luan; Kuang-hsing; Chi-tou; Yun-shui; Kuang-tsung; Szu-chung-hsi; Mu-kua-shan; Taroko

spinata Okada, 1974: 40.

Distribution: Chi-tou; Yun-shui; Puli; Wulai.

✓ *trispina* Lin & Wheeler, n. sp.

Distribution: Wulai.

varians Duda, 1922: 158.

Distribution: Fu-shan; Wulai; Nankang; Chi-tou; Kuang-tsung-ling; Ken-ting.

Genus *Chymomyza* Czerny

Chymomyza Czerny, 1903: 199. Type-species: *C. fuscimana* (Zetterstedt, 1838).

costata (Zetterstedt), 1838: 5.

Distribution: Chi-tou.

✓ *taiwanica* Lin & Wheeler, n. sp.

Distribution: Mu-kua-hsi.

✓ *xanthosoma* Lin & Wheeler, n. sp.

Distribution: Ta-ping-lin; Puli.

Genus *Chaetodrosophilella* Duda

Chaetodrosophilella Duda, 1923: 40 (Syn. *Chaetodrosophila* Duda, 1924a: 180).

Type-species: *C. quadrilineata* (de Meijere, 1911).

quadrilineata (de Meijere), 1911: 396.

Distribution: Ken-ting; Lan-hsü Island.

Genus *Zaprionus* Coquillett

Zaprionus Coquillett, 1902: 31. Type-species: *Z. vittiger* Coquillett, 1902.

albicornis Enderlein, 1922: 295.

Distribution: Yun-shui; Toyenmongai (Tainan).

bakeri Sturtevant, 1927: 366.

Distribution: Yun-shui.

bistrata de Meijere, 1911: 397.

Distribution: Toyenmongai (Tainan).

fenestrata Duda, 1923: 36.

Distribution: Puli; Chip Chip (Chi-chi); Chi-tou.

✓ *nigrodigitus* Lin & Ting, 1971: 20.

Distribution: Chi-tou; Puli.

Genus *Zygothrica* Wiedemann

Zygothrica Wiedemann, 1830: 3. Type-species: *Z. dispar* (Wiedemann, 1830).

asiatica (Okada), 1964: 106 (as *Lissocephala*).

Distribution: Chi-tou; Yun-shui; Ken-ting.

✓ *meishouea* Lin & Wheeler, n. sp.

Distribution: Chi-tu, Keelung; Nankang; Fu-shan, Wulai; Wulai; Chung-tou, I-Lan; Yun-shui; Taroko; Mu-kua-shan.

✓ *monodorsocentralis* Lin & Wheeler, n. sp.

Distribution: Yun-shui.

Genus *Cacoxenus* Loew

Cacoxenus Loew, 1858: 217. Type-species: *C. indagator* Loew, 1858.

punctatus Duda, 1923: 25.

Distribution: Tainan; Takao (Kao-hsiung).

Genus *Scaptomyza* Hardy

Scaptomyza Hardy, 1849: 391. Type-species: *S. graminum* (Fallen, 1823).

Subgenus *Scaptomyza* Hardy

sinica Lin & Ting, 1971: 24.

Distribution: Nankang.

✓ *strigata* Lin & Wheeler, n. sp.

Distribution: Chi-tou.

Subgenus *Parascaptomyza* Duda

elmoi Takada, 1970: 144.

Distribution: Chi-tou.

✓ *nigriana* Lin & Wheeler, n. sp.

Distribution: Alishan.

pallida (Zetterstedt), 1847: 2571.

Distribution: Yang-ming-shan; Nankang; Sen-keng; Puli; Ta-shui-ku; Alishan; Ken-ting.

substrigata de Meijere, 1914: 268.

Distribution: Taihoku (Taipei); Chip Chip (Chi-chi); Tainan; Macuyama (Ma-chia-hsiang ?).

taiwanica Lin & Ting, 1971: 22.

Distribution: Chi-tou.

Genus *Drosophila* Fallen

Drosophila Fallen, 1823: 4. Type species: *D. fenebris* (Zetterstedt, 1847).

Subgenus *Psilodorha* Okada

Psilodorha Okada, 1968: 334. Type species: *D. ancora* Okada, 1968

toyohii Lin & Tseng, 1972: 9.

Distribution: Chi-tou; Wulai.

Subgenus *Hirtodrosophila* Duda

Hirtodrosophila Duda, 1923: 41 (Syn. *Dasydrosophila* Duda, 1925: 152, 193).

Type-species: *D. latifrontata* Frota-Pessoa, 1945.

audientis Lin & Ting, 1971: 26.

Distribution: Chi-tou.

carinata Duda, 1923: 41.

Syn.: *Dasydrosophila latifrons* Duda, 1926: 66.

Distribution: Kosempo (Chia-hsieng); Fuhosho (?).

curvinervis Duda, 1923a: 204 (as *longercrinita* var. *curvinervis*).

Distribution: Kosempo (Chia-hsieng); Toa Tsui Kutsu (Ta-shui-ku); Paroe (Chu-shui-po, Taitung?); Fuhosho (?).

✓ *diventrarista* Lin & Wheeler, n. sp.

Distribution: Yun-shui.

✓ *exilis* Lin & Wheeler, n. sp.

Distribution: Chi-tou.

fascipennis Okada, 1967: 8.

Distribution: Alishan; Ken-ting.

jacobsoni Duda, 1926b: 65 (as *latifrons* var. *jacobsoni*).

Distribution: Wulai.

latifrontata Frota-Pessoa. 1945: 480 (as *latifrons* var. *carinata* Duda, 1926b: 64 and var. *astiooides* Duda, 1926b: 66).

Distribution: Wulai.

longercrinita Duda, 1923: 42.

Distrjibution: Toa Tsui Kutsu (Ta-shui-ku); Kosempo (Chia-hsieng); Tainan; Bansharyo (Shi-sha, Pintung); Paroe (Chu-shui-po, Taitung ?).

macromaculata Kan & Lee, 1962: 81.

Distribution: Puli.

✓ *morrisonia* Lin & Wheeler, n. sp.

Distribution: Alishan.

✓ *nigricans* Lin & Wheeler, n. sp.

Distribution: Wulai.

✓ *opimusis* Lin & Wheeler, n. sp.

Distribution: Chi-tou.

paradenticeps Okada, 1971: 31.

Distribution: Alishan.

poecilogastra Duda, 1926b: 65, 69 (as *latifrons* var. *poecilogastra*).

Distribution: Wulai.

seminigra Duda, 1926b: 65 (as *frontata* var. *seminigra*).

Distribution: Wulai.

✓ *taiwanica* Lin & Wheeler, n. sp.

Distribution: Wulai; Puli; Yun-shui.

✓ *tendata* Wheeler, 1959: 198 (new name for *longercrinita* var. *dentata*).

Distribution: Fuhosho (?).

trapezina Duda, 1923: 41.

Distribution: Kosempo (Chia-hsieng); Polisha (Puli); Chip Chip (Chi-chi).

trivittata Strobl, 1893: 281.

Distribution: Kosempo (Chia-hsieng); Polisha (Puli); Mt. Hoozan (Fong-fang-shan); Yun-shui; Fuhosho (?).

zygothrioides Lin & Wheeler, n. sp.

Distribution: Fu-shan, Wulai; Wulai; Alishan.

Subgenus *Scaptodrosophila* Duda

Scaptodrosophila Duda, 1923: 37. Type-species: *S. scaptomyzoides* Duda, 1923.
clunicrus Duda, 1923: 51.

Distribution: Alishan; San-ti-meng.
divergens Duda, 1924b: 240.

Distribution: Toyenmongai (Tainan).
dorsata Duda, 1923: 248.

Distribution: Taihoku (Taipei); Kosempo (Chia-hsieng); Takao (Kao-hsiung);
Kankau (Heng-chung); Sokotsu (?).

✓ *ithumum* Lin & Wheeler, n. sp.

Distribution: Alishan.

marginata Duda, 1923: 46.

Distribution: Takao (Kao-hsiung); Paroe (Chu-shui-po, Taitung ?).

✓ *minidaruma* Lin & Wheeler, n. sp.

Distribution: Yun-shui.

novoguinensis Wheeler, 1959: 194 (correct name for *novoguineensis* Duda, 1923:
46).

Distribution: Chung-tou, I-Lan.

oralis Duda, 1923: 44.

Distribution: Wulai; Chip Chip (Chi-chi); Koshun (Heng-chung); Sokotsu (?).

✓ *pilopalpus* Lin & Ting, 1971:28.

Distribution: Yun-shui.

scutellimargo Duda, 1923: 43.

Distribution: Wulai; Kosempo (Chia-hsieng); Chi-tou; Taihorin (Tai-pao-
hsiang, Chia-I); Toa Tsui Kutsu (Ta-shui-ku); Tainan.

simplex de Meijere, 1914: 266.

Distribution: Chip Chip (Chi-chi); Paroe (Chu-shui-po, Taitung ?).

subacuticornis Duda, 1924b: 244.

Distribution: Hokuto (Pei-tou).

✓ *submarginata* Lin & Wheeler, n. sp.

Distribution: Yun-shui.

✓ *suffa* Lin & Wheeler, n. sp.

Distribution: Ta-pei-hu, Kao-hsiung.

Subgenus *Dorsilopha* Sturtevant

Dorsilopha Sturtevant, 1942: 28. Type-species: *D. busckii* Coquillett, 1901.
busckii Coquillett, 1901: 18.

Distribution: Chung-tou, I-Lan; Shih-ting, Taipei, Daitotei (Taipei); Wulai;
Chi-tou; Yun-shui; Suisharyo (Shui-che-liao, Chia-I).

Subgenus *Phloridosa* Sturtevant

Phloridosa Sturtevant, 1942: 42. Type-species: *D. floricola* Sturtevant, 1942.

✓ *longum* Lin & Wheeler, n. sp.

Distribution: Chung-tou, I-Lan; Fu-shan, Wulai; Chi-tou; Mu-kua-shan.

✓ *nigrovescum* Lin & Ting, 1971: 25.

Distribution: Chi-tou.

✓ *vescum* Lin & Wheeler, n. sp.

Distribution: Chi-tu, Keelung; Chung-tou, I-Lan; Wulai; Chi-tou; Mu-kua-shan.

Subgenus *Sophophora* Sturtevant

Sophophora Sturtevant, 1939: 139. Type-species: *D. melanogaster* Meigen, 1830.

ananassae Doleschall, 1858: 128.

Syn.: *D. similis* Lamb, 1914: 347.

D. errans Malloch, 1934: 301.

D. caribbea Sturtevant, 1916: 335.

D. imparata Walker, 1859: 126, 164.

Distribution: Taihoku (Taipei); Sintiku (Hsin-chu); Toa Tsui Kutsu (Ta-shui-ku); Tainan; Takao (Kao-hsiung); Paroe (Chu-shui-po, Taitung ?); Kankau (Heng-chung).

bifasciata Pomini, 1940: 155.

Distribution: Tu-cheng, Taipei; Yun-shui.

bipectinata Duda, 1923: 52.

Distribution: Mu-cha; Taihoku (Taipei); Sintiku (Hsin-chu); Yun-shui; Takao (Kao-hsiung); Pintung; Paroe (Chu-shui-po, Taitung ?).

elegans Book & Wheeler, 1972: 28.

Distribution: Chi-tou; Pai-leng; Ma-chia-hsiang; Wulai.

ficusphila Kikkawa & Peng, 1938: 531.

Distribution: Chu-kou; Yun-shui; Taroko; Wulai.

kikkawai Burla, 1954: 137.

Distribution: all over this island.

lini Bock & Wheeler, 1972: 59.

Distribution: Yun-shui.

lucipennis Lin 1972: 23 (in Bock & Wheeler).

Distribution: Nankang; Chung-tou, I-Lan; Chi-tou; Yun-shui; Szu-chung-hsi; Ken-ting.

melanogaster Meigen, 1830: 85.

Syn.: *D. ampelophila* Loew, 1862: 231.

D. uvarum Rondani, 1875: 86.

Distribution: Mu-cha; Wulai; I-Lan; Chu-shan; Chia-I; Chu-kou; Ta-pei-hu; Chi-peng; Jui-shui, Hwalien.

} *montium* de Meijere, 1916: 205.

Distribution: Taihoku (Taipei); Daitotei (Taipei); Sintiku (Hsin-chu); Polisha (Puli); Chip Chip (Chi-chi); Toa Tsui Kutsu (Ta-shui-ku); Mt. Hoozan (Fong-fang-shan); Taihorin (Tai-pao-hsiang, Chia-I); Tainan; Macuyama (Ma-chia-hsiang ?); Paroe (Chu-shui-po, Taitung ?).

✓ *nigrosubtilis* Lin & Wheeler, n. sp.

Distribution: Alishan.

prostipennis Lin, 1972: 19 (in Boch & Wheeler).

Distribution: Wulai; Fu-shan; Yang-ming-shan; Chung-tou; Puli; Yun-shui; Chi-tou; Taroko.

pulchrella Tan, Hsu & Sheng, 1949: 198.

Distribution: Wulai; Puli; Szu-chung-hsi.

quadraria Bock & Wheeler, 1972: 55.

Distribution: Chi-tou; Wulai.

rufa Kikkawai & Peng, 1938: 229.

Distribution: Chi-tu, Keelung; Mu-cha; Yang-ming-shan; Tu-cheng; Shih-tou-shan; Chi-tou; Chia-I; Yun-shui; Chi-shan; San-ti-meng; Szu-chung-hsi; Taroko.

suzukii (Matsumura), 1931: 366.

Distribution: Chung-tou, I-Lan.

takahashii Sturtevant, 1927: 371.

Distribution: Taihoku (Taipei); Sen-keng; Shih-tou-shan; Chi-tou; Mei-shan; Chia-I; Yun-shui; Szu-ching-hsi.

trilutea Bock & Wheeler, 1972: 17.

Distribution: Alishan.

tristipennis Duda, 1923: 53.

Distribution: Taihoku (Taipei); Chip Chip (Chi-chi); Hoozan (Fong-fang-shan); Tainan.

unipectinata Duda, 1924b: 246.

Distribution: Hokuto (Pei-tou); Taihoku (Taipei); Daitotei (Taipei).

Subgenus *Drosophila* Fallen

Drosophila Fallén, 1823: 4. Type-species: *D. fenebris* (Fabricius, 1787).

albomicans Duda, 1924a: 209.

Probably synonym of *D. nasuta* Lamb, 1914.

Distribution: all over this island.

✓ *analspinula* Lin & Wheeler, n. sp.

Distribution: Chi-tou; Ken-ting.

✓ *angor* Lin & Ting, 1971: 31.

Distribution: Yun-shui.

annulipes Duda, 1923: 58.

Syn.: *D. virgata* Tan, Hsu & Sheng, 1949: 203.

Distribution: Taihoku (Taipei); Nankang; Chi-tu, Keelung; Puli; Chi-tou; Toa Tsui Kutsu (Ta-shui-ku); Chip Chip (Chi-chi); Yun-shui; Alishan; Macuyama (Ma-chia-hsiang ?).

✓ *asper*, Lin & Tseng, 1971: 60.

Distribution: Fong-lin, Hwalian; Tai-ping, Taitung.

✓ *badia* Lin & Wheeler, n. sp.

Distribution: Taroko; Mu-kua-hsi.

✓ *bamboovesci* Lin & Wheeler, n. sp.

Distribution: Nankang.

bellus Lin & Ting, 1971: 29.

Distribution: Chi-tou.

bicolor de Meijere, 1911: 399.

Distribution: Takao (Kao-hsiung); Koshun (Heng-chung).

✓ *capillata* Lin & Wheeler, n. sp.

Distribution: Wulai; Mu-kua-hsi.

compressiceps Duda, 1923: 55.

Distribution: Chip Chip (Chi-chi); Mt. Hoozan (Fong-fang-shan); Taihorin (Tai-pao-hsiang, Chia-I).

compressifrons Duda, 1923: 56.

Distribution: Chip Chip (Chi-chi); Mt. Hoozan (Fong-fang-shan); Taihorin (Tai-pao-hsiang, Chia-I).

curvicapillata Duda, 1923: 49.

Distribution: Kosempo (Chia-hsieng); Tainan.

daruma Okada, 1956: 155.

Distribution: Nankang.

decipiens Duda, 1923: 55.

Distribution: Kosempo (Chia-hsieng); Yun-shui; Taihorin (Tai-pao-hsiang, Chia-I).

fasciata Meigen, 1830: 84.

Distribution: Sintiku (Hsin-Chu); Toa Tsui Kutsu (Ta-shui-ku); Takao (Kao-hsiung); Alikang (Kuang-shan, Kao-hsiung); Akau (A-hou-liao, Taitung).

formosana Duda, 1926a: 250 (as *immigrans* var. *formosana*).

Distribution: Nankang; Wulai; Yang-ming-shan; Tu-cheng; Hsin-chuang; Kuang-si; Hsin-chu; I-Lan; Shih-meng; Chi-tou; Ta-shui-ku; Alishan; Yun-shui.

✓ *fulvus* Lin & Wheeler, n. sp..

Distribution: Fu-shan, Wulai; Mu-kua-hsi.

✓ *gracilis* Lin & Wheeler, n. sp.

Distribution: Alishan.

hoozani Duda, 1923: 54.

Distribution: Mt. Hoozan (Fong-fang-shan).

hydei Sturtevant, 1921: 101.

Distribution: Taihoku (Taipei); Tai-chung; Chi-peng; Peng-Hu Islands.

immigrans Sturtevant, 1921: 83.

Syn.: *D. tripunctata* Becker, 1908: 155.

Distribution: Chung-tou, I-Lan; Chi-tu, Keelung; Wulai; Nankang; Taihoku (Taipei); Ku-kuang; Polisha (Puli); Chi-tou; Ta-shui-ku; Chia-I; Yun-shui; Kuang-tsue-ling; Alishan; Macuyama (Ma-chia-hsiang ?); Taroko.

komaii Kikkawa & Peng, 1938: 525.

Probably synonym of *D. nasuta* Lamb, 1914: 346.

Distribution: Taihoku (Taipei); Sintiku (Hsin-Chu).

lacertosa Okada, 1956: 158.

Distribution: I-Lan; Yang-ming-shan; Chi-tou.

lineata de Meijere, 1911: 420.

Syn.: *D. multistriata* Duda, 1923: 57.

Distribution: Chip Chip (Chi-chi); Hoozan (Fong-fang-shan).

lividinervis Duda, 1923: 54.

Syn.: *D. lividipennis* Duda, 1924a: 216.

Distribution: Fuhosho (?).

longifrons Duda, 1923: 48.

Distribution: Chip Chip (Chi-chi).

✓ *magnipecten* Lin & Wheeler, n. sp.

Distribution: Alishan.

nasuta Lamb, 1914: 346.

Syn.: *D. albomicans* Duda (cf. Sturtevant, 1927: 369; Hennig, 1941: 153).

Probably *D. komaii* Kikkawa & Peng, 1938.

Distribution: Polisha (Puli); Chip Chip (Chi-chi); Taihorin (Tai-pao-hsiang, Chia-I); Tainan; Paroe (Chu-shui-po, Taitung ?); Koshun (Heng-chung); Kankau (Heng-chung).

✓ *neohexastriata* Lin & Wheeler, n. sp.

Distribution: Nankang; Wulai; Alishan; Ken-ting.

✓ *neohypocasta* Lin & Wheeler, 1973:23 (in Lin & Tseng)

Distribution: Chung-tou, I-Lan.

✓ *nigriasis* Lin & Wheeler, n. sp.

Distribution: Alishan.

✓ *novodaruma* Lin & Wheeler, n. sp.

Distribution: I-Lan; Puli; Chu-kou; Alishan; Pintung.

✓ *novohistrio* Lin & Wheeler, n. sp.

Distribution: Alishan.

✓ *novolacertosa* Lin & Wheeler, n. sp.

Distribution: Luan-luan, Keelung; Wulai; Alishan.

obscurata de Meijere, 1911: 410.

Distribution: Macuyama (Ma-chia-hsiang ?).

paravibrissina Duda, 1924b: 248.

Distribution: Toa-Tsui-Kutsu (Ta-shui-ku).

quinquestriata Lin & Wheeler, 1973: 21 (in Lin & Tseng).

Distribution: Alishan; Ken-ting.

repleta Wollaston, 1858: 117.

Distribution: Taihoku (Taipei); Anping (An-ping); Tainan.

ruberrima de Meijere, 1911: 403.

Distribution: Wulai; Chi-tou; Yun-shui.

signata Duda, 1923: 48 (*nom. nud.*), Duda, 1924a: 209.

Distribution: Chip Chip (Chi-chi); Chi-tou; Chu-kou; Puli.

silvata de Meijere, 1916: 206.

Distribution: Taihoku (Taipei); Polisha (Puli); Chip Chip (Chi-chi); Macuya-ma (Ma-chia-hsiang ?); Sokotsu (?).

singularis Duda, 1923: 56.

Distribution: Chip Chip (Chi-chi); Toa Tsui Kutsu (Ta-shui-ku).

sui Lin & Tseng, 1973: 19.

Distribution: Fong-lin.

✓ *taipinsanensis* Lin & Tseng, 1973: 16.

Distribution: Tu-chang.

tongpua Lin & Tseng, 1973: 18.

Distribution: Tong-pu.

✓ *tumensa* Lin & Wheeler, n. sp.

Distribution: Fu-shan; Wulai; Chi-tou; Yun-shui.

xanthogaster Duda, 1924b: 248.

Distribution: Toa Tsui Kutsu (Ta-shui-ku); Chi-tou.

REFERENCES

1. Basden, E. B. 1952. Some Drosophilidae (Diptera) of the British Isles. Ent. Month. Mag., 88: 200-201.
2. Bock, I. R. and M. R. Wheeler. 1972. The *Drosophila melanogaster* species group. Univ. Texas Publ., 7213: 1-102.
3. Burla, H. 1951. Systematik, Verbreitung und Oekologie der *Drosophila*-Arten der Schweiz. Rev. Suiss. Zool., 58: 23-175.
4. ———— 1954. Distinction between four species of the "melanogaster" group, "*Drosophila seguyi*", "*D. montium*", "*D. kikkawai*" sp. n. and "*D. auraria*" (Drosophilidae, Diptera). Rev. Brasil. Biol., 14: 41-54.
5. Coquillett, D. W. 1898. Report on a collection of Japanese Diptera, represented to the U. S. National Museum by the Imperial University of Tokyo. Proc. U. S. Nat. Mus., 21: 301-340.
6. ———— 1910. The type species of the North American genera of Diptera. Proc. U. S. Nat. Mus., 37: 499-647.
7. Czerny, L. 1903. Ueber *Drosophila costata* und *fuscimana* Ztt. (Dipt.). Ztschr. f. System. Hymenop. u. Dipt., 3: 198-201.
8. Doleschall, C. L. 1858-1859. Der bijdrage tot de kennis der dipteren fauna van Nederlensch Indië. Natuurk. Tijdschr. v. Nederland. Indië. 17: 73-128.
9. Duda, O. 1922. *Liadrosophila* und *Sphaerogastrella*, zwei neue, zu den Drosophiliden und nicht zu den Camilliden gehörige Dipteren-Gattungen aus Südostasien. Arch. Naturg., 88: 150-160.
10. ———— 1923. Die Orientalischen und Australischen Drosophiliden-Arten

- (Dipteren) des Ungarischen National-Museums zu Budapest. Ann. Mus. Nat. Hung., 20: 24-59.
11. ----- 1924a. Beitrag zur Systematik der Drosophiliden unter besonderer Berücksichtigung der palaearktischen u. orientalischen Arten (Diptera). Arch. Naturg., 90(A)3: 172-234.
12. ----- 1924b. Die Drosophiliden des Deutschen Entomologischen Institutes der Kaiser Wilhelm-Gesellschaft aus H. Sauter's Formosa Ausbeute. Arch. Naturg., 90(A)3: 235-249.
13. ----- 1925. Die Südamerikanischen Drosophiliden unter Berücksichtigung auch der anderen netropischen sowie der nearkischen Arten. Arch. Naturg., 91(A)11: 1-229.
14. ----- 1926a. Die orientalischen und australischen Drosophiliden-Arten (Diptera) des Ungarischen National-Museums zu Budapest. Ann. Nat. Mus. Hung., 23: 241-250.
15. ----- 1926b. Fauna sumatrensis. Suppl. Ent., 14: 42-116.
16. ----- 1928. Beitrag zur Kenntnis der südostasiatischen Drosophiliden-Gattung *Hypselothryea* de Meijere. Ann. Mus. Nat. Hung., 25: 79-90.
17. ----- 1934. Die Fliegen der Palarearktischen Region. Lieferung, 84: 1-64.
18. ----- 1935. Die Fliegen der Palarearktischen Region. Lieferung, 84: 65-118.
19. ----- 1936. Weitere neue afrikanische und orientalisch akalyptrate Musciden (Dipt.) des British Museum. Ann. Mag. Nat. Hist., 10(18): 337-351.
20. Enderlein, G. 1922. Einige neue Drosophiliden. Deutsche Ent. Zeit., 1922: 295-296.
21. Frota-Pessoa, O. 1945. Sobre o subgênero "*Hirtodrosophila*", com descriçāe de uma nova espécie (Diptera, Drosophilidae, *Drosophila*). Rev. Brasil. Biol., 5: 469-483.
22. Hardy, J. 1849. Notes on the remedies for the turnip-fly amongst the ancients, and on the turnip-fly of New Holland, with a notice of a new genus and species of Diptera. Hist. Berw. Nat. Club, 2: 359-362.
23. Hendel, F. 1913. Neue Drosophiliden aus Südamerika und Neuguinea. Ent. Mitt., 2(12): 368-390.

24. ———— 1914. H. Sauter's Formosa-Ausbeute. Acalyprata Musciden III. Suppl. Ent., 3: 90-117.
25. Hennig, von W. 1941. Verzeichnis der Dipteren von Formosa. Ent. Beihefte, 8: 147-154.
26. Loew, H. 1858. Über *Cacoxenus indagator* nov. sp. und seine Verwandten. Wien. Ent. Monastchr., 2: 213:222.
27. ———— 1862. Diptera Americae septentrionalis indigena. Centuria secunda. Berlin Ent. Ztschr., 6: 185-232.
28. Kang, Y. S. and T. J. Lee. 1964. Notes on the subgenus *Hirtodrosophila* (Diptera; Drosophilidae). Proc. R. ent. Soc., London (B), 33: 37-38.
29. Kikkawa, H. and F. T. Peng. 1938. *Drosophila* species of Japan and adjacent localities. Jap. J. Zool., 7: 507-552.
30. Lamb, C. G. 1914. The Percy Sladen Trust Expedition to the Indian Ocean in 1905, under the leadership of Mr. Stanley Cardinall, M. A. Trans. Linn. Soc. London (2), Zool., 16: 307-372.
31. Lin, F. J. and J. I. Ting. 1971. Several additions to the fauna of Taiwan Drosophilidae (Diptera). Bull. Inst. Zool., Academia Sinica, 10 (1): 17-35.
32. ———— and H. C. Tseng. 1971. A new species of *polychaeta* species group of subgenus *Drosophila* from Taiwan (*Drosophila*, Drosophilidae, Diptera). Bull. Inst. Zool., Academia Sinica, 10(2): 59-64.
33. Lin, F. J. and M. R. Wheeler. 1972. The Drosophilidae of Taiwan, I. Genera *Leucophenga* and *Paraleucophenga*. Univ. Texas Publ., 7213: 237-256.
34. Lin, F. J. and H. C. Tseng. 1972. A new species of subgenus *Psilodorha* Okada, 1968 from Taiwan (*Drosophila*, Drosophilidae, Diptera). Bull. Inst. Zool., Academia Sinica, 11: 9-11.
35. Lin, F. J. and H. C. Tseng. 1973. The *Drosophila immigrans* species group in Taiwan with descriptions of five new species. Bull. Inst. Zool., Academia Sinica, 12: 13-26.
36. Malloch, J. R. 1921. Some notes on Drosophilidae (Diptera). Ent. News, 32: 311-312.
37. ———— 1924a. The American species of the drosophilid genus *Stegana* (Diptera). Ent. News, 35: 96-100.

38. ———— 1924b. Descriptions of neotropical two-winged flies of the family Drosophilidae. Proc. U. S. Nat. Mus., 66(3): 1-11.
39. ———— 1934. Insects of Samoa and other Samoan terrestrial Arthropoda, Part VI. Diptera Fasc. 8: 267-328.
40. Meigen, J. W. 1830. Systematische Beschreibung der bekannte europaischen zweifluegeligen Insekten. 6: iv + 401 pp. Hamm.
41. Meijere, J. C. H. de. 1906. Uber einige Indo-Australische Dipteren des Ungarischen National Museums, bez. des Naturhistorischen Museums zu Genua, Genua. Ann. Mus. Nat. Hung., 4: 193-194.
42. ———— 1908. Studien über Südostasiatische Dipteren II. Tijd. Ent., 51: 1-181.
43. ———— 1911. Studien über Südostasiatische Dipteren IV. Tijd. Ent., 54: 258-432.
44. ———— 1916. Studien über Südostasiatische Dipteren XI. Tijd. Ent., 59: 184-213.
45. Mik, J. 1886. Dipterologische Miscellen I, II, III. Wien. Ent. Ztg., 5: 101-102, 176-279, 317-318.
46. Okada, T. 1956. Systematic study of Drosophilidae and allied families of Japan. Gihodo, Tokyo, Japan. 183 pp.
47. ———— 1964. New and unrecorded species of Drosophilidae in the Amami Islands, Japan. Kontyu, 31(1): 105-115.
48. ———— 1965. Drosophilidae of the Okinawa Islands. Kontyu, 33: 327-350.
49. ———— 1966. Diptera from Nepal — Drosophilidae part. Bull. Brit. Mus. Suppl., 6: 14-129.
50. ———— 1967. A revision of the subgenus *Hirtodrosophila* of the old world, with descriptions of some new species and subspecies (Diptera, Drosophilidae, *Drosophila*). Mushi, 41(1): 1-36.
51. ———— 1968a. Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). I. Kontyu, 36(4): 303-323.
52. ———— 1968b. Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). II. Kontyu, 36(4): 324-340.
53. ———— 1968c. Taxonomic treatment of the correlative characters in the

- genus *Microdrosophila* (Diptera, Drosophilidae). Proc. Jap. Soc. Syst. Zool., 4: 1-7.
54. ———— 1971a. Systematic and biogeographical analyses of the *denticeps* group, with description of two new species (Diptera, Drosophilidae). Bull. Biogeograph. Soc. Japan, 26(5): 29-38.
55. ———— 1971b. A revision and taxometric analysis of the genus *Amiota* Loew of Japan and adjacent countries (Diptera, Drosophilidae). Kontyu, 39: 82-98.
56. ———— 1971c. A revision and taxometric analysis of the genus *Stegana* Meigen of Japan and adjacent countries (Diptera, Drosophilidae). Mushi, 45 (5): 81-99.
57. ———— 1974. A revision and taxometric analysis of the genera *Sphaerogastrella* Duda and *Liodrosophila* Duda of the world. Mushi, 48 (5): 29-63.
58. Oldenberg, L. 1914. Beitrag zur Kenntnis der europäischen Drosophiliden. Arch. Naturg., 80(A)2: 1-42.
59. Patterson, J. T. and W. S. Stone. 1952. Evolution in the genus *Drosophila*. Macmillan, N. Y., U. S. A., 610 pp.
60. Peng, F. T. 1937. On some species of *Drosophila* from China. Annot. Zool. Jap., 16: 20-27.
61. Pomini, F. P. 1940. Contributi alla conoscenza della *Drosophila* europee, I. Descrizione de alcune species riferibili al gruppo *obscura*. Boll. Inst. Ent. Univ. Bologna, 12: 145-164.
62. Schiner, J. R. 1862. Vorläufige Commentar zum dipterologischen Theile der "Fauna Austriaca" V. Wien. Ent. Monatschr., 6: 428-436.
63. Sturtevant, A. H. 1916. Notes on North American Drosophilidae with descriptions of twenty-three new species. Ann. Ent. Soc. Amer., 9: 323-343.
64. ———— 1919. A new species closely resembling *Drosophila melanogaster*. Psyche, 26: 153-155.
65. ———— 1921. The North American species of *Drosophila*. Carn. Inst. Wash. Publ., 301: 1-141.
66. ———— 1927. Philippine and other oriental Drosophilidae. Phil. J. Sci., 32: 361-374.

67. ----- 1939. On the subdivision of the genus *Drosophila*. Proc. Nat. Acad. Sci., 25: 137-141.
68. ----- 1942. The classification of the genus *Drosophila*, with descriptions of nine new species. Univ. Texas Publ., 4213: 5-51.
69. Takada, H. 1970. *Scaptomyza (Parascaptomyza) pallida* (Zetterstedt) and two related new species, *S. (P.) elmoi* n. sp. and *S. (P.) himalayana* n. sp. (Diptera: Drosophilidae). Annot. Zool. Jap., 43(4): 142-147.
70. Tan, C. C., T. C. Hsu and T. C. Sheng. 1949. Known *Drosophila* species in China with descriptions of twelve new species. Univ. Texas Publ., 4920: 196-206.
71. Wheeler, M. R. 1952. The Drosophilidae of the Nearctic Region exclusive of the genus *Drosophila*. Univ. Texas Publ., 5204: 162-218.
72. ----- 1959. A nomenclatural study of the genus *Drosophila*. Univ. Texas Publ., 5914: 181-205.
73. ----- 1960. A new subgenus and species of *Stegana* Meigen. Ent. Soc. Wash., 62: 109-111.
74. ----- and H. Takada. 1964. Insects Micronesia, Diptera: Drosophilidae. Insects Micronesia, 14(6): 163-242.
75. Wiedemann, C. R. W. 1830. *Achias* Dipt. Genus. Kiliae, 16: 3.
76. Wollaston, T. V. 1858. Brief diagnostic characters of undescribed Madeiran insects. Ann. Mag. Nat. Hist., 3: 18-28, 113-125.
77. Zetterstedt, J. W. 1847. Diptera Scandinaviae disposita et descripta. Vol. 6: 2163-2580. Lundae.

行政院新聞局出版事業登記證局版臺誌字第一〇七〇號
中華郵政臺字第二一一九號執照登記爲第一類新聞紙類




Figure: The localization in Taiwan with current local names. 1. Keelung. 2. Luan-luan. 3. Chi-tu. 4. Nankang. 5. Taipei. 6. Wai-shuang-hsi. 7. Yang-ming-shan. 8. Pei-tou. 9. Hsin-chuang. 10. Tu-cheng. 11. Wulai. 12. Fu-shan. 13. Shih-meng. 14. Kuang-si. 15. Hsin-Chu. 16. I-Lan. 17. Chung-tou. 18. Ku-kuang. 19. Taichung. 20. Kuo-shing-hsiang. 21. Puli. 22. Chi-chi. 23. Ta-shui-ku. 24. Fong-fang-shan. 25. Shui-che-liao. 26. Chi-tou. 27. Chia-I. 28. Yun-shui. 29. Mei-shan. 30. Tai-pao-hsiang. 31. Kuang-tsui-ling. 32. An-ping. 33. Tainan. 34. San-hu-tang. 35. Kuang-shan. 36. Kao-hsiung. 37. Ta-pei-hu. 38. Pin-tung. 39. Fan-she-liao. 40. San-ti-meng. 41. Ma-chia-hsiang. 42. Szu-chung-hsi. 43. Heng-chung. 44. Kenting. 45. Chu-shui-po. 46. Tai-po. 47. Chi-peng. 48. Taitung. 49. Tai-ping. 50. Pi-nan. 51. Fung-lin. 52. Mu-kua-shan. 53. Hwalien. 54. Taroko. 55. Ma-kung.