

\*Zoologisches Museum  
der Universität Zürich-Irchel  
Zürich (Schweiz)

\*\*Museu e Laboratório  
Zoológico e Antropológico  
Faculdade de Ciências  
Lisboa (Portugal)

GERHARD BÄCHLI\* & MARIA TERESA ROCHA PITÉ\*\*

## Annotated bibliography of Palearctic species of Drosophilidae (Diptera)

### Contents

Introduction . . . . .	303
Acknowledgments . . . . .	304
Annotated list of species . . . . .	304
<i>Aedotepus</i> FRAUENFELD	304
<i>Amicta</i> LOEW	304
<i>Cacoxenus</i> LOEW	304
<i>Chymomyza</i> CZEERNY	304
<i>Dettolosmyia</i> LAME	310
<i>Drosophila</i> FALLEN	311
<i>Gilona</i> MEIGEN	313
<i>Hypodoliches</i> DE MELIERS	314
<i>Leucophenga</i> MIR	349
<i>Liodrosophilidae</i> DUDA	350
<i>Microdrosophilidae</i> MALLOCH	350
<i>Mycodrosophilidae</i> OLDDENBERG	353
<i>Nesiodrosophilidae</i> WHEELER and TAKADA	354
<i>Paraleucophenga</i> HENDEL	355
<i>Paramycodrosophilidae</i> DUDA	355
<i>Scaptomyza</i> HARDY	358
<i>Steinerhovia</i> HENDEL	358
<i>Stegana</i> MEIGEN	363
<i>Zaprionus</i> COQUILLETT	365
Summaries . . . . .	365
References . . . . .	365

### Introduction

The total number of publications dealing with drosophilids may well exceed 25000, and it is often difficult to find all the relevant papers which deal with a certain aspect. Most of these publications are concerned with genetics, physiology, biochemistry, developmental biology and other such related topics; these were already reviewed by ASHBURNER and NOVITSKI (1976). However other aspects such as taxonomy, faunistics etc. have not yet been fully documented. This bibliography is based on references to the taxonomic and faunistic aspects of Palearctic species, critically reviewed under six keywords. All species included in the "Catalogue of Palearctic Diptera" (BÄCHLI and ROCHA PITÉ, in press) are dealt with, with the exception of the doubtful species. The species are alphabetically arranged within each genus.

The six keywords include the following information:

**General features of adults:** We refer to all descriptive notes, such as full descriptions of morphology and anatomy, diagnoses, comparisons with other species etc.

**Figures:** All papers with morphological and anatomical illustrations of adults, as well as those of eggs, larvae and puparia are mentioned.

**Keys:** We refer to all keys, including those of early stages. Keys which are out-of-date, or those made for areas outside of the Palearctic region have been included as they could give additional descriptive information.

**Development:** Because of the extensive experimental work being done on some species we restrict ourselves to references to basic descriptive notes of eggs, larvae and puparia.

**Biology:** We do not quote laboratory work papers, but we include all references to wild populations in a wide sense, covering information on distribution in time and space, breeding, feeding, collecting and so on.

**Distribution:** Only original records are quoted; distributional notes in catalogues, reviews and check lists have been omitted except for cases where no other references were found. The quotations are separately given for each country. The European countries are arranged in alphabetical order, including the whole of the USSR and Turkey. The other countries are arranged according to their geographic position, from west to east. The range of the Palearctic region is taken from BÄCHLI and ROCHA PITÉ (1981). Articles in *Drosophila* Information Service (DIS) are treated as preliminary reports, which are usually published later elsewhere. In order to shorten the bibliography we do not quote DIS except in cases where no other publications were found. In these cases DIS is cited by volume and page number.

We critically checked the distributional publications and excluded references considered doubtful because of possible misidentifications of species. However many questionable records may still be included. Countries without reliable records are labelled with a question-mark. In order to complete the information about the species distribution, we also mention countries with only unpublished records, which have been acquired from personal information or from collections we have seen.

#### Acknowledgements

We are indebted to many colleagues for taxonomic advice, reprints and personal information. Our special thanks are due to Mr. E. B. BASDEN, Dr. J. MÁCA, Dr. T. OKADA, and Dr. M. R. WHEELER. The manuscript was arranged with the help of Mrs. B. FREY, Mrs. R. KELLER, and Mrs. C. WÜTHRICH.

### Annotated list of species

#### *Alettoxenus* FRAUENFELD, 1868

##### *Alettoxenus formosus* LOEW, 1864

Other names used: *A. syrphoides* FRAUENFELD (syn.), *A. ornata* MEIGEN (misident.).

General features of adults: COLLIN (1902a, 1909b), TIEFA (1934), FRAUENFELD (1868a, 1868b), LOEW (1864), MALLONI (1929), OLDEMBERG (1914), SÉGUY (1934a, 1934b), WALKER (1853).

Figures: COLLIN (1902a), DUDA (1924a, 1934), FRAUENFELD (1868b), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1934), ENDERLEIN (1934), FONSECA (1965), LAŠTOVKA and MÁCA (1977), MCALPINE (1968), MALLONI (1929), PAPP (1973), SÉGUY (1934b), STAKELBERG (1970).

Development: FRAUENFELD (1868a).

Biology: BRAUER (1883), COLYER and HAMMOND (1951), FRAUENFELD (1868a), GAUTIER (1923), KNAB (1914), SÉGUY (1933b, 1934a, 1934b, 1950, 1951), STURTEVANT (1921), WALKER (1853).

Distribution:

AUSTRIA: BASDEN (1961), FRAUENFELD (1868a), OLDEMBERG (1914), STROBL (1900a, 1901). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1972b). — FRANCE: GAUTIER (1923), SÉGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: OLDEMBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), LOEW (1864). — GREAT BRITAIN: ADAMS (1902), COLLIN (1902a, 1911), FONSECA (1965), JENKINSON (1901), WALKER (1853). — HUNGARY: ARADI (1959), PAPP (1973), SÓS (1945). — ITALY: FRAUENFELD (1868a), ZANGHERI (1950). — NETHERLANDS: DE MJOERRE (1935, 1939b). — POLAND: DUDA (1934), LOEW (1864). — ROMANIA: ARADI (1959), PAPP (1973), SÓS (1945). — SWITZERLAND: unpublished. — YUGOSLAVIA: ARADI (1959), FRAUENFELD (1868a), SÓS (1945), STROBL (1895a, 1900a). — CANARY IS.: DUDA (1934), FREY (1930). — ISRAËL: BASDEN (1966).

#### *Amiota* LOEW, 1862

##### *Amiota acuta* OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

#### *Amiota albitalbris* ROTH in ZETTERSTEDT, 1860

Other name used: *A. alboguttata* var. *obscuripes* SZTROBL (syn.).

General features of adults: BASDEN (1961), COLLIN (1952), MÁCA (1980), OKADA (1960a, 1961a, 1971a), OLDEMBERG (1914), STROBL (1910), WAHLGREN (1927), ZETTERSTEDT (1860).

Figures: BEPPU et al. (1977), MÁCA (1980), OKADA (1960a), PAPP (1973).

Keys: BEPPU et al. (1977), DUDA (1934), FONSECA (1965), MÁCA (1980), OKADA (1960a, 1971a), PAPP (1973), WAHLGREN (1927).

Biology: KIMURA and TODA (1970), MINAMI et al. (1979), TODA (1977).

**Distribution:**

AUSTRIA: BASDEN (1961), ŠTEOBL (1894, 1910). — CZECHOSLOVAKIA: MÁCA (1980). — FINLAND: FREY et al. (1941). — GREAT BRITAIN: COLLIN (1952), FONSECA (1965). — ROMANIA: MÁCA (1980), PAPP (1975). — SWEDEN: WAHLGREN (1927), ZETTERSTEDT (1860). — SWITZERLAND: BÄCHEL (1974c), MÁCA (1980). — YUGOSLAVIA: BASDEN (1901), STROBL (1916). — JAPAN: KIMURA and TODA (1976), MÁCA (1980), MINAMI et al. (1979), OKADA (1960a), TODA (1977).

***Amiota alboguttata* WAHLBERG, 1839**

Other names used: *A. obscuripes* STROBL (misident.), *A. leucotoma* BECKER (syn.), *Phortica* sp., *Amiota* sp.

General features of adults: BASDEN (1957b), BASDEN and HARNDEN (1956), BECKER (1908a), COLLIN (1911), DUDA (1926b, 1934), MÁCA (1980), OKADA (1971a), OLDEMBERG (1914), WAHLBERG (1839), WAHLGREN (1927). ZETTERSTEDT (1847).

Figures: DUDA (1934), MÁCA (1980), PAPP (1973).

Keys: BASDEN (1954b), DUDA (1924a, 1934), FONSECA (1965), LÁŠTOVKA and MÁCA (1977), MÁCA (1980), OKADA (1971a), OLDEMBERG (1914), PAPP (1973), SEČVÝ (1934a, 1934b), ŠTAKELBERG (1970), WAHLGREN (1927).

Biology: BASDEN (1954b), BASDEN and HARNDEN (1956), BUXTON (1960), EDWARDS (1936), FREY (1932), KÜHLHORN (1973) MOMMA (1957), STOJÁK (1957), WAKELEY (1953).

**Distribution:**

CZECHOSLOVAKIA: LÁŠTOVKA and MÁCA (1977), MÁCA (1980). — FINLAND: FREY (1929, 1932), LUMMIH et al. (1978), STOJÁK (1956, 1957). — FRANCE: unpublished. — GERMAN DEMOCRATIC REPUBLIC: OLDEMBERG (1914). — GERMAN FEDERAL REPUBLIC: KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1952, 1954b), COLLIN (1911), EDWARDS (1936), FONSECA (1965), WAKELEY (1953), YERDURY (1913). — HUNGARY: PAPP (1973). — ITALY: OLDEMBERG (1914). — NETHERLANDS: DE MELJEE (1939b), VAN DER WULP and DE MELJEE (1938). — NORWAY: BASDEN and HARNDEN (1956). — ROMANIA: ARADÍ (1959), BECKER (1908a), DUDA (1934), OLDEMBERG (1914, 1922), SØGÅS (1945). — SWEDEN: RINGDAHL (1941), WAHLBERG (1839), WAHLGREN (1927), ZETTERSTEDT (1847, 1855, 1860). — SWITZERLAND: BÄCHEL (1974b), MÁCA (1980). — USSR: ŠTAKELBERG (1930, 1970).

**Comment:**

The species was also recorded in S. Korea, Japan and Alaska, but these records may refer to other species.

***Amiota aquilotaurusata* TAKADA, BEPPU and TODA, 1979**

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

**Distribution:**

JAPAN: TAKADA et al. (1979).

***Amiota balaenodentata* TAKADA, BEPPU and TODA, 1979**

Other name used: *Amiota* sp. 8.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Biology: MINAMI et al. (1979).

**Distribution:**

JAPAN: MINAMI et al. (1979), TAKADA et al. (1979).

***Amiota basdeni* FONSECA, 1965**

Other name used: *Amiota* sp.

General features of adults: FONSECA (1965), MÁCA (1980).

Figures: MÁCA (1980).

Keys: FONSECA (1965), MÁCA (1980).

Development: MÁCA (1980).

**Distribution:**

CZECHOSLOVAKIA: MÁCA (1980). — GREAT BRITAIN: FONSECA (1965), MÁCA (1980). — HUNGARY: MÁCA (1980). — SWITZERLAND: BÄCHEL (1972b, 1973a, 1975a, 1975b), MÁCA (1980).

***Amiota chungi* OKADA, 1971**

Other name used: *A. alboguttata* forma *koreana* OKADA and CHUNG

General features of adults: CHUNG and EHO (1959), OKADA (1971a), OKADA and CHUNG (1960), TAKADA et al. (1979).

Figures: OKADA and CHUNG (1960).

Keys: LEE (1964), OKADA (1971a).

Biology: OKADA and CHUNG (1960).

**Distribution:**

S. KOREA: LEE (1964c, 1966b), OKADA (1971a), OKADA and CHUNG (1960).

***Amiota clavata* OKADA, 1971**

Other name used: *A. alboguttata* forma *clavata* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: BEPPU et al. (1977), OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1977).

**Distribution:**

JAPAN: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a), TODA (1977).

*Amiota conifera* OKADA, 1977

Other names used: *A. conifera takadai* OKADA, *Amiota* sp. like variegata.

General features of adults: OKADA (1977a), TAKADA (1960).

Figures: OKADA (1977a), TAKADA (1960).

Key: OKADA (1977a).

Biology: MINAMI et al. (1979), TAKADA (1960).

Distribution:

JAPAN: BEPPU (1978), MINAMI (1979), MINAMI et al. (1979), OKADA (1977a), TAKADA (1960).

*Amiota curvistyla* OKADA, 1971

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

*Amiota delta* TAKADA, BEPPU and TODA, 1979

Other name used: *Amiota* sp. s.

General features of adults: MÁCA (1980), TAKADA et al. (1979).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

*Amiota dentata* OKADA, 1971

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

*Amiota dispina* OKADA, 1960

General features of adults: KUBOKAWA and HIHARA (1976), OKADA (1960a, 1971a), TAKADA et al. (1979).

Figures: OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), MINAMI et al. (1979), OKADA (1960a), TODA (1973b, 1977).

Distribution:

S. KOREA: KANG et al. (1965b), LEE (1966b). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), MINAMI et al. (1979), OKADA (1960a), TODA (1973b, 1977).

*Amiota elongata* OKADA, 1971

Other name used: *A. alboguttata* forma *elongata* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: BEPPU et al. (1977), OKADA (1960a).

Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1977).

Distribution:

JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KIMURA (1976b), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a), TODA (1977).

*Amiota erinacea* MÁCA, 1977

General features of adults: MÁCA (1977).

Figures: MÁCA (1977).

Key: MÁCA (1977).

Biology: MÁCA (1977).

Distribution:

BULGARIA: MÁCA (1977).

*Amiota falcilis* TAKADA, BEPPU and TODA, 1979

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

*Amiota filipes* MÁCA, 1980

General features of adults: MÁCA (1980).  
 Figures: MÁCA (1980).  
 Key: MÁCA (1980).  
 Biology: MÁCA (1980).  
 Distribution:  
 CZECHOSLOVAKIA: MÁCA (1980).

*Amiota flagellata* OKADA, 1971

General features of adults: MÁCA (1980), NISHIHARU (1979), OKADA (1971a).  
 Figures: OKADA (1971a).  
 Key: OKADA (1971a).  
 Biology: MINAMI et al. (1979).  
 Distribution:  
 JAPAN: MINAMI et al. (1979), OKADA (1971a).

*Amiota flavopruinosa* DUDA, 1934

Other name used: *A. lacteoguttata* PORTSCHINSKY (misident.).  
 General features of adults: DUDA (1934), MÁCA (1980).  
 Figures: MÁCA (1980).  
 Keys: DUDA (1934), MÁCA (1980).  
 Distribution:  
 CZECHOSLOVAKIA: MÁCA (1980). — GERMAN DEMOCRATIC REPUBLIC: MÁCA (1980), OLDBERG (1914). — GERMAN FEDERAL REPUBLIC: DUDA (1934), MÁCA (1980). — SWITZERLAND: MÁCA (1980). — YUGOSLAVIA: MÁCA (1980).

*Amiota forficula* TAKADA, BEPPU and TODA, 1979

General features of adults: TAKADA et al. (1979).  
 Figures: TAKADA et al. (1979).  
 Distribution:  
 JAPAN: TAKADA et al. (1979).

*Amiota furcata* OKADA, 1971

Other name used: *A. alboguttata* forma *fureata* OKADA.  
 General features of adults: OKADA (1960a, 1971a, 1971b, 1977a).  
 Figures: BEPPU et al. (1977), OKADA (1960a, 1968c, 1971b).  
 Keys: BEPPU et al. (1977), OKADA (1960a, 1971a).  
 Biology: KANeko and TOKUMITSU (1960), KIMURA and TODA (1976), MINAMI et al. (1979), SAITO et al. (1962), TODA (1977).  
 Distribution:  
 JAPAN: KANeko and SHIMA (1962), KANeko and TOKUMITSU (1963, 1969), KANeko et al. (1969), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a, 1971b), SAITO et al. (1962), TAKADA (1968, 1971), TODA (1977), WAKAHAMA (1962a; 1964, 1966).

*Amiota kappa* MÁCA, 1977

General features of adults: MÁCA (1977), OKADA (1977a).  
 Figures: MÁCA (1977), OKADA (1977a).  
 Keys: MÁCA (1977), OKADA (1977a).  
 Distribution:  
 JAPAN: MÁCA (1977), OKADA (1977a).

*Amiota lanceolata* OKADA, 1971

General features of adults: OKADA (1971a), TAKADA et al. (1979).  
 Figures: OKADA (1971a).  
 Key: OKADA (1971a).  
 Distribution:  
 JAPAN: OKADA (1971a).

*Amiota lata* BECKER, 1907

General features of adults: BECKER (1907b), DUDA (1934).  
 Key: DUDA (1934).  
 Distribution:  
 CHINA: BECKER (1907b), DUDA (1934). ~~Figures Becker~~

*Amiota magna* OKADA, 1960

General features of adults: MÁCA (1977), OKADA (1960a, 1971a, 1977a).

Figures: MÁCA (1977), OKADA (1960a, 1968a, 1977a).

Keys: MÁCA (1977), OKADA (1960a, 1971a, 1977a).

Development: OKADA (1963a, 1965a).

Biology: NAGATA (1960), OKADA (1960a, 1962, 1968a), WAKAHAMA (1962b, 1964).

Distribution:

JAPAN: KAWANISHI et al. (1975), MÁCA (1977), OKADA (1960a, 1962, 1966b, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964).

*Amiota nagatai* OKADA, 1971

Other name used: *A. alboguttata* forma *nagatai* OKADA.

General features of adults: OKADA (1960a, 1971a).

Figures: OKADA (1960a, 1971a).

Keys: OKADA (1960a, 1971a).

Biology: OKADA (1960a).

Distribution:

JAPAN: OKADA (1960a, 1971a).

Recorded also on the Ryukyu Islands.

*Amiota neochungi* TAKADA, BEPPU and TODA, 1979

General features of adults: MÁCA (1980), TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

*Amiota okadai* MÁCA, 1977

Other name used: *A. variegata* FALLÉN (misident.).

General features of adults: MÁCA (1977), OKADA (1956, 1977a).

Figures: MÁCA (1977), OKADA (1956, 1977a).

Keys: MÁCA (1977), OKADA (1956, 1977a).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MÁCA (1977), MINAMI (1979), MINAMI et al. (1979), OKADA (1977a).

*Amiota oldenbergi* DUDA, 1924

General features of adults: DUDA (1926b, 1934), MÁCA (1977).

Figures: DUDA (1924a, 1934), MÁCA (1977).

Keys: DUDA (1924a, 1934), MÁCA (1977), SÉGUIN (1934a, 1954b).

Distribution:

GERMAN DEMOCRATIC REPUBLIC: DUDA (1924a, 1934), MÁCA (1977), RÖHLFERN and EWALD (1972).

*Amiota onchopyga* NISHIHARU, 1979

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

*Amiota orchidea* OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1960c).

*Amiota palpifera* OKADA, 1971

General features of adults: OKADA (1971a).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

*Amiota promissa* OKADA, 1960

General features of adults: OKADA (1960a, 1968c, 1971a).

Figures: OKADA (1960a).

Keys: OKADA (1960a, 1971a).

Distribution:

JAPAN: OKADA (1960a), TAKADA et al. (1979).

*Amiota rufescens* OLDENBERG, 1914

Other name used: *A. leucostoma* LOEW (misident.).

General features of adults: DUDA (1926b, 1934), MÁCA (1980), OKADA (1968c), OLDENBERG (1914), WAKAHAMA and OKADA (1958).

Figures: MÁCA (1980).

Keys: DUDA (1924a, 1934), FONSECA (1965), MÁCA (1980), OLDENBERG (1914), PAPP (1973), SÉGUIN (1934a, 1934b), ŠTAKELBEEK (1970).

Biology: SCHMID (1968).

Distribution:

FINLAND: unpublished. — GREAT BRITAIN: FONSECA (1965). — ROMANIA: ARADY (1959), DUDA (1934), MÁCA (1980), OLDENBERG (1914), PAPP (1973), BOHLEFELD and EWALD (1979), SÖDER (1945). — SWITZERLAND: MÁCA (1980), SCHMID (1968). — USSR: DUDA (1934), STAKELBEEK (1930, 1970).

Comment:

All European records of *A. leucostoma* LOEW may refer to *A. rufescens* OLDENBERG.

*Amiota semivirgo* MÁCA, 1977

Other name used: *A. variegata* FALLÉN (misident.).

General features of adults: MÁCA (1977).

Figures: MÁCA (1977).

Key: MÁCA (1977).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: MÁCA (1977). — ROMANIA: MÁCA (1977). — SWITZERLAND: EICHMANN (1972c, 1973a, 1979). — YUGOSLAVIA: unpublished.

*Amiota sigma* OKADA, 1971

General features of adults: OKADA (1971a), TAKADA et al. (1979).

Figures: OKADA (1971a).

Key: OKADA (1971a).

Distribution:

JAPAN: OKADA (1971a).

*Amiota sinuata* OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: OKADA (1968c).

Key: OKADA (1971a).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

*Amiota stylopyga* WAKAHAMA and OKADA, 1958

Other names used: *A. leucostoma* LOEW (misident.), *Amiota* sp. I.

General features of adults: MÁCA (1980), OKADA (1961a, 1971a), WAKAHAMA and OKADA (1958).

Figures: BEPPU et al. (1977), WAKAHAMA and OKADA (1958).

Keys: BEPPU et al. (1977), OKADA (1971a), TAKADA (1971).

Biology: BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957), TODA (1973a, 1977), WAKAHAMA and OKADA (1958).

Distribution:

S. KOREA: KANG et al. (1965), LEE (1966b). — JAPAN: BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968), KIMURA and TODA (1976), MÁCA (1980), MINAMI et al. (1979), MOMMA (1957), OKADA (1960a), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1964), WAKAHAMA and OKADA (1958).

*Amiota subfureata* OKADA, 1971

Other name used: *A. alboguttata* forma *fureata* OKADA.

General features of adults: OKADA (1960a, 1971a, 1971b, 1977a).

Figures: BEPPU et al. (1977), OKADA (1960a, 1971b).

Keys: BEPPU et al. (1977), OKADA (1971a).

Biology: KIMURA and TODA (1976), MINAMI et al. (1979).

Distribution:

JAPAN: KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1960a, 1971a, 1971b).

Recorded also in Taiwan.

*Amiota subtusradiata* DUDA, 1934

General features of adults: DUDA (1934), MÁCA (1980), OKADA (1960a).

Figures: MÁCA (1980), PAPP (1973).

Keys: DUDA (1934), MÁCA (1980), PAPP (1973), STAKELBERG (1970).

Distribution:

FINLAND: DUDA (1934), MÁCA (1980). — ? HUNGARY: PAPP (1973). — POLAND: DUDA (1934). — ROMANIA: ARADI (1959), DUDA (1934), SOÓS (1945). — USSR: DUDA (1934), STAKELBERG (1970).

Recorded also in North America.

Comment:

Some records, especially in North America, may refer to other species.

*Amiota taurusata* TAKADA, BEPPU and TODA, 1979

Other name used: *Amiota* sp. 1.

General features of adults: TAKADA et al. (1970).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

*Amiota trifurcata* OKADA, 1968

General features of adults: OKADA (1968c, 1971a).

Figures: BEPPU et al. (1977), OKADA (1968c).

Keys: BEPPU et al. (1977), OKADA (1971a).

Biology: MINAMI et al. (1979), TODA (1977).

Distribution:

JAPAN: MINAMI et al. (1979), OKADA (1968c), TODA (1977).

*Amiota trochlea* TAKADA and TODA, 1973

General features of adults: TAKADA and TODA (1973).

Figures: BEPPU et al. (1977), TAKADA and TODA (1973).

Key: BEPPU et al. (1977).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), TAKADA and TODA (1973).

*Amiota variegata* FÄLLÉN, 1823

General features of adults: BASDEN (1957b), DUDA (1927, 1934), FÄLLÉN (1823), HENDEL (1914), MÁCA (1977), MACQUART (1855), MEIGES (1880), SÉGUY (1934a, 1934b), SHARP (1903), WAHLØREN (1927), ZETTERSTEDT (1847).

Figures: DUDA (1924), MÁCA (1977), PAPP (1973), SÉGUY (1934b).

Keys: DUDA (1924a, 1934), FONSECA (1965), LÁSTOVKA and MÁCA (1977), MÁCA (1977), SÉGUY (1934a, 1934b), WAHLGREN (1927), ZETTERSTEDT (1847).

Development: MÁCA (1977).

Biology: BREZI (1891), COLLIN (1911), COLYMER and HAMMOND (1951), DUDA (1934), KÜHLBORN (1978), MÁCA (1977), SÉGUY (1934a, 1934b), SHARP (1903), WACHTL (1882), WAHLBERG (1889).

Distribution:

? ALBANIA: unpublished. — ? AUSTRIA: SCHINER (1864), STROBL (1894, 1910). — BULGARIA: MÁCA (1977). — CZECHOSLOVAKIA: ČERNÝ (1910). — LATVIA and MÁCA (1977). — MÁCA (1977), MARTINER (1973). — ? FINLAND: FÄLLÉN (1823). — GREECE: ZEFERIS (1890). — ? FINLAND: SÉGUY (1934a, 1934b). — ? GERMAN FEDERAL REPUBLIC: KÜHLHORN (1978), MACQUART (1855), OLDEMBERG (1914). — GREAT BRITAIN: ADAMS (1906), COLLIN (1911), FONSECA (1965), MÁCA (1977), SÉGUY (1934a, 1934b), SHARP (1903). — HUNGARY: ARADI (1959), MÁCA (1977), PAPP (1973), SOÓS (1945). — THALHAMMER (1890). — ? ITALY: BETTI (1891, 1892a). — ? PORTUGAL: ROCHA PITE (1954a). — SÉGUY (1934a, 1934b, 1936). — ? ROMANIA: ARADI (1959), DUDA (1934), OLDEMBERG (1914). — THALHAMMER (1890). — ? SPAIN: SÉGUY (1934a, 1934b). — SWEDEN: FÄLLÉN (1823), MÁCA (1977), RINGDAHL (1949). — WAHLBERG (1889). — ZETTERSTEDT (1838, 1847, 1855, 1860). — SWITZERLAND: unpublished. — ? USSR: DUDA (1934). — PETROVA (1968). — STAKELBERG (1970). — SYTSHEVSKAJA (1978). — ? YUGO-SLAVIA: ARADI (1959), COM (1959). — STROBL (1888a, 1900n, 1910). — THALHAMMER (1890). — ? AZORES: SÉGUY (1934).

Comment:

Records of this species in various countries may refer to other species. This could be true especially of the Japanese and Korean area. We therefore do not quote from this area.

*Cacoxenus* LOEW, 1858*Cacoxenus argyreato* FREY, 1932

General features of adults: DUDA (1934), FREY (1932).

Figures: DUDA (1934).

Keys: DUDA (1934), FREY (1932), MCALPINE (1968).

Biology: FREY (1932), STORÅ (1957).

Distribution:

FINLAND: DUDA (1934), FREY (1932), HARDY and WHEELER (1960), LUMMUS et al. (1979), MCALPINE (1968), STORÅ (1957). — NORWAY: BASDEN and HARNDEN (1956), HARDY and WHEELER (1960). — SWEDEN: unpublished.

*Cacoxenus exiguum* DUDA, 1924

General features of adults: DUDA (1934), HENDEL (1933), MCALPINE (1968).

Figures: DUDA (1934), MCALPINE (1968), PAPP (1973).

Keys: DUDA (1934a, 1934), FONSECA (1965), FREY (1932), MCALPINE (1968), PAPP (1973), SEGUY (1934a, 1934b).

Distribution:

GREAT BRITAIN: FONSECA (1965). — POLAND: DUDA (1934), HARDY and WHEELER (1960). — SWITZERLAND: BÄCHLI (1974c).

*Cacoxenus indagator* LOEW, 1858

Other name used: *C. obscurus* KRÖBER (syn.).

General features of adults: DUDA (1934), ENDERLEIN (1927), HACKMAN (1969a), HARDY (1965), HARDY and WHEELER (1960), HENDEL (1933), KRÖBER (1912), LOEW (1858), MIK (1892, 1894), OSTEN-SACKEN (1892), SCHINER (1864), SEGUY (1934a, 1934b).

Figures: DUDA (1934), HACKMAN (1969a), HARDY (1965), HARDY and WHEELER (1960), HENNIG (1952), DE MELJERE (1944), PAPP (1973), SEGUY (1934b).

Keys: DUDA (1934a, 1934), FONSECA (1965), FREY (1932), LAŠŤOVKA and MÁČA (1977), MCALPINE (1968), PAPP (1973), SEGUY (1934a, 1934b), STAKELBERG (1970).

Development: HENNIG (1952), DE MELJERE (1944).

Biology: DUDA (1934), GIRAUD (1861), JULLIARD (1947, 1948), KARL (1936), KRÖBER (1910, 1912, 1935), LOEW (1858), DE MELJERE (1944), OLDBROYD (1966), RADDATZ (1973), SEGUY (1933a, 1934a, 1934b, 1956, 1951, 1955), TSACAS and DESMIER DE CHENON (1976).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1934), MIK (1892), SEGUY (1934a, 1934b), STROBL (1910). — CZECHOSLOVAKIA: LAŠŤOVKA and MÁČA (1977). — FRANCE: GIRAUD (1861), SEGUY (1934a, 1934b). — GERMAN DEMOCRATIC REPUBLIC: KARL (1936), RADTATZ (1873). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1837), KRÖBER (1910, 1912, 1935), OSTEN-SACKEN (1892), SCHINER (1864). — GREAT BRITAIN: AUDCOTT (1950), FONSECA (1965), HARDY and WHEELER (1960). — HUNGARY: ÁRADI (1959), PAPP (1973), THALHAMMER (1899). — NETHERLANDS: DE MELJERE (1944). — POLAND: HARDY and WHEELER (1960), KARL (1936), LOEW (1858). — ROMANIA: ÁRADÍ (1959). — SPAIN: HACKMAN (1969a), SEGUY (1934a, 1934b). — SWITZERLAND: JULLIARD (1947, 1948). — YUGOSLAVIA: SEGUY (1934a, 1934b), STROBL (1898a, 1900a).

*Cacoxenus inquiline* HENDEL, 1933

General features of adults: HENDEL (1933), MCALPINE (1968), OKADA (1973c).

Key: PAPP (1973).

Distribution:

AUSTRIA: HENDEL (1933).

*Cacoxenus kaszabi* OKADA, 1973

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

CZECHOSLOVAKIA: unpublished. — MONGOLIA: OKADA (1973a).

*Cacoxenus perspicax* KNAB, 1914

Other name used: *C. punctatus* DUDA (syn.).

General features of adults: BRYAN (1938), DUDA (1926b, 1934), GUPTA (1970), HARDY (1965), HARDY and WHEELER (1960), HENDEL (1933), KNAB (1914), MCALPINE (1968), MALLOCH (1924a, 1924b), TSACAS and DESMIER DE CHENON (1976).

Figures: DUDA (1924a), GUPTA (1970), HARDY (1965).

Keys: BRYAN (1938), DUDA (1924), HARDY (1965).

Biology: BEZZI (1917), BRYAN (1938), HARDY (1965), KNAB (1914), MALLOCH (1924a), SEGUY (1933b, 1951), STURTEVANT (1921), SWEEZY (1928, 1932).

Distribution:

EGYPT: unpublished.

Recorded mainly in Old World tropics.

*Cacoxenus vlasovi* (DUDA), 1934

General features of adults: DUDA (1934), MCALPINE (1968), OKADA (1973c), SEGUY (1941).

Figures: DUDA (1934), OKADA (1973c).

Key: DUDA (1934).

Biology: DUDA (1934).

Distribution: USSR: DUDA (1934), MCALPINE (1968). — MONGOLIA: OKADA (1973).

*Chymomyza* CZERNÝ, 1903*Chymomyza amoena* LOEW, 1862

General features of adults: HSU (1949), LOEW (1862), OKADA (1973), PATTERSON (1943), STURTEVANT (1921), THROCKMORTON (1962).

**Figures:** DUDA (1927), HSU (1949), OKADA (1976), PATTERSON (1943), THROCKMORTON (1962).  
**Keys:** DUDA (1927), MALLOCH and MCATEER (1924), OKADA (1970), STURTEVANT (1910, 1921), WHEELELR (1949b, 1952).  
**Development:** DUDA (1934), PATTERSON (1943).  
**Biology:** MALLOCH and MCATEER (1924), SABATH (1974), STURTEVANT (1910, 1921), TESKEY (1976), WHEELER (1952).  
**Distribution:**  
**CZECHOSLOVAKIA:** unpublished.  
Recorded mainly in North America.

### *Chymomyza atrimana* OKADA, 1956

General features of adults: OKADA (1956, 1976).

**Figures:** OKADA (1956).

**Keys:** OKADA (1956, 1976), TAKADA (1971).

**Biology:** KANeko and TOKUMITSU (1960), OKADA (1956), TODA (1973a).

**Distribution:**

**JAPAN:** KANeko and TOKUMITSU (1960), OKADA (1956), TODA (1973a), WAKAHAMA (1964), WAKAHAMA et al. (1963).

### *Chymomyza caudata* OLDENBERG, 1914

Other names used: *Ch. costata* ZETTERSTEDT (misident.), *Neotrypetisella* sp.

General features of adults: DUDA (1927, 1934), HACKMAN et al. (1970), OKADA (1954b, 1956, 1961a, 1976), OLDENBERG (1914), STURTEVANT (1910), WHEELER (1949b, 1952).

**Figures:** BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), OKADA (1956, 1968a), OLDENBERG (1914), PAPP (1973), STAKELBERG (1970).

**Keys:** BEPPU et al. (1977), DUDA (1924a, 1927, 1934), HACKMAN et al. (1970), OKADA (1956, 1976), OLDENBERG (1914), PAPP (1973), SÉGUY (1934b), STAKELBERG (1970), STURTEVANT (1910, 1921), TAKADA (1971).  
**Development:** OKADA (1968a).

**Biology:** BEPPU (1976), KANeko and TOKUMITSU (1960), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KÜHLHOHN (1978), LUMME et al. (1970), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1968a), SCHMID (1968), TODA (1973a, 1977), WHEELER and THROCKMORTON (1960).

**Distribution:**

**AUSTRIA:** BASDEN (1961), STROBL (1894, 1901, 1910). — **FINLAND:** HACKMAN et al. (1970), LUMME et al. (1979). — **GERMAN FEDERAL REPUBLIC:** KÜHLHOHN (1978). — **HUNGARY:** ARADI (1959), DUDA (1934), OLDENBERG (1914), PAPP (1973), ROHRLICH and EWALD (1972), SÖÖS (1945). — **SWITZERLAND:** BÄCHLI (1972c, 1973c), SCHMID (1968). — **USSR:** STAKELBERG (1970). — **JAPAN:** BEPPU (1976, 1978), KANeko and TAKADA (1960), KANeko and TOKUMITSU (1960), KIMURA (1976a, 1976b), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1968a, 1976), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1964).

Recorded also in North America.

### *Chymomyza costata* ZETTERSTEDT, 1838

General features of adults: COLLIN (1911), CZERNY (1905a), DUDA (1934), HACKMAN et al. (1970), OKADA (1956, 1976), OLDENBERG (1914), WAHLGREN (1927), ZETTERSTEDT (1838, 1847).

**Figures:** BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), LAŠTOVKA and MÁCA (1977), PAPP (1973).

**Keys:** BASDEN (1954b), BEPPU et al. (1977), CZERNY (1905a), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), LAŠTOVKA and MÁCA (1977), OKADA (1956, 1976), OLDENBERG (1914), PAPP (1973), SÉGUY (1934b), STAKELBERG (1970), WAHLGREN (1927), ZETTERSTEDT (1847).

**Development:** HACKMAN et al. (1970), LAKOVAARA et al. (1972b), OKADA (1968).

**Biology:** BASDEN (1954b), BASDEN and HARNDEN (1954), HACKMAN et al. (1970), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979), MINAMI et al. (1979), MORGE (1963), OLDENBERG (1922), RADDAUT (1873), STÖBA (1957), TODA (1977).

**Distribution:**

**AUSTRIA:** DUDA (1934), CZERNY (1905a), OLDENBERG (1914). — **CZECHOSLOVAKIA:** DUDA (1934), LAŠTOVKA and MÁCA (1977), OLDENBERG (1914), PAPP (1973), SÖÖS (1945). — **FINLAND:** BASDEN (1956), HACKMAN (1971), HACKMAN et al. (1970), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979), OKADA (1976), SÖÖS (1956, 1957), ZETTERSTEDT (1860). — **GERMAN DEMOCRATIC REPUBLIC:** DUDA (1934), RADDAUT (1873). — **GERMAN FEDERAL REPUBLIC:** DUDA (1934), OLDENBERG (1914, 1922). — **GREAT BRITAIN:** BASDEN (1952, 1954b), COLLIN (1911), FONSECA (1965), OKADA (1976). — **NETHERLANDS:** DE MEIJER (1916b, 1939b). — **NORWAY:** BASDEN and HARNDEN (1956), LAKOVAARA et al. (1972b), ZETTERSTEDT (1847). — **POLAND:** DUDA (1934), OLDENBERG (1914). — **SWEDEN:** LAKOVAARA et al. (1972b), RINGDAHL (1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847). — **SWITZERLAND:** BÄCHLI (1977), BURLA (1951), DUDA (1934), OLDENBERG (1914). — **USSR:** BASDEN (1956), HACKMAN (1957), STAKELBERG (1930, 1970). — **N. KOREA:** OKADA (1974b, 1976). — **JAPAN:** MINAMI et al. (1979), TODA (1977).

### *Chymomyza distincta* ECKER, 1862

Other names used: *Ch. oldenbergi* DUDA (syn.), *Ch. fuscomana* ZETTERSTEDT (misident.).

General features of adults: DUDA (1934), ECKER (1862), HACKMAN et al. (1970), OKADA (1976), OLDENBERG (1914).

**Figures:** BEPPU et al. (1977), DUDA (1934), HACKMAN et al. (1970), HENNIG (1958), OLDENBERG (1914), PAPP (1973).

**Keys:** BASDEN (1954b), BEPPU et al. (1977), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), OKADA (1976), OLDENBERG (1914), PAPP (1973), SCHINER (1964), SÉGUY (1934b).

**Biology:** BASDEN (1954b), MINAMI et al. (1979), MORGE (1963).

**Distribution:**

**AUSTRIA:** ECKER (1862), FRAUSCHER (1898). — **CZECHOSLOVAKIA:** ARADI (1959), PAPP (1973), VIMMER (1918). — **FINLAND:** FREY (1929), HACKMAN et al. (1970). — **FRANCE:** KUNTEZ (1913). — **GERMAN DEMOCRATIC REPUBLIC:** DUDA (1934), OLDENBERG (1914). — **GERMAN FEDERAL REPUBLIC:** DUDA (1934), OLDENBERG (1914). — **GREAT BRITAIN:** BASDEN (1954b), COLLIN (1952), FONSECA (1965). — **NORWAY:** unpublished. — **POLAND:** DUDA (1934). — **SWEDEN:** unpublished. — **SWITZERLAND:** unpublished. — **? USSR:** STAKELBERG (1980). — **? YUGOSLAVIA:** STROBL (1904). — **JAPAN:** MINAMI et al. (1979).

**Comment:**

This species was confused with *Ch. fuscomana* ZETTERSTEDT. Some records may refer to the latter species.

***Chymomyza fuscimana* ZETTERSTEDT, 1838**

Other names used: *Ch. albopunctata* BECKER (syn.), *Ch. distincta* EGGER (misident.), *Ch. nigrimana* MEIGEN (? syn.). General features of adults: BECKER (1900), COLLIN (1911), CHERNY (1903a), DUDA (1934), HACKMAN et al. (1970), HENNIG (1958), OKADA (1956, 1961a, 1973a, 1976), OLDEMBERG (1914), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1852).

Figures: BEPPU et al. (1977), DUDA (1924a, 1934), HACKMAN et al. (1970), HENNIG (1958), OKADA (1956), OLDEMBERG (1914), PAPP (1973), STAKELBERG (1970).

Keys: BEPPU et al. (1977), CHERNY (1903a), DUDA (1924a, 1934), FONSECA (1965), HACKMAN et al. (1970), OKADA (1956, 1976), OLDEMBERG (1914), PAPP (1973), SEGUY (1954b), STAKELBERG (1970), TAKADA (1971), WAHLGREN (1927).

Biology: KANEKO et al. (1966), MINAMI et al. (1979), MOMMA (1957), OKADA (1956), OLDEMBERG (1922), SCHMID (1968).

## Distribution:

AUSTRIA: BADEN (1961), CZECHOSLOVAKIA: ARADY (1956), PALEN (1973), SOÓS (1973). — DENMARK: unpublished. — FINLAND: HACKMAN et al. (1970), LUMME et al. (1979). SLOVAKIA (1954). — GERMANY: DEMOCRATIC REPUBLIC: DUDA (1934), OLDEMBERG (1914). — GERMANY: FEDERAL REPUBLIC: DUDA (1934), OLDEMBERG (1914, 1922). — GREAT BRITAIN: COLLIN (1911), FONSECA (1965). — HUNGARY: SOÓS (1945). — POLAND: BASDEN (1961), DUDA (1934), OLDEMBERG (1914). — SWEDEN: OLDEMBERG (1914), RINGDAHL (1949, 1951), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1850). — SWITZERLAND: BÄCHLI (1977). SOMALIA (1968). — USSR: BECKER (1900), HACKMAN (1957), HACKMAN et al. (1970), STAKELBERG (1970). — JAPAN: KANEKO et al. (1966), MIRAMI et al. (1979), MOMMA (1957), OKADA (1956, 1976), TAKADA (1968), WAKAHANA (1964, 1966), WAKAHANA et al. (1969).

## Comment:

This species was confused with *Ch. distincta* EGGER. Some records may refer to the latter species.

***Chymomyza japonica* OKADA, 1956**

General features of adults: OKADA (1956, 1961a, 1976).

Figures: OKADA (1956).

Key: OKADA (1956, 1970).

Development: OKADA (1968a).

Biology: OKADA (1956).

## Distribution:

JAPAN: OKADA (1956, 1968a, 1976).

***Chymomyza obscura* DE MEIJERE, 1911**

General features of adults: BURKA (1954a), DE MELWER (1911b), OKADA (1956, 1976).

Figures: DUDA (1924a), OKADA (1976).

Keys: DUDA (1924a), OKADA (1956, 1976).

## Distribution:

JAPAN: KIKKAWA and PENG (1958).

Recorded mainly in South Asia.

## Comment:

The record of this species in Japan was later not confirmed.

***Chymomyza obscuroides* OKADA, 1976**

Other name used: *Ch. costata* ZETTERSTEDT (misident.).

General features of adults: OKADA (1956, 1976).

Figures: OKADA (1976).

Key: OKADA (1976).

Development: OKADA (1968a).

## Distribution:

JAPAN: OKADA (1956, 1968a, 1976).

***Chymomyza procnemis* WILLISTON, 1896**

General features of adults: BRYAN (1938), DUDA (1927), HARDY (1965), KUROKAWA and HIHARA (1976), NATER (1950, 1953), OKADA (1976), PATTERSON (1943), STURTEVANT (1921), WHEELER (1949b), WILLISTON (1896).

Figures: HARDY (1965), NATER (1950, 1953), OKADA (1976), PATTERSON (1943).

Keys: BRYAN (1938), HARDY (1965), OKADA (1976), PATTERSON (1943), STURTEVANT (1916, 1921), WHEELER (1949b), WILLISTON (1896).

Development: PATTERSON (1943).

Biology: CARTER (1938), SAKIMURA and LINFORD (1940), WHEELER (1952).

## Distribution:

JAPAN: OKADA (1976).

Recorded mainly in America and Hawaii.

***Deltopsomyia* LAMB, 1914*****Deltopsomyia nigrovittata* MALLOCH, 1924**

Other names used: *D. argentifrons* OKADA (syn.), *Styleptera* sp.

General features of adults: DE CASTRO (1963), HARDY (1965), MALLOCH (1924b), OKADA (1953a, 1955b, 1956, 1961a), TAKADA (1966a, 1976), WHEELER (1952).

Figures: HARDY (1965), OKADA (1956, 1968a), TAKADA (1966a).

Keys: HARDY (1965), OKADA (1956).

Development: OKADA (1956, 1968a).

Biology: HACKMAN (1958), OKADA (1956, 1962), WHEELER (1951, 1952).

Distribution:

MADEIRA: unpublished. — CANARY IS.: HACKMAN (1958), MONCLUS (1976). — JAPAN: KAWANISHI and WATANABE (1977), OKADA (1956, 1962), WAKAHAMA (1962a, 1964).

Recorded mainly in America, Australia and on some Pacific Islands.

✓ *Deltopsomyia pictipes* DE MEIJERE (1911) *sp. galapago*

Other name used: *D. pictipes* var. *sumatrana* DUDA.

General features of adults: DUDA (1926a), DE MEIJERE (1911b).

Figures: DUDA (1924a).

Keys: DUDA (1924a), DE MEIJERE (1911b).

Distribution:

✓ JAPAN: OKADA (1977b).

Recorded mainly in South Asia, America, Australia and Hawaii.

*Drosophila* FALLÉN, 1823

*Drosophila acuminata* COLLIN, 1952

General features of adults: COLLIN (1952), HACKMAN (1959), LÁSTOVKA and MÁCA (1978), OKADA (1968d), OKADA and KUROKAWA (1957), PAPP (1971).

Figures: COLLIN (1952), LÁSTOVKA and MÁCA (1978), PAPP (1973).

Keys: FONSECA (1965), LÁSTOVKA and MÁCA (1978), PAPP (1973).

Biology: LÁSTOVKA and MÁCA (1978).

Distribution:

CZECHOSLOVAKIA: LÁSTOVKA and MÁCA (1978). — GREAT BRITAIN: COLLIN (1952), FONSECA (1965). — IRELAND: ROCHA PIRES and TSACAS (1980).

*Drosophila acutissima* OKADA, 1956

Other name used: *Drosophila* sp. II like *grandis*.

General features of adults: KUROKAWA and HIIHARA (1976), OKADA (1956, 1961b).

Figures: OKADA (1956).

Keys: OKADA (1950, 1960a).

Biology: OKADA (1954d, 1956, 1962).

Distribution:

JAPAN: KAWANISHI (1975), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1976), OKADA (1954d, 1956, 1962, 1966b).

Recorded also in Nepal.

*Drosophila afer* TAN, HSU and SHENG, 1949

General features of adults: TAN et al. (1949).

Distribution:

CHINA: TAN et al. (1949).

*Drosophila aitonalis* Momma and Takada, 1954

Other name used: *Drosophila* (*Hirtodrosophila*) sp. II.

General features of adults: KIM (1962), KUROKAWA and HIIHARA (1976), MOMMA and TAKADA (1954), OKADA (1956).

Figures: KIM (1962), MOMMA and TAKADA (1954), OKADA (1968a).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1956, 1967), TAKADA (1971).

Development: OKADA (1963a, 1965a).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), MOMMA and TAKADA (1954), OKADA (1954d, 1965a), SUZUKI (1955), TAKADA (1957), TODA (1977), WAKAHAMA (1957a, 1962b, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1955), CHUNG and RHO (1959), KANG and LEE (1964), KANG et al. (1969), LEE (1966b), OKADA (1967). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), KANEKO (1960), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KAWANISHI et al. (1975), KIMURA (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1964, 1967, 1965a, 1965b), MOMMA and TAKADA (1954), OKADA (1954d, 1956, 1967, 1968a), SUZUKI (1955), TAKADA (1957, 1960, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964, 1966).

*Drosophila alpina* BURLA, 1948

Other name used: *Drosophila* sp. like *alpina*.

General features of adults: BURLA (1948, 1951a), FREIRE-MAIA (1949), NATER (1953), OKADA (1953b, 1956, 1961b).

Figures: BEPPU et al. (1977), BURLA (1948, 1951a), HACKMAN (1954), OKADA (1956, 1968a), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLA (1951a), HACKMAN (1954), OKADA (1956).

Development: BURLA (1951a), OKADA (1956, 1968a).

Biology: BÄCHEL (1977, 1979), BURLA (1949), KANEKO and TOKUMITSU (1969), LUMME et al. (1978, 1979), OKADA (1956), STROLÍ (1957).

Distribution:

FINLAND: HACKMAN (1954, 1971), LAKOVAARA et al. (1972a, 1972c), LUMME et al. (1978, 1979), SVORI (1957). — NORWAY: ROCHA PITÉ and TSACAS (1980). — SWEDEN: LAKOVAARA et al. (1972a, 1972c). — SWITZERLAND: BÄCHEL (1973a, 1973c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1951a), NÄTER (1953). — MONGOLIA: HACKMAN (1968b). — N. KOREA: OKADA (1974b). — JAPAN: KANEKO and TOKUMITSU (1969), MORIWAKI et al. (1954), OKADA (1956, 1968a).

*Drosophila ambigua* POMINI, 1940

General features of adults: BURLA (1951a), CAIN et al. (1952), FRIESE-MALAI (1949), LAKOVAARA and LÄNKINEN (1974), MONCLÜS (1964), MORIWAKI et al. (1952), NÄTER (1953), OKADA (1953b, 1961b), POMINI (1940).

Figures: BURLA (1951a), DYSON-HUDSON (1954), LAKOVAARA and LÄNKINEN (1974), LAŠTOVKA and MÁCA (1977), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHROBROOKS (1972), THROCKMORTON (1962).

Keys: BASDEN (1954b), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MÁCA (1977), MONCLÜS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHROBROOKS (1972).

Development: BURLA (1951a).

Biology: BÄCHEL (1979), BASDEN (1953, 1954b, 1957a), BIEGN (1975), BURLA (1961), FRYDENBERG (1956a), KÖNIG (1965), KÜHNHORN (1978), LEVIER and SOBELS (1961), MAINX et al. (1965), SCHMID (1968), SHROBROOKS (1974, 1975), SOBELS et al. (1964), ZUSKA and LAŠTOVKA (1969).

Distribution:

AUSTRIA: BUZZATTI-TRAVESIO and SCOSSETTI (1952), MAINX et al. (1953). — CZECHOSLOVAKIA: BASDEN (1961), LAŠTOVKA and MÁCA (1977), ZUSKA and LAŠTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1951), LAKOVAARA et al. (1972a, 1972c). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMAN FEDERAL REPUBLIC: KÖNIG (1965), KÜHLHORN (1978). — GREAT BRITAIN: BASDEN (1952, 1953, 1955, 1956, 1957a), BÄCHEL (1961), BIEGN (1975), CAIN et al. (1952), DYSON-HUDSON (1954), FONSECA (1965), KÖNIG (1965), LEVIER (1960), MAINX et al. (1964, 1966, 1970, 1974, 1975, 1977), THROCKMORTON (1962). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: PAPP (1975a). — IRELAND: BASDEN (1952). — ITALY: BUZZATTI-TRAVESIO and SCOSSETTI (1952), KOSKE (1953), MAINX et al. (1953), NIÑO (1979). — NETHERLANDS: LEVIER and SOBELS (1961), SOBELS et al. (1964). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1979). — SPAIN: HADORN et al. (1952), MONCLÜS (1964). — SWEDEN: unpublished. — SWITZERLAND: BÄCHEL (1972, 1972c, 1973a, 1973b, 1974a, 1975a, 1975b, 1977, 1979), BURLA (1951a, 1961), BUZZATTI-TRAVESIO and SCOSSETTI (1952), KOSKE (1953), MAINX et al. (1953), NÄTER (1953), SCHMID (1968). — TURKEY: unpublished. — YUGOSLAVIA: KERG and MARINKOVIC (1979). — CANARY IS.: unpublished. — MOROCCO: unpublished. — TUNISIA: unpublished. — IRAN: unpublished.

*Drosophila ananassae* DOLESCHALL, 1858

Other names used: *D. imparata* WALKER (syn.), *D. similis* LAMB (syn.), *D. caribea* STURTEVANT, 1916 (syn.), *D. errans* MALLONI, 1933 (syn.).

General features of adults: BOCK (1976), BOCK and WHEELER (1978), BOHART and GRESSITT (1951), BRONIC (1957), BRUNNER (1958), CUPRAN (1966), DODGE (1958), DUDA (1926a, 1927, 1931), FUTCH (1968), HARDY (1965), HSU (1949), KIKKAWA and PENG (1958), KUROKAWA and UHARA (1976), LAMÉ (1914), LIN (1973), MALLOCH (1963), MALOGOLOWKIN (1945), MÄTHÉR (1955), DE MEIJERE (1908), MORIWAKI and OKADA (1952), NÄTER (1953), OKADA (1953b, 1954a, 1954d, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PATERSON (1943), PENG (1937), STURTEVANT (1936, 1921), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1984).

Figures: BOHART and GRESSITT (1951), COVA GARCÍA and SUÁREZ (1962), DUDA (1927), HARDY (1965), HSU (1949), KIKKAWA and PENG (1958), LAMÉ (1914), MALOGOLOWKIN (1948), MONCLÜS (1964), NÄTER (1953), OKADA (1954c, 1956, 1960a), PATERSON (1943), PENG (1937), THROCKMORTON (1962), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1984).

Keys: BASDEN (1954b), BOCK (1976), BOHART and GRESSITT (1951), BRONIC (1957), BURLA (1954a), DUDA (1924a, 1925, 1926a, 1927, 1931), FONSECA (1966), GUPTA and RAY-CHAUDHURI (1970), HARDY (1965), HARRISON (1954), KIKKAWA and PENG (1958), MALLOCH (1934b, 1934c), DE MEIJERE (1908), MONCLÜS (1964), OKADA (1956), PATERSON (1943), PATERSON and MALLAND (1944), PAVAN and DA CUNHA (1947), PENG (1937), STURTEVANT (1921, 1942), WHEELER and TAKADA (1964).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: BASDEN (1954b), BOCK (1977b), BOHART and GRESSITT (1951), BURLA (1954a), BURUA and OLENDO (1971), CARSOF (1965, 1971), COVA GARCÍA and SUÁREZ (1962), DAVID (1971), DODGE (1958), LACHAISE (1971, 1974a, 1975), MARTINEZ et al. (1965), OKADA (1956), PARSHAD and DUGGAL (1966), PAESHAD and PAIKA (1964), PATTERSON (1942), PIPEK (1965), PIPEK et al. (1966), STURTEVANT (1919b, 1921).

Distribution:

GREAT BRITAIN: BASDEN (1954b). — SPAIN: BASDEN (1954b), MONCLÜS (1964). — MADEIRA: MONCLÜS (1970). — CANARY IS.: BASDEN (1954b). — CHINA: HSU (1949), PENG (1937), TAN et al. (1949). — JAPAN: KIKKAWA and PENG (1958), MORIWAKI (1954, 1955, 1958), OKADA (1954d, 1956).

Recorded as pan-tropical species.

*Drosophila andalusiae* STROBL, 1906

Other names used: *D. forcipata* COLLIN (syn.), *D. fenestraria* FALLEN (misident.).

General features of adults: BASDEN (1957a, 1961), BEARDMORE (1967), COLLIN (1952), HACKMAN (1955), LAŠTOVKA and MÁCA (1978), OKADA and KUROKAWA (1957), PAPP (1971), STROBL (1906).

Figures: BASDEN (1961), COLLIN (1952), HACKMAN (1955), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Keys: BASDEN (1954b), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MÁCA (1978), PAPP (1973), ROCHA PITÉ (1975a), SHROBROOKS (1972).

Development: LAŠTOVKA and MÁCA (1978).

Biology: BASDEN (1954b), BEARDMORE (1967), COI (1959), HERING (1955), LAŠTOVKA and MÁCA (1978), NASWATY (1959), PAPP (1976), ROCHA PITÉ (1979).

**Distribution:**

AUSTRIA: THALER (1977). — BELGIUM: unpublished. — CYPRUS: HAGTHIAN (1960). — CZECHOSLOVAKIA: LÁSTOVKA and MÁCA (1978). — DENMARK: FRYDENBERG (1956a). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: HERTING (1955), NASWATY (1959). — GREAT BRITAIN: BASDEN (1952, 1954b), BEARDMORE (1967), COLLIN (1962), FONSECA (1965), SHORROCKS (1977), SMITH (1960). — GREECE: DIS 37: 135–136. — HUNGARY: LÁSTOVKA and MÁCA (1978), PAPP (1973, 1976). — IRELAND: BEARDMORE (1967). — NETHERLANDS: BEARDMORE (1967), HACKMAN (1960). — PORTUGAL: ROCHA PITÉ (1975a, 1975b, 1979). — ROMANIA: PAPP (1973). — SPAIN: BASDEN (1961), HACKMAN (1968a), STROBL (1960). — SWEDEN: BEARDMORE (1967). — SWITZERLAND: BACHMANN (1974b). — YUGOSLAVIA: BEARDMORE (1967), COR (1959), PAPP (1973). — AZORES: FREY (1945), HACKMAN (1960). — MADEIRA: FREY (1949). — CANARY IS.: FREY (1956). — MOROCCO: HACKMAN (1960). — ISRAEL: BASDEN (1960), BEARDMORE (1967). — SYRIA: LÁSTOVKA and MÁCA (1978).

***Drosophila angularis* OKADA, 1956**

Other names used: *D. transversa* FALLÉN (misident.), *D. transversa* type B.

General features of adults: CHUNG and RHO (1959), KIKKAWA and PENG (1938), KIM (1962), OKADA (1953b, 1956, 1961b, 1968a).

Figures: KIKKAWA and PENG (1938), KIM (1962), OKADA (1956, 1968a).

Keys: KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: LEE (1962), OKADA (1956, 1962, 1968a), SAITO et al. (1962), WAKAHAMA (1961, 1962b, 1962c).

**Distribution:**

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1960), KIKKAWA and PENG (1938), KIM (1962, 1963), LEE (1962, 1964a, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), OKADA (1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), TOKUMITSU et al. (1967), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966).

***Drosophila annulipes* DUDA, 1924**

Other name used: *D. virgata* TAN, HSU and SHENG (syn.).

General features of adults: DUDA (1924b, 1926a), KIM (1963), KUROKAWA and HIHARA (1976), OKADA (1953, 1955a, 1956, 1961b, 1968a), TAN et al. (1949), WHEELER and TAKADA (1964).

Figures: DUDA (1924a, 1926a), KIM (1963), OKADA (1955a, 1956, 1968a).

Keys: DUDA (1924a, 1926a), OKADA (1956, 1968a).

Development: OKADA (1963a, 1968a).

Biology: NOZAWA (1956), OKADA (1956, 1962), TODA (1976), WAKAHAMA (1961, 1962b, 1964).

**Distribution:**

S. KOREA: KIM (1963), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1955a, 1956, 1962, 1966b, 1968a), WAKAHAMA (1961, 1968a, 1968b, 1968c, 1964, 1966). Recorded also in South Asia and on the Bonin Islands.

***Drosophila asozana* OKADA, 1956**

Other name used: *Drosophila* sp. like *histrio*.

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Keys: OKADA (1956, 1967).

Development: OKADA (1968a).

Biology: OKADA (1956).

**Distribution:**

JAPAN: OKADA (1956, 1967, 1968a).

***Drosophila auraria* PENG, 1937**

General features of adults: BOCK and WHEELER (1972), BURLA (1954a, 1954b), DE CASTRO (1953), FREIRE-MAIA (1949), HSU (1949), KIKKAWA and PENG (1938), KUROKAWA (1956, 1962, 1967b), KUROKAWA and HIHARA (1976), LEE (1964b), MATHER (1955), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b), PENG (1937), TAKADA (1952).

Figures: BOCK and WHEELER (1972), BURLA (1954a, 1954b), HSU (1949), KIKKAWA and PENG (1938), OKADA (1954a, 1956, 1968a), PENG (1937), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), OKADA (1956), PENG (1937), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a, 1955b), IWAO et al. (1980), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KATO (1954d), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI (1979), MINAMI et al. (1978), MOMMA (1964, 1965b), NOZAWA (1956), OKADA (1954, 1956, 1962), SAITO et al. (1962), SHIMA (1960), SUZUKI (1965), TAKADA (1964, 1967, 1990), TAKADA and TOYOPUNSU (1960), TODA (1978a, 1978b, 1978c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962b), WATABE (1978).

**Distribution:**

CHINA: BURLA (1954b), HSU (1949), KIKKAWA and PENG (1938), PENG (1937), TAN et al. (1949), THROCKMORTON (1962). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1956, 1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1960, 1964a), KUROKAWA (1962, 1967a), LEE (1962, 1964b, 1964c, 1965, 1966b), OKADA (1956), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), BURLA (1954b), ISHIHARA (1955a, 1955b), IWAO et al. (1980), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KATO (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA and Toda (1976), KIMURA et al. (1977), KUROKAWA (1956, 1958, 1959, 1960, 1962, 1967a, 1967b), MINAMI (1970), MINAMI and KIMURA (1980), MINAMI et al. (1979),

MOMMA (1957, 1964, 1965a, 1965b), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1959, 1962, 1966b, 1965a), SATO et al. (1962), SHIMA (1960), SUZUKI (1965), TAKADA (1952, 1954, 1957, 1958, 1960), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1966b, 1957a, 1957b, 1961, 1962a, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATAKE and BEPPU (1977), WATANABE and KAWANISHI (1976). Recorded also in India.

## Comment:

Some records may refer to the sibling species *D. bimaculata* BOCK and WHEELER or *D. triauraria* BOCK and WHEELER.

***Drosophila biauraria* BOCK and WHEELER, 1972**

Other names used: *D. auraria* race B.

General features of adults: BOCK and WHEELER (1972), KUROKAWA (1956, 1967), OKADA (1953b).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), OKADA (1953b).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: BEPPU (1976), BEPPU and TODA (1976), IWAO et al. (1980), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1976), TAKADA (1954, 1957, 1958, 1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1968), WATABE (1979).

## Distribution:

S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and LEE (1959, 1960), KUROKAWA (1967a), LEE (1964c, 1965, 1966b), LEE and LEE (1968). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1970), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), OKADA (1953b, 1966b), SHIMA (1960), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOTOFUKU (1960), TAKADA et al. (1953), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1966), WAKAHAMA et al. (1963), WATABE (1979), WATANABE and BEPPU (1977).

***Drosophila bifasciata* POMINI, 1940**

Other names used: *D. bilineata* POMINI (syn.), *D. obscura* FALLEN (misident.).

General features of adults: BASDEN and HARDEN (1956), BURLE (1951a), CAIN et al. (1953), FERREIRA-MAILA (1949), FREDERIKSEN (1956a), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), LAKOVAARA and LANKINEN (1974), MONCLUS (1964), MORIWAKI et al. (1952, 1967), NATER (1953), OKADA (1953b, 1954c, 1956, 1961b), PARSHAD and DRUGGAL (1966), PARSHAD and PAIKA (1964), POMINI (1940), TAKADA and LEE (1958). Figures: BEPPU et al. (1977), BURLE (1951a), CAIN et al. (1952), PROLOWA and ASTAUROW (1929), HSU (1949), KIM (1962), LAKOVAARA and LANKINEN (1974), OKADA (1958, 1968a), PAPP (1973), POMINI (1940), ROCHA PIRES (1975a), STAKELBERG (1970), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLE (1951a), FONSECA (1965), GUPTA and EAY-CHAUDHURI (1970), LEE (1964c), MONCLUS (1964), OKADA (1958), PAPP (1973), POMINI (1940), ROCHA PIRES (1975a), STAKELBERG (1970), TAKADA (1971).

Development: BURLE (1951a), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964), WATABE (1979).

Biology: BASDEN and HARDEN (1956), BEPPU (1976), BEPPU and TODA (1976), HADORN et al. (1962), ISHIHARA (1955a, 1955b), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LAKOVAARA et al. (1972b), LUNME et al. (1978, 1979), MAGNI (1959), MINAMI et al. (1979), MOMMA (1965b), MORIWAKI et al. (1952), OKADA (1954d, 1956, 1962), PARSHAD and DRUGGAL (1966), PARSHAD and PAIKA (1964), SCHMID (1968), SHIMA (1960), TAKADA (1954, 1957), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957b, 1962b, 1964), WATABE (1979), ZUSKA and LASŤOVKA (1969).

## Distribution:

AUSTRIA: MAINX et al. (1953). — CZECHOSLOVAKIA: ZUSKA and LASŤOVKA (1969). — FINLAND: HACKMAN (1971), LAKOVAARA et al. (1973a, 1973b, 1972c, 1972e, 1974a), LUUME et al. (1978, 1979), SAURA (1974). — FRANCE: HAUDON et al. (1952), ROCHA PIRES and TSACAS (1979). — GERMANY FEDERAL REPUBLIC: unpublished. — HUNGARY: PAPP (1973). — ITALY: BERTOLINI (1942a), IRIDA (1970), LAKOVAARA et al. (1972c), MAGNI (1952, 1963, 1969), MAINX et al. (1953), MORIWAKI and KITAGAWA (1957), POMINI (1940), SAURA (1974), YAMAGUCHI (1978). — NETHERLANDS: LEIJEN and SORELIS (1961). — NORWAY: BASDEN and HARDEN (1956), LAKOVAARA et al. (1972b), SAURA (1974). — PORTUGAL: HADORN et al. (1952), ROCHA PIRES (1972, 1973a, 1979). — SPAIN: HADORN et al. (1952), MONCLUS (1964). — SWEDEN: LAKOVAARA et al. (1972a, 1972b, 1972c), SAURA (1974). — SWITZERLAND: BAUHLI (1972b, 1972c, 1973a, 1975b, 1979), BURLE (1948, 1951a), HSU (1949), LAKOVAARA et al. (1972a), MORIWAKI and KITAGAWA (1957), NATER (1953), SAURA (1974), SCHMID (1968), YAMAGUCHI (1973). — USSR: BUZZATI-TRAVESIO (1955), DUDIN et al. (1957b), FROLOWA (1926), PROLOWA and ASTAUROW (1929), HACKMAN (1957), STAKELBERG (1970). — URGENTIA: AVILA, KERKIC and MARINOVIC (1973). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958). — U.S.A.: CHUNG and LEE (1960), KANG et al. (1968, 1969), KIM (1962), LEE (1962, 1964c, 1966b), OKADA and LEE (1968). — JAPAN: BEPPU (1976, 1977), BEPPU and TODA (1976), IKEDA (1970), IKEDA and MORIWAKI (1964), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KAWANISHI and WATABE (1977), KAWANISHI et al. (1975), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LAKOVAARA et al. (1972a, 1972c), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1962), MORIWAKI and KITAGAWA (1955, 1957), MORIWAKI et al. (1952, 1953, 1955, 1958, 1964, 1967), OKADA (1954d, 1956, 1962, 1966b, 1968a), SAURA (1974), SHIMA (1960), TAKADA (1964, 1967, 1958, 1960, 1965), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1967, 1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1962a, 1962c, 1964), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977), YAMAGUCHI (1973). YAMAGUCHI and MORIWAKI (1971). Recorded also in India.

## Comment:

Some Japanese records may refer to *D. imisi* MORIWAKI, KITAGAWA and OKADA.

***Drosophila bizonata* KIKKAWA and PENG, 1938**

General features of adults: HARDY (1965), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1953a, 1954d, 1955a, 1956, 1959, 1961b, 1966a), TAN et al. (1949).

Figures: HARDY (1965), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1956, 1968a).

Keys: BEPPU et al. (1977), HARDY (1965), KIKKAWA and PENG (1938), OKADA (1956).

**Development:** KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

**Biology:** KATO (1954), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), LEE (1962), NOZAWA (1956), OKADA (1954d, 1956, 1962), SAITO et al. (1962), WAKAHAMA (1961, 1962b, 1962c, 1964).

**Distribution:**

N. KOREA: OKADA (1974). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1960), KANG et al. (1958, 1959, 1964), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1968), TAKADA and LEE (1958). — JAPAN: KATO (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), MOMMA (1957), NOZAWA (1956), OKADA (1954d, 1955a, 1956, 1958, 1962, 1966b, 1968a), SAITO et al. (1962), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also in Hawaii and on the Ryukyu Islands.

***Drosophila brachynephros* OKADA, 1956**

Other names used: *D. transversa* FALLÉN (misident.), *D. transversa* type A, *D. transversa* type I.

General features of adults: CHUNG and RHO (1959), KUROKAWA and HIIHARA (1976), KIM (1962), LEE (1964c), OKADA (1953b, 1955a, 1955b, 1956, 1961b), PARSHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1955b, 1956, 1968a), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHACUDHURI (1970), LEE (1964c), OKADA (1956), TAKADA (1971).

**Development:** OKADA (1963a, 1968a).

**Biology:** BEPPU (1976), BEPPU and TODA (1976), KANeko (1960), KANeko and TOKUMITSU (1963, 1969), KANeko et al. (1966), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1953b), OKADA (1954d, 1956), PARSHAD and DUGGAL (1966), SAITO et al. (1962), TAKADA (1958), TAKADA and LEE (1958), TODA (1978a, 1978b, 1978c, 1974, 1977), WAKAHAMA (1962b, 1964), WATABE (1979).

**Distribution:**

N. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANeko (1960, 1968), KANeko and SHIMA (1962), KANeko and TAKADA (1960), KANeko and TOKUMITSU (1963, 1969), KANeko et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960, 1967), TAKADA (1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1978a, 1978b, 1978c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WAZARE (1979), WATABE and BEPPU (1977).

Recorded also in India.

***Drosophila brevicornis* DUDA, 1935**

General features of adults: DUDA (1935).

Key: DUDA (1935).

**Distribution:**

USA: DUDA (1935).

***Drosophila busckii* COQUILLETT, 1901**

Other names used: *D. rubrostriata* BECKER (syn.), *D. plurilobata* VILLENEUVE (syn.).

General features of adults: BECKER (1908b), BOCK (1976), BRONIC (1976), BURILA (1951a), DE CASTRO (1953), COQUILLETT (1901), DUDA (1924, 1925, 1935), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), LEMCHE (1949), MALLOCH (1924a), NATER (1950, 1953), NISWONGER (1911), OKADA (1953a, 1954b, 1963a, 1963b), PARSHAD and DUGGAL (1966), PATTERSON (1945), PATTERSON and STONE (1952), PENG (1937), SEGUY (1934a, 1934b), STURTEVANT (1921), THACAS and BOQUET (1976), VILLENEUVE (1911), WARREN (1920).

Figures: BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KAMBYSELLIS (1968), KIKKAWA and PENG (1938), KIM (1962), LEMCHE (1949), NATER (1950, 1953), NISWONGER (1911), OKADA (1955b, 1956, 1963a, 1963b, 1968a), PATTERSON (1943), PATTERSON and STONE (1952), SHORROCKS (1972), STURTEVANT (1921), THROCKMORTON (1942).

Keys: BASDEN (1964b), BEPPU et al. (1977), BOCK (1976), BRONIC (1957), BURILA (1951a), DUDA (1924a, 1924c, 1926a, 1927, 1935, 1940), FONSECA (1965), FRYDENBERG (1956a), GUPTA (1974a), GUPTA and RAY-CHACUDHURI (1970), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LASJANKA and MACS (1977), LEE (1964c, 1966b), MALLOCH (1923a, 1927, 1934a), MALLOCH and MCATEE (1924), MONTEIRO (1964, 1970), ODA (1956), PAPP (1978), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN RIDD and DA CUNHA (1947), PENG (1937), ROCHA PITE (1978), SEGUY (1934a, 1934b), SHORROCKS (1972), STAHLBERG (1970), STURTEVANT (1918, 1921), TAKADA (1971).

Development: BURILA (1951a), BURILA and OLEANDO (1971), COOPER (1935), DUDA (1954, 1955), HENNIG (1952), KAMBYSELLIS (1968), KIKKAWA and PENG (1938), LEMCHE (1949), MAYER (1935), NISWONGER (1911), OKADA (1968a), PATTERSON (1945), SEGUY (1934a, 1934b, 1961).

**Biology:** ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1967a), BEPPU (1976), BEPPU and TODA (1976), BICKLEY (1956), BOCK (1976), BONNAMOUR (1921, 1926), BURILA (1949, 1951a), BURILA and BÄCHLI (1968), BURILA and PIRI (1976), CANZANELLI (1941), CAESON (1965, 1971), COLLINS (1956), COTTIER (1933), DELY-DRASKEVITCH and BABOS (1976), DELY-DRASKEVITCH and PAPP (1973), DUDA (1935, 1940), EISFELDER (1957), FRYDENBERG (1956a), GUPTA et al. (1965), HACHIYA (1954), HACKMAN and MEINANDER (1979), HEED (1968), HENNIG (1950, 1953), HERTING (1955), HOWARD (1900), HUNTER et al. (1973), KANeko and TOKUMITSU (1969), KANeko et al. (1968), KATO (1954), KATO and HORT (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978, 1979), LAURENCE (1953), LEE (1962), LEMCHE (1949), LEWER and SOBELS (1951), LINDNER (1923), LUMME et al. (1978), MCCOY (1962), MCFAFFORD (1914), MAINX (1949), MALLOCH and MCATEE (1924), MATHER (1956), MAYER (1935), DE MELIREEK (1916a, 1935, 1946), MERRILL and HUTSON (1955), MILES (1950), MINAMI et al. (1979), NASWATY (1959), NOZAWA (1956), OKADA (1958, 1965), OKADA and SARAKAWA (1966), OLDEDOED (1965), PAPP (1978), PARSHAD and DUGGAL (1966), PATTERSON (1942), PATTERSON and STONE (1952), PRESTERS (1960) PIPEK (1952), PIPEK et al. (1966), SAITO et al. (1962), SCHATEMANN (1977), SCHULZE (1912), SCHUMANN (1963), SEGUY (1963b, 1964a, 1964b, 1965), SHORROCKS (1969), SHORROCKS (1974, 1975, 1977, 1979), SHORROCKS and WOOD (1973), SOBELS et al. (1954), STURTEVANT (1919b), TAKADA (1957, 1958), TAKADA and TOYOFUKU (1960), TESCHNER (1961), Toda (1973a, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964), WATABE (1970), ZUSKA and LASJANKA (1969).

## Distribution:

AUSTRIA: ROCHA PITÉ and TSACAS (1980). — BELGIUM: unpublished. — CZECHOSLOVAKIA: DOBKOVÍL (1962), LASTOVKA and MÍČA (1977), MÁČA (1972b), MARTINKOV (1974b), ŽDÁSKA and LÁŠTĚK (1969). — DENMARK: BASDEN (1956). — ESTONIA: unpublished (1950). — FINLAND: LEMMELI (1949). — FINLAND: HACKMAN (1954, 1971), HACKMAN and MIRMANER (1979), LUMMI et al. (1978, 1979), SUOMALAINEN (1987). — FRANCE: BONNAMOUR (1954, 1956), HADORN et al. (1952), ROCHA PITÉ and TEZIOU (1970), RÖHRLICH and EWALD (1972), SÉGUIN (1954a, 1954b), VILLENEUVE (1921). — GERMAN DEMOCRATIC REPUBLIC: HENNIG (1950), SCHUMANN (1969), SEGUIN (1933b), TIMOFEEV-RESSOVSKY (1943a). — GERMANY FEDERAL REPUBLIC: EICHBERG (1955), SCHUMANN (1969), SEGUIN (1933b), TIMOFEEV-RESSOVSKY (1943a). — GERMANY FEDERAL REPUBLIC: EICHBERG (1955), HERTING (1955), KÖNIG (1965), KÜHLHORN (1964, 1965, 1978, 1979), LINDEMANN (1958), NAWROT (1959), KRÖGER (1957). — GREAT BRITAIN: ATKINS and SHORROCKS (1977), ATCIDENT (1956), BASDEN (1952, 1954b, 1957a), BUXTON (1960), FOXSECA (1965), HINNEY et al. (1975), KRIVSHENKO (1952), LAWRENCE (1953), MILLER (1960), SHAW (1969), SHORROCKS (1969, 1972, 1974, 1975, 1977), SHORROCKS and WOOD (1973), SHORROCKS et al. (1971), SMITH (1959, 1960). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ÁRAI (1959), DÉLYI-DRÁSKOVITS and BÁBÓS (1976), DELYI-DRÁSKOVITS and PAPP (1973), PAPP (1973, 1975), SÓS (1943, 1945). — IRELAND: ROCHA PITÉ and TSACAS (1980), SHORROCKS (1979). — ITALY: KRIVSHENKO (1952), NICRO (1979), ZANGHERI (1960). — NETHERLANDS: LIVIER and SOEBELS (1951), DE MELIERE (1955, 1966), SOEBELS et al. (1954). — NORWAY: BASDEN (1956). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979). — SPAIN: HADORN et al. (1952), MONCLÚS (1964), ORTEZ (1968). — SWEDEN: BASDEN (1956, 1957b), RINGDAHL (1949). — SWITZERLAND: BÄCHLI (1978b, 1979a, 1979b, 1979c, 1979d, 1979e, 1979f, 1979g), BURLA (1948, 1950, 1951a), BURLA and BÖHLI (1968), HERT (1949), NÄTER (1953), SCHATTNER (1977). — TURKEY: unpublished. — USSR: KRIVSHENKO (1963), PAPP (1979), STAKELBERG (1970). — YUGOSLAVIA: KERKIĆ and MARTINKOVIĆ (1978, 1979), KERKIĆ et al. (1980). — AZORES: FREY (1945). — MADEIRA: FREY (1949). — CANARY IS.: BECKER (1968), MONCLÚS (1976). — MOROCCO: PREVOSTI (1974), SEGUIN (1933b). — TUNISIA: unpublished. — EGYPT: MOURAD and MALLAH (1960), TANTAWY et al. (1970). — ISRAEL: unpublished. — LEBANON: PIPKIN (1952). — CHINA: HSU (1949), PING (1967), TAN et al. (1949). — N. KOREA: KIKKAWA and PENG (1938), OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), KANG et al. (1958, 1959), KIKKAWA and PENG (1933), KIM (1962), LEE (1962, 1964a, 1966b), OKADA (1956), PARK (1968). TAKADA and LEE (1958). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), HACHIYAMA (1954), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KATO (1954), KATO and HORA (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1958), KIMURA (1976a), KIMURA and TODA (1974), KIMURA et al. (1977), KRIVSHENKO (1952), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OKADA (1956, 1959, 1963, 1968a), OKADA and SASAKAWA (1956), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958, 1968), TAKADA and OKADA (1960), TODA (1978a, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHARA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1965), WATABE (1979).

Recorded as virtually cosmopolitan species.

*Drosophila buzzatii* PATTERSON and WHEELER, 1942

Other names used: *D. tigrina* BUZZATI-TRAVESO (syn.), *D. versicolor* MATHER (syn.).

General features of adults: BREUER and ROCHA (1971), BURLA (1951a), BUZZATI-TRAVESO (1943), HACKMAN (1966a), HSU (1949), MATHER (1955), NÄTER (1953), PATTERSON and WHEELER (1942), WASSERMAN (1962c).

Figures: BREUER and ROCHA (1971), BUZZATI-TRAVESO (1943), HSU (1949), MATHER (1955), NÄTER (1953), THROCKMORTON (1962), WASSERMAN (1962c).

Keys: BOCK (1970), BURLA (1951a), MATHER (1955), MONCLÚS (1964, 1976), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975a).

Biology: CARSON (1965, 1971), CÁRSON and WASSERMAN (1965), MATHER (1955, 1956), ORTIZ (1968), PIPKIN (1952), ROCHA PITÉ (1979).

## Distribution:

ITALY: BUZZATI-TRAVESO (1943), CARSON and WASSERMAN (1965), PATTERSON (1942), SPENGLER (1961), WASSERMAN (1962), WHARTON (1942). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1979). — SPAIN: HACKMAN (1966a), MONCLÚS (1964), ORTIZ (1968). — YUGOSLAVIA: unpublished. — MADEIRA: unpublished. — CANARY IS.: MONCLÚS (1976). — MOROCCO: PREVOSTI (1974). — EGYPT: MOURAD and MALLAH (1960). — ISRAEL: CARSON (1965), CARSON and WASSERMAN (1965). — LEBANON: JOHNSON et al. (1966), PIPKIN (1952), THROCKMORTON (1962), WASSERMAN (1962, 1962c).

Recorded mainly in America and Australia.

*Drosophila calidata* TAKADA, TODA and BEPPU, 1979

Other name used: *Drosophila* sp. 5.

General features of adults: TAKADA et al. (1979).

Figures: BEPPU et al. (1977), TAKADA et al. (1979).

Key: BEPPU et al. (1977).

## Distribution:

JAPAN: TAKADA et al. (1979).

*Drosophila cameronaria* HALIDAY, 1833

Other names used: *D. unistrigata* STROBL (syn.), *D. latestrigata* BECKER (syn.), *D. fungicola* VILLENEUVE (syn.), *D. pallida* ZETTERSTEDT (misspelling).

General features of adults: BASDEN (1961), BECKER (1905b), BURLA (1951a), BURLA and GLOOR (1952), CURVIS (1833), DUDA (1921, 1924a, 1927, 1935), FRYDENBERG (1956a), HACKMAN (1955), HALIDAY (1833), NÄTER (1953), OKADA (1956), SEGUIN (1954b), STROBL (1928a, 1960a, 1960), VILLENEUVE (1921).

Figures: CURVIS (1833), DUDA (1924a, 1935), NÄTER (1953), PAPP (1973).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FOXSECA (1965), MONCLÚS (1964, 1976), PAPP (1973), SEGUIN (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970).

Biology: BASDEN (1952, 1954b), BONNAMOUR (1926), BURLA (1951a), BURLA and BÄCHLI (1968), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), COLE (1959), CURVIS (1833), DÉLYI-DRÁSKOVITS and BÁBÓS (1976), DÉLYI-DRÁSKOVITS and PAPP (1973), FAUCI (1924), HADORN et al. (1952), HALIDAY (1833), HERTING (1955), KÖNIG (1965), LEVEE and SOEBELS (1951), LINDEBERG (1962), DE MELIERE (1928), ORTIZ (1968), ROCHA PITÉ (1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHMID (1968), SEGUIN (1934a, 1934b, 1950), SHORROCKS (1973, 1975), SHORROCKS and CHARLESWORTH (1980), SHORROCKS et al. (1979), SOEBELS et al. (1954), VILLENEUVE (1921).

**Distribution:**

ALBANIA: DUDA (1924c, 1935). — AUSTRIA: DUDA (1924c, 1935). — BULGARIA: unpublished. — CZECHOSLOVAKIA: unpublished. — FINLAND: HACKMAN (1971), LUMMIKET AL. (1978). — FRANCE: BUNNANOUR (1926), DUDA (1924a, 1935), PALCOZ (1924), HADORN ET AL. (1952), ROCHA PITÉ AND TSACAS (1979), SEGUY (1934b), VILLENEUVE (1921). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965). — GREAT BRITAIN: BASDEN (1952, 1953, 1954b), BASDEN AND GOODEY (1955), BUXTON (1960), CHALESWORTH AND SHORROCKS (1960), CURTIS (1883), FONSECA (1965), HALIDAY (1833), HENDERSON (1911), SHORROCKS (1975, 1977), SHORROCKS AND CHARLESWORTH (1980), SHORROCKS AND WOOD (1973), SHORROCKS ET AL. (1979). — GREECE: DIS 37: 95. — HUNGARY: DELY-DRASKOVITS AND BÁROS (1976), DELY-DRASKOVITS AND PAPP (1978), PAPP (1973), SÓSÉS (1945). — IRELAND: DUDA (1935), NIGER (1979), ZANGHERI (1956, 1969). — NETHERLANDS: LEVER AND SOBELS (1951), DE MEIJERE (1925), SOBELS ET AL. (1954). — POLAND: DUDA (1935). — PORTUGAL: HADORN ET AL. (1952), LINDEBERG (1962), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979), ROCHA PITÉ AND DA COSTA NICOLAT (1978). — ROMANIA: ARADÍ (1959), SÓSÉS (1945). — SPAIN: BURLA AND GLOOR (1952), DUDA (1935). — SWITZERLAND: BÄCHLI (1975a, 1978c, 1974b, 1975a, 1975b, 1977), BURLA (1951a), BURLA AND BÄCHLI (1965), NÄTER (1958), SCHMID (1968). — TURKEY: unpublished. — USSR: HACEMAN (1957), STAKELBEKG (1970). — YUGOSLAVIA: ARADÍ (1959), BASDEN (1961), COZ (1959), DUDA (1924c, 1935), SÓSÉS (1945), SYROBL (1958a, 1960a). — AZORES: unpublished. — MADEIRA: FREY (1949). — CANARY IS.: BECKER (1908b), DUDA (1924c, 1935), FREY (1936), MONCLUS (1976). — TUNISIA: unpublished. — IRAN: unpublished.

***Drosophila cheda* TAN, HSU and SHENG, 1949**

General features of adults: HSU (1949), KANKEI ET AL. (1964), KANO AND LEE (1961), KIM (1962), OKADA (1956, 1961b), TAN ET AL. (1949).

Figures: HSU (1949), KIM (1962), OKADA (1968a).

Key: LEE (1964c).

Development: OKADA (1963a, 1968a).

Distribution:

CHINA: HSU (1949), TAN ET AL. (1949). — S. KOREA: CHUNG (1958), KIM (1962), LEE (1962, 1964c, 1966b), OKADA (1968a), TAKADA AND LEE (1965).

***Drosophila cilitarsis* HERING, 1940**

General features of adults: HERING (1940).

Figures: MOROG (1976b).

Distribution:

CHINA: HERING (1940), ROHLYKIN AND EWALD (1972).

***Drosophila clarofinis* LEE, 1959**

General features of adults: BOCK AND WHEELER (1972), LEE (1959, 1964a), TAKADA ET AL. (1979).

Figures: LEE (1959, 1964a), TAKADA ET AL. (1979).

Keys: BEPPU ET AL. (1977), LEE (1964a).

Biology: LEE (1959, 1962).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: LEE (1959, 1962, 1964a, 1966b). — JAPAN: KAWANISHI ET AL. (1975), TAKADA ET AL. (1979).

***Drosophila collinella* OKADA, 1968**

Other names used: *Scaptomyza apicalis* HARDY (misident.), *Scaptomyza* sp. II, *Drosophila (Lordiphosa)* sp., *Drosophila* sp. of *fennestraria* group.

General features of adults: KIM (1962), OKADA (1956, 1968d).

Figures: KIM (1962), OKADA (1956, 1968a).

Keys: BEPPU ET AL. (1977), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: KIMURA (1976a, 1976b), KIMURA AND TODA (1976), KIMURA ET AL. (1977), LEE (1962), MINAMI ET AL. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956), OKADA AND SASAKAWA (1956), SUZUKI (1955), TAKADA (1958), WAKAHAMA (1957a, 1964).

Distribution:

S. KOREA: CHUNG (1958), KANG ET AL. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA AND LEE (1958). — JAPAN: KANKEI AND SHIMA (1962), KAWANISHI ET AL. (1975), KIMURA (1976a, 1976b), KIMURA AND TODA (1976), KIMURA ET AL. (1977), LASTOVKA AND MACÁ (1978), MINAMI ET AL. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1965a, 1968d), SUZUKI (1955), TAKADA (1958, 1968), TAKADA AND OKADA (1960), WAKAHAMA (1957a, 1964, 1966), WAKAHAMA ET AL. (1963).

***Drosophila confusa* STAEGES, 1844**

Other names used: *D. subfascia* DUDA (SYN.), *D. priscium* BURLA (SYN.), *D. histrio* OKADA AND KUNOKAWA (SYN.), *Drosophila* sp. like *histrio*, *Drosophila* (*Hirudocephala*) sp.

General features of adults: BASDEN (1961), BURLA (1951c), DUDA (1924c, 1935), FRYDENBERG (1956b), HACKMAN (1969c), KUROKAWA AND HIRARI (1976), NÄTER (1953), NEHAUS (1886), OKADA (1956, 1961b), OKADA AND KUROKAWA (1957), SEGUY (1934a, 1934b), STURTEVANT (1921), TAKADA (1960), ZETTERSTEDT (1847).

Figures: BEPPU ET AL. (1977), BURLA (1951c), DUDA (1924c, 1935), FRYDENBERG (1956b), NÄTER (1953), OKADA (1956, 1968a), OKADA AND KUROKAWA (1957), SEGUY (1934b), TAKADA (1960), THROCKMORTON (1962).

Keys: BEPPU ET AL. (1977), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), KANG AND LEE (1964), LASTOVKA AND MACÁ (1977), LEE (1964c), MONCLUS (1964), OKADA (1967), PAPP (1973), SCHINER (1964), SHORROCKS (1972), SEGUY (1934a, 1934b), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), BONNAMOUR (1926), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORECKES (1980), COE (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), FALCON (1921), FRYDENBERG (1956a), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KIMURA (1976b, 1980b), KIMURA and TODA (1976), KIRUMA et al. (1977), LEE (1962), MACA (1975), MINAMI et al. (1979), MOMMA (1965b), OKADA (1958), SUZUKE (1912), SUGUY (1934a, 1934b, 1950), SHIMA (1960), SHORECKES (1975), SHORECKES and CHARLESWORTH (1980), SHORECKES and WOOD (1973), SHORECKES et al. (1974), SUZUKI (1955), TAKADA (1958, 1960), TODA (1973a, 1973b, 1974, 1977), WAKAHAMA (1962b, 1964), WATABE (1979).

Distribution:

AUSTRIA: STEIDL (1880, 1894), WACHTL (1882). — CZECHOSLOVAKIA: ARADI (1959), BRANČÍK (1910), CZÍZEK (1910), DUDA (1935), LASTOVKA and MACA (1957), MACA (1978), ROHLÍČEK and EWALD (1972), ŠOÓS (1945), VIMMER (1913). — DENMARK: FRYDENBERG (1956a, 1956b), STABELER (1844), ZETTERSTEDT (1847). — FRANCE: BONNAMOUR (1926), FALCON (1921), HADORN et al. (1952), KUNZE (1917), ROCHE PITÉ and TSACAS (1974), SIEGUY (1934a, 1934b). — GERMANY: DEMOCRATIC REPUBLIC: NEUHAUS (1886), RADDATTI (1873). — GERMANY FEDERAL REPUBLIC: unpublished. — GREAT BRITAIN: BUXTON (1960), CHARLESWORTH and SHORECKES (1980), FONSECA (1965), FRYDENBERG (1956b), SHORECKES (1975, 1977), SHORECKES and CHARLESWORTH (1980), SHORECKES and WOOD (1973), SHORECKES et al. (1979), SMITH (1960), YERDURY (1913). — HUNGARY: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1978). — ITALY: BEZZI (1892), CANZANELLI (1941), PALMI (1960), ZANGHERI (1950, 1969). — NETHERLANDS: DE MEIJER (1916b, 1920). — ROMANIA: ARADI (1959), DUDA (1924c, 1955), ROHLÍČEK and EWALD (1972), ŠOÓS (1945). — SPAIN: HADORN et al. (1952), MONOLÓS (1964). — SWEDEN: ZETTERSTEDT (1847, 1849). — SWITZERLAND: BÄCHLER (1973a, 1973c, 1975b, 1979), BURUA (1951a), NATER (1953). — USSR: BALASCHINA and KIRYASHCHIKOFF (1958), BOHR (1907), FROLOWA (1920). — YUGOSLAVIA: BASOR (1961), COE (1959), ŠKROBL (1898a, 1900a). — N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANG and LEE (1964), KANG et al. (1959, 1964a), LEE (1962, 1964a, 1966b), TAKADA and LEE (1958), OKADA (1967). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TAKADA (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1967, 1968a), OKADA and KUROKAWA (1957), SHIMA (1960), SUZUKI (1955), TAKADA (1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), THROCKMORTON (1962), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

Comment:

Some records may refer to *D. funebris* FABRICIUS.

### *Drosophila coracina* KIKKAWA and PENG, 1938

Other names used: *Drosophila* sp. of *melanica* group.

General features of adults: BUZZATI-TRAYESCO (1943), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MATHER (1955), OKADA (1958b, 1956, 1959, 1961b, 1966a).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955b, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KATO (1954), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962, 1964d, 1965), MINAMI (1979), MOMMA (1965b), NOZAWA (1956), OKADA (1954d, 1956, 1962, 1968a), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964), WATABE (1979).

Distribution:

CHINA: TAN et al. (1949). — S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1964a), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1965). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SODA (1968), MANTICO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KATO (1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954d, 1956, 1959, 1962, 1966, 1968a), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963). Recorded also on the Ryukyu Islands and in South Asia.

### *Drosophila curviceps* OKADA and KUROKAWA, 1957

Other names used: *Drosophila* sp. of *immigrans* group, *D. carpiceps* (Japetus).

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1958b, 1955a, 1956, 1959, 1961b), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Figures: OKADA (1955a, 1956, 1968a), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1954d, 1955a, 1962), OKADA and KUROKAWA (1957), PARSHAD and DUGGAL (1966).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1954d, 1956, 1962, 1966b, 1968a), OKADA and KUROKAWA (1957), SATO et al. (1962), WAKAHAMA (1962a, 1964, 1966). Recorded also in India.

### *Drosophila daruma* OKADA, 1956

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), OKADA (1956).

21 Beitr. Ent. 32, H. 2

Development: OKADA (1968a).

Biology: OKADA (1968a, 1971d).

Distribution:

S. KOREA: KANG et al. (1960), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), MONMA (1965a), OKADA (1956, 1968a), WAKAHAMA (1962a, 1964).

Recorded also in Southeast Asia and on the Ryukyu and Bonin Islands.

#### *Drosophila deflexa* DUDA, 1924

Other name used: *D. guyenoti* BURLA (syn.).

General features of adults: BASDEN (1952, 1954b), BURLA (1948, 1951a), DUDA (1924c, 1935), HERTING (1953), HSU (1949), NAYER (1953).

Figures: BURLA (1948, 1951a), DUDA (1924a, 1924c, 1935), HSU (1949), LAŠTOVKA and MÁCA (1977), NATER (1953), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), LAŠTOVKA and MÁCA (1977), MONCLUS (1964), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: BASDEN (1954a), BURLA (1951a).

Biology: BASDEN (1952, 1954b), BEGON et al. (1975), BURLA (1948, 1951a), DUDA (1935), FRYDENBERG (1956a), HADORN et al. (1952), HERTING (1955), SCHMID (1965), SHORROCKS (1975), SORELS et al. (1954).

Distribution:

CZECHOSLOVAKIA: ARADI (1950), LAŠTOVKA and MÁCA (1977), SODS (1945). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LUMMEETAL. (1978). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMANY DEMOCRATIC REPUBLIC: DUDA (1935). — GERMANY FEDERAL REPUBLIC: DUDA (1935), HERTING (1955). — GREAT BRITAIN: BASDEN (1952, 1954a, 1954b), BEGON et al. (1975), COLLIN (1911, 1952), FONSECA (1965), SHORROCKS (1975, 1977). — HUNGARY: ARADI (1959), DUDA (1935), PAPP (1973), SODS (1945). — IRELAND: BASDEN (1952). — ITALY: NEGRO (1979). — NETHERLANDS: DUDA (1935), LEVER and SOBELS (1951), DE MEIJERE (1935), SOBELS et al. (1954). — POLAND: DUDA (1924c, 1935). — PORTUGAL: ROCHA PITÉ (1972, 1975a, 1979). — SPAIN: HADORN et al. (1952), MONCLUS (1964). — SWEDEN: ROCHA PITÉ and TSACAS (1980). — SWITZERLAND: BÄCHLI (1972c, 1973a, 1975a, 1975b), BURLA (1948, 1949, 1951a, 1961), HERTING (1953), HSU (1949), NATER (1953), SCHMID (1968). — ? TURKEY: unpublished. — YUGOSLAVIA: KLETO and MARINKOVIC (1978, 1979).

#### *Drosophila denticeps* OKADA and SASAKAWA, 1956

General features of adults: KIKUCHIWA and HIIHARA (1976), OKADA (1956, 1961b), OKADA and SASAKAWA (1956).

Figures: OKADA (1956), OKADA and SASAKAWA (1956).

Keys: OKADA (1956, 1967, 1971d).

Development: OKADA (1948a).

Biology: OKADA (1956), OKADA and SASAKAWA (1956).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1956, 1968a, 1971d), OKADA and SASAKAWA (1956).

#### *Drosophila elliptosa* OKADA, 1974

Other name used: *D. elliptica* OKADA (syn.).

General features of adults: OKADA (1973b).

Figures: OKADA (1973b).

Distribution:

JAPAN: OKADA (1973b).

#### *Drosophila eniuae* TAKADA, BEPPU and TODA, 1979

Other name used: *Drosophila* sp. 2.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Key: BEPPU et al. (1977).

Distribution:

JAPAN: TAKADA et al. (1979).

#### *Drosophila eskoi* LAKOVAARA and LANKINEN, 1974

General features of adults: LAKOVAARA and LANKINEN (1974).

Figures: LAKOVAARA and LANKINEN (1974).

Biology: LUMME et al. (1978, 1979).

Distribution:

FINLAND: LAKOVAARA and LANKINEN (1974), LUMME et al. (1978, 1979). — NORWAY: LAKOVAARA and LANKINEN (1974). — SWEDEN: LAKOVAARA and LANKINEN (1974).

#### *Drosophila ezoana* TAKADA and OKADA, 1957

Other names used: *D. unimaculata* STROBL (misident.), *D. lakovaarae*.

General features of adults: KUROKAWA (1972), KUROKAWA and HIIHARA (1976), TAKADA and OKADA (1958), WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), KUROKAWA (1972), OKADA (1968a), TAKADA and OKADA (1958), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

**Keys:** BEPPU et al. (1977), TAKADA (1971).

**Development:** OKADA (1968a).

**Biology:** BEPPU (1976, 1979, 1980), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA and TODA (1976), KIMURA et al. (1977), LUMME et al. (1978, 1979), MINAMI et al. (1970), TAKADA (1957, 1958), TAKADA and OKADA (1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1974), WAKAHAMA (1964).

**Distribution:**

FINNLAND: LÄKÖVÄÄRÄ and HÄCKMAN (1973), LÄKÖVÄÄRÄ and HOIKKALA (1979), LUMME et al. (1978, 1979). — NORWAY: ROCHA PITÉ and TSACAS (1980). — SWEDEN: ROCHA PITÉ and TSACAS (1980). — JAPAN: BEPPU (1976, 1978, 1979, 1980), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1972), LÄKÖVÄÄRÄ and HOIKKALA (1979), MINAMI (1967), MINAMI et al. (1979), MOMMA (1965a), OKADA (1968a), STONE et al. (1960), TAKADA (1957, 1958, 1960, 1968), TAKADA and OKADA (1968), TAKADA and TOYOFUKU (1960), THROCKMORTON (1962), TODA (1973a, 1974), WAKAHAMA (1964), WAKAHAMA et al. (1963), WATABE and BEPPU (1977), WATABE and HIGUCHI (1979).

### *Drosophila fascipennis* OKADA, 1967

General features of adults: KUROKAWA and HIRABA (1976), OKADA (1967).

**Figures:** OKADA (1967).

**Key:** OKADA (1967).

**Biology:** OKADA (1967).

**Distribution:**

JAPAN: OKADA (1967).  
Recorded also in Taiwan.

### *Drosophila fenestrarum* FÄLLÉN, 1823

Other names used: *D. virginia* MEIGEN (syn.), *D. fenestrarum* var. *hirisuta* DUDA.

General features of adults: BIGOT (1851), BURLA (1951a), COLLIN (1952), DUDA (1921, 1924c, 1926a, 1927, 1935), FÄLLÉN (1823), HACKMAN (1955), HALIDAY (1853), HENNIG (1958), LASTOVKA and MÁCA (1978), LEE (1959), MACQUART (1835), MEIGEN (1830), MONCLES (1964), NEUHAUS (1968), OKADA and KUROKAWA (1967), OLDENBURG (1914), PAPP (1971), SEGUY (1934b), SEAGER (1844), STURTEVANT (1916), WAHIGREN (1927), WALKER (1853), ZETTERSTEDT (1838, 1847).

**Figures:** COLLIN (1952), DUDA (1924a, 1924c, 1926a, 1935), HACKMAN (1954), LASTOVKA and MÁCA (1977, 1978), MORGE (1976a, 1976c), PAPP (1973), SEGUY (1934b).

**Keys:** BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1926a, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), LASTOVKA and MÁCA (1978), PAPP (1973), RICHARDS and HIEFORD (1930), ROCHA PITÉ (1975a), SCHNIER (1964), SEGUY (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970), WAHLGREN (1927).

**Development:** HENNIG (1952), MAYER (1935), UNWIN (1907).

**Biology:** BASDEN (1954b, 1956), COLYER and HAMMOND (1951), FRYDENBERG (1956a), HERTING (1955), LASTOVKA and MÁCA (1978), MAYER (1955), NASWATY (1969), PAPP (1976), SCHATTENMANN (1977), SCHMID (1965), SEGUY (1934b), SOBELS et al. (1954).

**Distribution:**

AUSTRIA: ARADI (1959), BASDEN (1961), DUDA (1924c), STROBL (1880, 1894), THALER (1977), TIEF (1888). — CYPRUS: unpublised. — CZECHOSLOVAKIA: ARADI (1959), DALÍČ TOŘE (1878), DOSCOV (1882), MARTÍNEK (1973, 1974a), LASTOVKA and MÁCA (1977, 1978), VIMMER (1913). — DENMARK: FRYDENBERG (1956a), STAGER (1844), ZETTERSTEDT (1847). — FINLAND: HACKMAN (1954), LUMME et al. (1978), ZETTERSTEDT (1860). — FRANCE: UNTZER (1913), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: KARL (1956), KRÄMER (1917), LASTOVKA and MÁCA (1978), NEUHAUS (1968), RADJAĆEVIĆ (1970), FONSECA (1965), HEDDERSON (1911), RICHARDS and HIEFORD (1930), SHORROCKS (1969), WALKER (1849, 1853), YERBERY (1913). — HUNGARY: ARADI (1959), PAPP (1973, 1976), SOOS (1943), THALHAMMER (1890). — IRELAND: BEECH (1980) and PITÉ and TSACAS (1980). — ITALY: BEZZI (1892b), POKORNÝ (1887), ZANGHEZ (1966, 1969). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: BASDEN (1956). — POLAND: BOBROW (1950), KARL (1956), STROBL (1901). — PORTUGAL: HADORN (1950). — ROCHA PITÉ (1972, 1975a). — ROMANIA: ARADI (1959), THALHAMMER (1899, 1901). — SWEDEN: FÄLLÉN (1823), LASTOVKA and MÁCA (1978), RINGDAHL (1941), WAHLGREN (1927), ZETTERSTEDT (1838, 1847, 1855). — SWITZERLAND: BACHLI (1973a), BURLA (1948, 1951a), SCHATTENMANN (1977), SCHMID (1965). — USSR: EVERMANN (1834), HACKMAN (1954, 1957), STAKELBERG (1950, 1970). — YUGOSLAVIA: ARADI (1959), KERIĆ and MARINKOVIĆ (1978), STROBL (1888a, 1900a). Recorded also in Sumatra.

**Comment:**

This species was often confused with *D. melanogaster* MEIGEN and other species. The subspecies *hirisuta* DUDA is probably a separate species.

### *Drosophila ficusphila* KIKKAWA and PENG, 1938

General features of adults: BOCK and WHEELER (1972), FRIEDRICH-MAI (1949), KIKKAWA and PENG (1938), KUROKAWA and HIRABA (1976), MATHER (1955), OKADA (1963b, 1964c, 1964d, 1966, 1969, 1981b).

**Figures:** BOCK and WHEELER (1972), KIKKAWA and PENG (1938), OKADA (1954c, 1956, 1964, 1968a).

**Keys:** KIKKAWA and PENG (1938), LEE (1964a), OKADA (1956).

**Development:** KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

**Biology:** KIKKAWA and PENG (1938), OKADA (1956, 1962), WAKAHAMA (1962b, 1964).

**Distribution:**

S. KOREA: LEE (1964a, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), OKADA (1964c, 1964d, 1956, 1959, 1962, 1966b, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia and Australia.

*Drosophila flavofasciata* TAKADA, BEPPU and TODA, 1979

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:

JAPAN: TAKADA et al. (1979).

*Drosophila funebris* FABRICIUS, 1787Other names used: *D. clarkei* HUTTON (syn.), *Leucophenga atkinsoni* MILLER (syn.), *D. dudai* MALLOCH (syn.), *D. confuse* STÄGER (misident.).

General features of adults: BOCK (1976), BRNCIC (1957), BURKA (1951a), DUDA (1924c, 1935), DUFOUR (1845), FABRICIUS (1787, 1794, 1805), FALLÉN (1823), FRIBY (1954), FRYDENBERG (1956a), HALIDAY (1833), HARDY (1965), HARRISON (1952, 1959), HEIGER (1858), HSU (1949), HUTTON (1901), KIKKAWA and PENG (1958), KUROKAWA and TSUBATA (1970), LEMCHE (1949), MALLOCH (1934a), MATSUMURA (1931), MEIGER (1930), MILLER (1921), NATER (1953), NECHAUS (1886), OKADA (1953b, 1955a, 1956a, 1961b), OLDENDERG (1914), PATTERSON (1943), PIETTUNEN (1955), SEGUY (1934a, 1934b), SMART (1943), SYANGER (1844), STAKELER and SPENCER (1939), STROBL (1893b, 1910), STURTEVANT (1921), TAKADA (1966b), VILLENEUVE (1921), WAHLER (1927), WALKER (1853), ZETTERSTEDT (1838, 1847).

Figures: BASDEN (1961), BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), HEIGER (1858), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1958), LEMCHE (1949), MALLOCH (1934a), MALOGOLOWKIN (1953), MATSUMURA (1931), MILLER (1921), MORGE (1976a), NATER (1953), OKADA (1955a, 1956, 1963a), PAPP (1973), PATTERSON (1943), PATTERSON and STONE (1952), ROCHA PITÉ (1975a), SEGUY (1934b), SHOREOCKS (1972), SMART (1943), STAKELBERG (1970), STAKER and SPENCER (1939), STURTEVANT (1921), THROCKMORTON (1962), UNWIN (1907), WAHLGREEN (1927).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BURKA (1951a), DUDA (1924a, 1924c, 1927, 1935, 1940), FISHER (1965), FRYDENBERG (1956a), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1958), LASTOVKA and MÁCA (1977), MALLOCH and MATEAN (1924), MONCLUS (1964, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1864), SEGUY (1934a, 1934b), SHOREOCKS (1972), STAKELBERG (1970), STURTEVANT (1918, 1921), TAKADA (1971), WAHLGREEN (1927), ZETTERSTEDT (1847).

Development: DUDA (1934), HEIGER (1858), HENNIG (1952), KAMBYSELLIS (1968), KIKKAWA and PENG (1958), LEMCHE (1949), MAYER (1935), DE MEIJERE (1916a), OKADA (1963a, 1968a), STURTEVANT (1921), UNWIN (1907).

Biology: ARADI and MIHALYI (1971), ATKINSON and SHOREOCKS (1977), BASDEN (1935, 1954b, 1957a), BASDEN and HÄRNDEN (1956), BICKLEY (1956), BRAUER (1888), BRINSFORD and DOBZHANSKY (1957), BURKA (1949, 1951a), BURKA and BÄCHLI (1968), BUXTON (1924, 1960), CANZANELLI (1839, 1941), CARSON (1965), COYLER and HAMMOND (1951), DELY-DRASKOVITS and BABOS (1970), DELY-DRASKOVITS and PAPP (1973), DOBZHANSKY (1956), DUDA (1935, 1940), FRYDENBERG (1956a), GORDON (1942), HACKMAN and MEINANDER (1979), HEIGER (1858), HENNIG (1952, 1958), HERTING (1955), HOWARD (1900), HUNTER et al. (1973), ISHIHARA (1955a), KANEKO (1960), KANEKO and TONENOBUTSU (1969), KANEKO et al. (1966), KIKKAWA and PENG (1958), KIJIMA et al. (1977), KÖNG (1965), KRAMER (1917), LEVÉE and SOEBEL (1951), LINDBØTH et al. (1973), LUMME et al. (1979), MÁCA (1975), MAINX (1949), DE MEIJERE (1935, 1946), MILLER (1921), MINAMI et al. (1970), MOMMA (1965b), NASWATY (1950), NECHAUS (1886), OKADA (1954d, 1956), OLDERDY (1965), PAPP (1976, 1970), PATTERSON (1942), PAVAN et al. (1950), PIPKIN (1952), RICHARDS and HERFORD (1930), ROCHA PITÉ (1972, 1979), SCHINER (1968), SCHOLTZ (1849, 1860), SCHULEIN (1912), SCHUMANN (1963), SEGUY (1934a, 1934b, 1950, 1951), SHOREOCKS (1972, 1974, 1975, 1977), SHOREOCKS and WOOD (1973), SOEBEL et al. (1954), STAKER and SPENCER (1939), STORZ (1957), STURTEVANT (1918b, 1921), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TESCHNER (1959, 1960), TIMOFFEEFF-RESSOVSKY (1927, 1935), TIMOFFEEFF-RESSOVSKY (1941a, 1941b, 1941c), UNWIN (1907), WAKAHAMA (1965b, 1957a, 1964), WEBSTER (1960), WHEELER and THROCKMORTON (1960), ZUSKA and LASTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), PALM (1889), STROBL (1880, 1894, 1901), TIEF (1889). — BELGIUM: LECLERCQ (1946a, 1946b, 1955). — BULGARIA: ČERNÝ (1930). — CZECHOSLOVAKIA: ARADI (1959), CZÍZEK (1966), DALÍA TORKE (1873), FRIESCH (1875), LASTOVKA and MÁCA (1977). — MACA (1972a, 1975). — MARTINKOV (1973), STROBL (1901), VIMMER (1931), ZUSKA and LASTOVKA (1969). — DENMARK: FABRICIUS (1787). — FRYDENBERG (1956a), LEMCHE (1949), TIMOFFEEFF-RESSOVSKY (1955), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FRIBY (1954), HACKMAN (1954, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1979, 1979), STORZ (1956, 1957). — FRANCE: HAPORN et al. (1965), LISSE (1923), ROCHA PITÉ and TSACAS (1970), TIMOFFEEFF-RESSOVSKY (1935). — GERMAN DEMOCRATIC REPUBLIC: BASDEN (1961), BUZZA et al. (1938), KRAMER (1917), NEUHAUS (1886). — RADATZ (1873), SCHUMANN (1963). — TIMOFFEEFF-RESSOVSKY (1935), TIMOFFEEFF-RESSOVSKY (1941a, 1941b, 1941c). — GERMAN FEDERAL REPUBLIC: BUCHEN (1887), DAHL (1956), FISCHER (1936), HERTING (1955), KÖNG (1965), KROBBER (1910, 1955). — KÜHLHORN (1964, 1968, 1978, 1979). — NASWATY (1950). — GREAT BRITAIN: ATKINSON and SHOREOCKS (1977). — ADIMENT (1950), BASDEN (1952, 1953, 1954b, 1957a), BASDEN and GOODEY (1955), BRATTY and SIDWELL (1969), BUXTON (1960), CARTER (1914), FONSECA (1956), GORDON (1942), HALIDAY (1833), HUNTER et al. (1978), PEEL (1961), RICHARDS and HERFORD (1930). — SHOREOCKS (1969, 1972, 1974, 1975, 1977). — SMITH (1959, 1960), STURTEVANT (1921). — TIMOFFEEFF-RESSOVSKY (1935), WALKER (1953). — GREECE: ROCHA PITÉ and TSACAS (1880). — HUNGARY: ÁDAMI (1959), ARADI and MIHALYI (1971), DELY-DRASKOVITS and BABOS (1970), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1975, 1976), SOGB (1943). — THALHAMMER (1899). — ICELAND: LINDBØTH et al. (1973), NIELSEN et al. (1954). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BEZZI (1891, 1892a, 1892b), BEZZI and DE STEFANI-PREZZI (1897), BUZATI-TRAVESIO (1942a), CANZANELLI (1941), LIOT (1895), PALMI (1869), PERJE (1854). — TIMOFFEEFF-RESSOVSKY (1935). — ZANGHEI (1950, 1969). — NETHERLANDS: LEVÉE and SOEBEL (1951), DE MEIJERE (1926, 1940). — SONENBERG et al. (1954). — STURTEVANT (1921). — NORWAY: LEVÉE and SOEBEL (1951). — SWEDEN: BASDEN and HÄRNDEN (1956). — HÄRNDEN (1968). — STURTEVANT (1921). — TIMOFFEEFF-RESSOVSKY (1935). — ZETTERSTEDT (1847). — POLAND: BOBEK (1890), KIEL (1966), KRAMER (1917). — POETU-GAL: HADORN et al. (1952). — ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1979). — TIMOFFEEFF-RESSOVSKY (1935). — ROMANIA: ARADI (1959), SACK (1904), STROBL (1897). — THALHAMMER (1899, 1901). — SPAIN—CZECHY and STROBL (1909). — HACKMAN (1969a), HADORN et al. (1952), MONCLUS (1964), ORTH (1968). — STURTEVANT (1921). — TIMOFFEEFF-RESSOVSKY (1935). — SWEDEN: FALLÉN (1823), PERJE (1954), RINGDAHL (1941, 1951). — TIMOFFEEFF-RESSOVSKY (1935). — WAHLGREEN (1927). — ZETTERSTEDT (1838, 1847, 1855). — SWITZERLAND: BÄCHLI (1972), 1972c, 1973a, 1973c, 1974a, 1974c, 1975a, 1975b, 1977, 1979. — BURKA (1949, 1951a, 1961). — BURKA and BÄCHLI (1968). — NATER (1953). — PAVAN et al. (1950). — SCHMID (1968). — TURKEY: TIMOFFEEFF-RESSOVSKY (1935). — USSR: BASDEN (1956), BORISOV (1973a, 1973b). — DZEHANSEY (1965). — DUBININ (1946). — DUBININ and ROMASCHOFF (1932). — DUBININ and TINAIKOV (1948, 1948a, 1948b, 1947). — DUBININ et al. (1937b). — DUDA (1935). — EVERSMANN (1834). — FROLOWA (1926). — HACKMAN (1957). — KIKKAWA and PENG (1938). — PAPP (1979). — PETROVA (1968). — SLELANDER (1970). — SYTSHEVSKAIA (1972). — TIMOFFEEFF-RESSOVSKY (1927, 1933, 1935). — VESSELKIN

(1966). — YUGOSLAVIA: ARADI (1959), COE (1959), KERKIĆ and MARINKOVIĆ (1978, 1979), STROEL (1908a, 1900a, 1904). — AZORES: FREY (1945), HACKMAN (1960), SÉGUÉ (1936). — MADEIRA: unpublished. — CANARY IS.: BECKER (1908b), MONCLÚS (1976). — MOROCCO: PREVOST (1934). — LIBYA: TIMOFEEFF-KESSOVSKY (1935). — EGYPT: TANPAWY and MALLAH (1961). — TIMOFEEFF-KESSOVSKY (1935). — ISRÄHL: BUXTON (1924). — LEBANON: JONHSON et al. (1966), PIPKIN (1952). — IRAN: unpublished. — MONGOLIA: HACKMAN (1968b), OKADA (1973c). — N. KOREA: OKADA (1974b). — JAPAN: ISHIHARA (1955a), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966, 1969), KIKKAWA and PENG (1938), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1968a, 1968d), PEIJE (1954), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1966), TOYOFUKU (1957, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1964), WAKAHAMA et al. (1963).

Recorded as virtually cosmopolitan species, but absent in the Oriental region.

### *Drosophila grandis* Kikkawa and Peng, 1938

General features of adults: KIKKAWA and PENG (1938), OKADA (1953a, 1956, 1961b).

Figures: KIKKAWA and PENG (1938), OKADA (1956, 1965a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LIN and TSENG (1971), OKADA (1956).

Development: OKADA (1968a).

Biology: KIKKAWA and PENG (1938), OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KIKKAWA and PENG (1938), OKADA (1956, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in India.

### *Drosophila guanche* Monclús, 1976

General features of adults: MONCLÚS (1976).

Figures: MONCLÚS (1976).

Key: MONCLÚS (1976).

Biology: MONCLÚS (1976).

Distribution:

CANARY IS.: MONCLÚS (1976).

### *Drosophila helvetica* Burla, 1948

Other name used: *Drosophila* sp. like *helvetica*.

General features of adults: BURLA (1948, 1951a), CAIN et al. (1952), COLLIN (1952), FREIRE-MAIA (1949), HSU (1949), NATER (1953), OKADA (1956, 1961b), PASHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), BURLA (1948, 1951a), DYSON-HUDSON (1954), HSU (1949), MONCLÚS (1964), OKADA (1956, 1968a), PAPP (1973), SHORROCKS (1972), TAKADA et al. (1979).

Keys: BEPPU et al. (1977), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), GUPTA and RAY-CHAUDHURI (1970), MONCLÚS (1964), OKADA (1956)/PAPP (1973), SHORROCKS (1972), TAKADA (1971).

Development: BURLA (1951a), OKADA (1963a, 1968a).

Biology: BURLA (1949, 1951a, 1961), BOZZATI-TRAVERSO and SCOSSETTI (1955), COLLIN (1952), HADORN et al. (1952), HERCZEG (1955), KANEKO and TOKUMITSU (1969), KÖNIG (1945), OKADA (1956), PASHAD and DUGGAL (1966), SCHMID (1968), SOBELS et al. (1954), TAKADA (1957), TODA (1973a, 1977).

Distribution:

AUSTRIA: BAEDEN (1961). — CZECHOSLOVAKIA: unpublished. — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TEACAS (1970). — GERMAN FEDERAL REPUBLIC: HINTZING (1955), KÖNIG (1965). — GREAT BRITAIN: COLLIN (1952), DYSON-HUDSON (1954), FONSECA (1965), SHORROCKS (1969, 1977). — IRAN: ROCHA PITÉ and TEACAS (1970). — ITALY: NICRO (1968a). — NETHERLANDS: LEIJER and SOBELS (1951), SOBELS et al. (1954). — SPAIN: MONCLÚS (1964). — SWITZERLAND: BACHLI (1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b). — BURLA (1948, 1949, 1951a, 1951b, 1961), HSU (1949), JAKOVAČA et al. (1972c), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — YUGOSLAVIA: unpublished. — IRAN: unpublished. — S. KOREA: KANG et al. (1959), LEE (1966b), PAIK (1956). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), MOMMA (1965a), OKADA (1956), TAKADA (1957, 1958, 1968), TODA (1973a, 1977), WAKAHAMA (1964).

Recorded also in India.

### *Drosophila hexasticha* Papp, 1971

Other name used: *D. acuminata* COLLIN (misident.).

General features of adults: HACKMAN (1954, 1957), LAŠTOVKA and MÁČA (1978), PAPP (1971, 1976).

Figures: HACKMAN (1954), LAŠTOVKA and MÁČA (1978), PAPP (1973).

Keys: HACKMAN (1954), LAŠTOVKA and MÁČA (1978), PAPP (1971, 1973), ŠTAKLBELBERG (1970).

Biology: LAŠTOVKA and MÁČA (1978), PAPP (1976).

Distribution:

HUNGARY: LAŠTOVKA and MÁČA (1978), PAPP (1971, 1973, 1976). — ROMANIA: PAPP (1971, 1973). — USSR: HACKMAN (1954, 1957), ŠTAKLBELBERG (1970).

### *Drosophila hiharae* Okada, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

*Drosophila histrion* MEIGEN, 1830Other name used: *D. pokornyi* DUDA (syn.).

General features of adults: BECKER (1903a), BURLA (1951a), BURLA and GLOOR (1952), CHUNG and RHO (1969), DUDA (1924c, 1926a, 1935), FEYDENBERG (1955), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA (1957), MACQUART (1855), MEIGEN (1830), NATER (1953), NEUHATS (1886), OKADA (1955b, 1954d, 1955a, 1956, 1961b), OKADA and KUROKAWA (1957), OLDEHENBEG (1914), SÉGUIN (1934a, 1984b), WAHLØREN (1957), ZETTERSTEDT (1847).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MEIGEN (1830), MONCLUS (1964), MORGE (1978a), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), ROCHA PITÉ (1975a), SÉGUIN (1934b), STAKELBERG (1970).

Keys: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), HACKMAN (1954), KIKKAWA and PENG (1938), LEE (1964c), MONCLUS (1964), OKADA (1956), PAPP (1973), ROCHA PITÉ (1975a), SCHINER (1864), SÉGUIN (1934a, 1934b), STAKELBERG (1970), TAKADA (1971), WAHLØREN (1927).

Development: BURLA (1951a), NATER (1953), OKADA (1963a, 1968a).

Biology: BEPPU (1970), BEPPU and TODA (1970), BEUTHIN (1887), BONNAMOUR (1926), BURLA (1949, 1951a), BURLA and BÄCHLI (1965), BUXTON (1960), CANZANELLI (1941), COX (1956), DELEY-DRASKOVITS and BÁBOS (1976), DELEY-DRASKOVITS and PAPP (1973), FAUCHE (1924), HACKMAN (1954), HADORN et al. (1952), HERTING (1955), ISHIHARA (1955a, 1955b), KANERO (1960), KASERER and TOKUMOTO (1969), KANERO et al. (1966), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1945), KRÖGER (1910, 1935), MAXER (1935), MINAMI et al. (1979), OKADA (1954a, 1956), OLDEHENBEG (1914), SÉGUIN (1934b, 1950), SHORROCKS (1977), SHORROCKS and WOOD (1975), SUZUKI (1955), TAKADA (1954, 1957, 1958), TAKADA and LEE (1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964), WATABE (1970).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), MEIGEN (1830), PALM (1869), STROBL (1880, 1894, 1901), TIEF (1888). — CZECHOSLOVAKIA: STROBL (1901). — FINLAND: HACKMAN (1954, 1971), LUMMI et al. (1978). — FRANCE: BONNAMOUR (1926), FAUCHE (1924), HADORN et al. (1952), ROCHE PITÉ and TSACAS (1979), SÉGUIN (1934a). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924a, 1935), NEUHATS (1886). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), DUDA (1924c, 1935), HERTING (1955), KÖNIG (1945), KRÖGER (1910, 1935). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1958), DELEY-DRASKOVITS and BÁBOS (1976), DELEY-DRASKOVITS and PAPP (1973), PAPP (1973), SÓSÉ (1945). — ITALY: DUDA (1924a, 1935). — NETHERLANDS: LEVER and SOBELS (1951), SOHNS et al. (1954). — NORWAY: ROCHE PITÉ and TSACAS (1980). — POLAND: DUDA (1924a, 1855), KARL (1936). — PORTUGAL: ROCHE PITÉ (1972, 1975a). — ROMANIA: ARADI (1958), OLEBNIK (1974), SÓSÉ (1945). — SPAIN: HADORN et al. (1952), MONCLUS (1964). — SWEDEN: WAHLØREN (1957), ZETTERSTEDT (1847). — SWITZERLAND: BÄCHLI (1972b, 1973c, 1974, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1961), BURKA and BÄCHLI (1968), HSU (1949). — TURKEY: unpublished. — USSR: PROGLOWA (1926), HSU (1949, 1957), SKOBEL'NIK (1970). — YUGOSLAVIA: COĆIĆ (1959), GREGORIĆ and MARINKOVIĆ (1973). — U.S.A.: LEBER (1954), LIGERIA: SÉGUIN (1934a). — N. KOREA: OKADA (1974). — S. KOREA: CHUNG and RHO (1960), KANG et al. (1968, 1969), KIM (1962), LEE (1963, 1964a, 1965), PARK (1964), PARK and LEE (1968). — JAPAN: BEPPU (1970, 1978), BEPPU and TADA (1977), ISHIHARA (1955a, 1955b), KANERO (1960, 1968), KASERER and SHIMA (1962), KASPER and TOKUMOTO (1963, 1969), KANERO et al. (1966, 1968, 1969), KAWASHITA et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1955a, 1956, 1968a), SHIMA (1960), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1970), WATABE and BEPPU (1977). Recorded also in South China.

*Drosophila hydei* STURTEVANT, 1921Other names used: *D. repleta* WOLLASTON (misident.), *D. actaea* DORZHANSKY and PAVAN (syn.).

General features of adults: BASDEN (1954b), BICKLEY (1956), BREUER and ROCHA (1971), BURLA (1951a), BOZOLAI and PAVAN (1963), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KUROKAWA and ISHIHARA (1960), NATER (1953), OKADA (1953b, 1955a, 1955b, 1959, 1961b), PATTERSON (1948), STURTEVANT (1921), WASSELMAN (1962b), WHEELER (1960b), WHEELER and TAKADA (1964).

Figures: BREUER and ROCHA (1971), BURLA (1951a), COVA GARCÍA and SUÁREZ (1962), DOZHANSKY and PAVAN (1948), HARDY (1965), HARRISON (1952, 1959), HSU (1949), HUFF (1925), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), PATTERSON (1948), THROCKMORTON (1962), WASSERMANN (1962b), WHEELER and TAKADA (1964).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BURLA (1951a), FONSECA (1965), FEYDENBERG (1956a), HARDY (1965), HARRISON (1952, 1959), LASTOVKA and MÁČA (1977), MALLOCH (1928a, 1927), MALLOCH and MCATEE (1924), MONCLUS (1964), OKADA (1956), PAPP (1973), PATTERSON (1948), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), RICHARDS and HIRFORD (1930), ROCHE PITÉ (1975a), SHORROCKS (1972), TAKADA (1971), WASSELMAN (1962b).

Development: HENNIG (1952), HUFF (1925), KAMBYSELLIS (1953), OKADA (1963a, 1968a).

Biology: ATEKINSON and SHORROCKS (1977), BASDEN (1954a, 1957a), BICKLEY (1956), BURLA (1949, 1951a), CARSON (1965, 1971), COLEMAN (1968), COLEVER (1951), COVA GARCÍA and STURTEVANT (1962), FEYDENBERG (1956a), GIYER et al. (1965), HSU (1949), HSU (1957), HSU (1958), HSU (1959), KAWASHITA et al. (1975), KAWASHITA and WATANABE (1977), KUHLHORN (1964, 1968, 1978, 1979), LUMMI and SOBELS (1951), LINDBERG (1928), MCCOY (1968), MATHER (1964), MINAMI et al. (1979), NOZAWA (1956), OKADA (1956, 1962), OLDFIELD (1965), ORTH (1968), PAPP (1975, 1976), PATTERSON (1942), PATTERSON and SHORROCKS (1977), PATTENSON and STONY (1952), PINKIN (1952), RICHARDS and HIRFORD (1930), SHAW (1969), SHORROCKS (1974, 1975), SHORROCKS et al. (1979), SOBELS et al. (1954), STAKER (1946), TAKADA (1957), WAKAHAMA (1957a, 1964), ZUSKA and LASTOVKA (1949).

Distribution:

AUSTRIA: ROCHE PITÉ and TSACAS (1980). — BELGIUM: unpublished. — CZECHOSLOVAKIA: LASTOVKA and MÁČA (1977), MÁČA (1972b), MARTINEK (1977), ZUSKA and LASTOVKA (1969). — DENMARK: BASDEN (1956), FEYDENBERG (1956a). — FINLAND: HACKMAN (1971). — FRANCE: HADORN et al. (1952), ROCHE PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMAN FEDERAL REPUBLIC: HERTING (1955), KUHLHORN (1964, 1968, 1978, 1979), LINDBERG (1928), PAPP (1975, 1976), PATTENSON (1942), PATTERSON and SHORROCKS (1977), BASDEN (1954a, 1957a), COLEMAN (1968), COLEVER (1951), COVA GARCÍA and STURTEVANT (1962), FEYDENBERG (1956a), GIYER et al. (1965), HSU (1949), HSU (1957), HSU (1958), HSU (1959), KAWASHITA et al. (1975), KAWASHITA and WATANABE (1977), KUHLHORN (1964, 1968, 1978, 1979), LINDBERG (1928), MCCOY (1968), MATHER (1964), MINAMI et al. (1979), NOZAWA (1956), OKADA (1956, 1962), OLDFIELD (1965), ORTH (1968), PAPP (1975, 1976), PATTERSON (1942), PATTERSON and SHORROCKS (1977), PATTENSON and STONY (1952), PINKIN (1952), RICHARDS and HIRFORD (1930), SHAW (1969), SHORROCKS (1974, 1975), SHORROCKS et al. (1979), SOBELS et al. (1954), STAKER (1946), TAKADA (1957), WAKAHAMA (1957a, 1964), ZUSKA and LASTOVKA (1949).

**YUGOSLAVIA:** KERIĆ and MARINKOVIĆ (1973, 1979), KERIĆ et al. (1960), MARINKOVIĆ et al. (1960). — **AZORES:** HACKMAN (1960). — **MADEIRA:** unpublished. — **MOROCCO:** PREVOSTI (1974). — **TUNISIA:** PAPP (1978). — **EGYPT:** TANTAWY et al. (1970). — **ISRAEL:** unpublished. — **LEBANON:** PIPKIN (1962). — **JAPAN:** KAWANISHI (1978) KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA and TODA (1976), MINAMI et al. (1976), MOMMA (1957), NOZAWA (1956), OKADA (1955a, 1956, 1959, 1962, 1968a), TAKADA (1957), TAKADA et al. (1955), TOPA (1973a), WAKAHAMA (1957a, 1964). Recorded as virtually cosmopolitan species.

### *Drosophila imaiii* MORIWAKI, KITAGAWA and OKADA, 1967

Other name used: *D. bifasciata* FOMINI (misident.).

General features of adults: KUROKAWA and EIHLA (1976), MORIWAKI et al. (1967), TAKADA et al. (1979).

Figures: BEPPU et al. (1977), MORIWAKI et al. (1967), TAKADA et al. (1979).

Key: BEPPU et al. (1977), TAKADA (1971).

Biology: BEPPU (1976), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI et al. (1979), TODA (1973a, 1973b, 1973c, 1974, 1977), TAKADA (1965), TODA (1973a, 1973b, 1973c, 1974, 1977), YAMAGUCHI (1973).

Distribution:

**JAPAN:** BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KANEKO et al. (1969), KIMURA and TODA (1976), LAKOVARI et al. (1972c), MINAMI (1979), MINAMI et al. (1979), MORIWAKI et al. (1967), OHNISHI and MORIWAKI (1968), TAKADA (1965), TODA (1973a, 1973b, 1973c, 1974, 1977), YAMAGUCHI (1973).

### *Drosophila immigrans* STURTEVANT, 1921

Other names used: *D. browni* HUTSON (syn.), *D. ciliifemur* VILLENEUVE (syn.), *D. flexipilosa* PIPKIN (syn.), *D. tripunctata* LOEW (misident.).

General features of adults: BROOKER (1908b), BRNCIU (1957), BURLA (1951a), DE CASTRO (1953), CURRAN (1932), DUDA (1924a, 1926a, 1929b, 1934), HARDY (1965), HARRISON (1952, 1959), HERRING (1956), HSU (1949), HUTTON (1901), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), LIN and TSENG (1973), MALLOCH (1923a, 1934a), MALOGOLOWKIN (1953), NATER (1953), OKADA (1953b, 1955a, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PATTERSON (1943), PENG (1957), PIPKIN (1964), RINGDAHL (1949), SEGUY (1934b, 1936), STURTEVANT (1921), VILLENEUVE (1923), WHEELER and TAKADA (1964).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1926b, 1934), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MALLOCH and MCATEE (1924), MALOGOLOWKIN (1953), NATER (1953), OKADA (1953a, 1956, 1965a), PAPP (1973), PARSHAD and DUGGAL (1966), PATTERSON (1943), PATTENSON and SCOTT (1952), PIPKIN (1964), ROCHA PITE (1975a), SHORROCKS (1972), THROCKMORTON (1962), WHEELER and TAKADA (1964).

Key: BASDEN (1954b), BEPPU et al. (1977), BOCK (1970), BRNCIU (1957), BURLA (1951a), DUDA (1924a, 1926b, 1934), EENDERSEN (1956), FONSECA (1965), FRYDENBERG (1956a), HACHIYA (1954), HSU (1949), HUTTON (1970), JACKMAN (1954), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), LIN (1964c), MALLOCH (1923a, 1924b, 1927), MALLOCH and MCATEE (1924), MONCLUS (1964, 1976), OKADA (1956, 1966a), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), PENG (1937), RICHARDS and HERFORD (1930), ROCHA PITE (1975a), SEGUY (1934a, 1934b), SHORROCKS (1972), STURTEVANT (1921, 1927), TAKADA (1971), WHEELER and TAKADA (1964).

Development: BURLA (1951a), HIRNIK (1952), KAMBYSSELLIS (1965), KIKKAWA and PENG (1938), OKADA (1963a, 1965a), PATTERSON (1943), PIPKIN (1964).

Biology: ATKINSON and SHORROCKS (1977), BÄCHLI (1979), BASDEN (1952, 1954b, 1957a), BEPPU (1976), BEPPU and TODA (1976), BICKLEY (1956), BOCK (1970), BURLA (1949, 1951a, 1961), BUREGA (1976), CARSON (1965, 1971), COLLINS (1956), DOBRANSKY and PAVAN (1950), DUDA (1984, 1984a), FRYDENBERG (1956a), HACHIYA (1954), HSU (1949), HENNIG (1953), HERTING (1955), ISHIGURA (1955a), KAKERO (1960), KANERU and TOKUMITSU (1963, 1969), KANERU et al. (1966), KATO (1954), KATO and HORI (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976, 1980b), KIMURA and TODA (1976), KÖNIG (1965), KÜHLHORN (1964, 1978, 1979), LEVER and SOBEELS (1951), MCKENZIE and PARSONS (1974), MATHER (1956), MERRILL and HUTSON (1953), MINAMI et al. (1979), MOMMA (1965b), NASWATY (1959), NOZAWA (1956), OKADA (1954a, 1956, 1962), PAPP (1976), PARSONS (1978), PATTERSON (1942), PETERSON (1960), PIPKIN (1964), PIPKIN et al. (1966), RICHARDS and HERFORD (1930), ROCHA PITE (1975a, 1978, 1979), ROCHA PITE and DA COSTA NICOLAU (1978), SARATH (1974), SAITO et al. (1962), SEGUY (1934b), SCHÄTZMANN (1977), SHORROCKS (1972, 1974), SHORROCKS et al. (1979), SOBEELS et al. (1954), SUZUKI (1965), TAKADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1976, 1977), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1964), WATAKE (1979), WHEELER and THROCKMORTON (1960), ZUSKA and LÁŠPOTKA (1969).

Distribution:

**AUSTRIA:** unpublished. — **BELGIUM:** unpublished. — **CZECHOSLOVAKIA:** MÁČA (1972b), ZUSKA and LÁŠPOTKA (1969). — **DENMARK:** BASDEN (1954), FRYDENBERG (1956a). — **FINLAND:** HACKMAN (1971). — **FRANCE:** HADORN et al. (1962), ROCHA PITE and TSACAS (1979), SÉGUÉY (1934b). — **GERMANY DEMOCRATIC REPUBLIC:** unpublished. — **GERMAN FEDERAL REPUBLIC:** DUDA (1984), HERTING (1955), KÖNIG (1965), KREßER (1955), KÜHLHORN (1964, 1978, 1979), NASWATY (1959). — **GREAT BRITAIN:** ATKINSON and SHORROCKS (1977), BASDEN (1952, 1954b, 1957a), BEATTY and SIDHU (1969), FONSECA (1965), RICHARDS and HERFORD (1930), SHORROCKS (1969, 1974, 1977), SHORROCKS et al. (1979), SMITH (1960). — **GREECE:** DIS 37: 95. — **HUNGARY:** PAPP (1973, 1975). — **IRELAND:** unpublished. — **ITALY:** DUDA (1924a, 1934), MAINI (1958), NIGRO (1970), SPERLICH (1961). — **NETHERLANDS:** LEVER and SOBEELS (1951), SOBEELS et al. (1954). — **NORWAY:** STURTEVANT (1921). — **PORTUGAL:** ROCHA PITE (1972, 1973a, 1975b, 1977b, 1978, 1979), ROCHA PITE and DA COSTA NICOLAU (1978). — **SPAIN:** HACKMAN (1969a), MONCLUS (1964), ORTE (1968). — **SWEDEN:** BASDEN (1954), RINGDAHL (1949). — **SWITZERLAND:** BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1961), DUDA (1984), HSU (1949), NATER (1953), SCHÄTZMANN (1977). — **TURKEY:** unpublished. — **USSR:** DIS 11: 44. — **YUGOSLAVIA:** KERIĆ and MARINKOVIĆ (1979), KERIĆ et al. (1980). — **AZORES:** FELIX (1945), HACKMAN (1960), SEGUY (1934b, 1936). — **MADEIRA:** unpublished. — **CANARY IS.:** BRECKER (1968b), DUDA (1924c, 1934), FREY (1936), MONCLUS (1976). — **MOROCCO:** unpublished. — **TUNISIA:** unpublished. — **EGYPT:** MOUРАD and MALLAH (1980), TANTAWY et al. (1970). — **ISRAEL:** CARSON (1965). — **LEBANON:** PIPKIN (1962). — **CHINA:** HSU (1949), KIKKAWA and PENG (1935), PENG (1937), TAN et al. (1949). — **S. KOREA:** CHUNG (1958, 1959, 1960a), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1966b), PARK (1969), TAKADA and LEE (1968). — **JAPAN:** BEPPU (1976, 1978), BEPPU and TODA (1976), HACHIYA (1954), HIRUMI (1961), ISHIIHARA (1955a), KAKERO (1960, 1968), KANERU and SHIMA (1962), KANERU and TOKUMITSU (1963, 1969), KANERU et al. (1966, 1968), KATO (1954), KATO and HORI (1952, 1954). — **KAWANISHI:** KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975). — **KAWAHASHI:** KAWAHASHI and TAKADA (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), KUROKAWA (1967a), MINAMI (1979), MINAMI (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1963a, 1965a), PIPKIN (1962), TAKADA (1965), TAKADA and WATANABE (1977), WAKAHAMA (1957a, 1964).

(1954d, 1955a, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1952, 1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974, 1975a, 1975b, 1976a, 1976c, 1984, 1986), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1965a, 1965b), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977), WATANABE and KAWANISHI (1976). Recorded as virtually cosmopolitan species.

**Drosophila ingrica** HACKMAN (1957)

General features of adults: HACKMAN (1957).

Figures: HACKMAN (1957), STAKELBERG (1970).

Key: STAKELBERG (1970).

Distribution:

USSR: HACKMAN (1957), STAKELBERG (1970).

**Drosophila iri** BURLA, 1954

General features of adults: BURLA (1954a).

Figures: BURLA (1964a).

Keys: BURLA (1954a), FONSECA (1965).

Biology: BASDEN (1957a), BURLA (1954a), LACHAISE (1975).

Distribution:

GREAT BRITAIN: BASDEN (1957a), FONSECA (1965).

Recorded mainly in the Ivory Coast.

Comment:

This species is frequently introduced by ships into British ports, but is not yet recorded there as a wild species.

**Drosophila kanekoi** WATABE and HIGUCHI, 1979

Other name used: *Drosophila* sp. 4.

General features of adults: WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), WATABE and HIGUCHI (1979).

Key: BEPPU et al. (1977).

Development: WATABE and HIGUCHI (1979).

Biology: WATABE and HIGUCHI (1979).

Distribution:

JAPAN: LAKOVAARA and HOIKKALA (1979), MINAMI (1979), WATABE and HIGUCHI (1979).

**Drosophila kangi** OKADA and LEE, 1961

General features of adults: KANG et al. (1965b), OKADA and LEE (1961).

Figures: OKADA and LEE (1961).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1967), TAKADA (1971).

Distribution:

S. KOREA: KANG and LEE (1964), LEE (1966b), OKADA and LEE (1961). — JAPAN: TAKADA (1968).

**Drosophila kikkawai** BURLA, 1954

Other name used: *D. montium* DE MEIJER (misident.).

General features of adults: BOCK and WHEELER (1972), BURLA (1954b), DE CASTRO (1953), DUDA (1926a), HARDY (1965), HSU (1949), KIRKAWA (1936), KIKKAWA and PENG (1958), KUROKAWA and HIDARA (1976), MALLOCH (1934b), OKADA (1953b, 1954c, 1956, 1959, 1961b), PARSHAD and THIGPON (1965), PARSHAD and PAIKA (1964), PAVAN and DA CUNHA (1947), TSACAS and DAVID (1977), VADHYA and GODBOLE (1971), WATABE (1977), WHEELER and TAKADA (1964).

Figures: BOCK and WHEELER (1972), BURLA (1954b), DUDA (1926a), HARDY (1965), HSU (1949), KIRKAWA (1936), KIRKAWA and PENG (1958), LACHAISE (1976), OKADA (1954c, 1956, 1966a, 1968c), PAVAN and DA CUNHA (1947), THROCKMORTON (1962), TSACAS and BOUCQUET (1976), TSACAS and DAVID (1977), VADHYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Keys: DUDA (1926a), GUPTA and RAY-CHAUDHURI (1970), HARDY (1965), HARRISON (1954), KIRKAWA and PENG (1958), MALLOCH (1934b), OKADA (1956), PAVAN and DA CUNHA (1947), WHEELER and TAKADA (1964).

Development: KIRKAWA and PENG (1958), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: BOCK (1976), HACHIYA (1954), HUNTER (1966), KATO and HORI (1952), KIRKAWA and PENG (1958), LACHAISE (1976), NOZAWA (1956), OKADA (1956, 1964), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), TODA (1976).

Distribution:

CHINA: HSU (1949), KIRKAWA and PENG (1958), TAN et al. (1949). — S. KOREA: KANG et al. (1958, 1959), LEE (1966b), — JAPAN: HACHIYA (1954), KATO and HORI (1952, 1954), KAWANISHI et al. (1975), KIRKAWA (1936), KIRKAWA and PENG (1958), NOZAWA (1956), OKADA (1954c, 1956, 1959, 1968a).

Recorded as pantropical species.

**Drosophila kirishimana** OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

***Drosophila kuntzei* DUDA, 1924**

General features of adults: BURLA (1951a), BURLA and GLOOR (1952), DUDA (1924c, 1926a, 1935), HSU (1949), KUROKAWA and HIRARA (1976), NATER (1958), OKADA (1956, 1961b, 1973c).

Figures: BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), NATER (1953), OKADA (1956, 1968a, 1973c), PAPP (1973), SHORROCKS (1972).

Keys: BEPPU et al. (1977), RIERA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), LEE (1961a), MONCLÉS (1964), OKADA (1956), PAPP (1973), SHORROCKS (1972), TAKADA (1971).

Development: BURLA (1951a), OKADA (1968a).

Biology: BÄCHLI (1969, 1979), BURLA (1949, 1951a, 1961), BURLA and BÄCHLI (1968), COE (1959), DELY-DRASKOVITS and BAROS (1976), DELY-DRASKOVITS and PAPP (1973), HADORN et al. (1952), HERTING (1955), KANG et al. (1960), KERKIĆ and MARIKOVIĆ (1979), KÖNIG (1965), KÜHLHORN (1978, 1979), LEVER and SOBELS (1951), NASWATY (1960), OKADA (1956), PAPP (1976, 1979), SAITO et al. (1965), SCHATTZMANN (1977), SCHMID (1968), SHORROCKS and WOOD (1973), SOBELS et al. (1954), TAKADA (1957), ZUSKA and LÁSTOVČA (1969).

Distribution: AUSTRIA: unpublished. — BELGIUM: unpublished. — CZECHOSLOVAKIA: ARADI (1959), SOÓS (1945), ZUSKA and LÁSTOVČA (1969). — FRANCE: DUDA (1955), HADORN et al. (1952), ROCHA PITÍ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: DUDA (1924c, 1935), HERTING (1955), KÖNIG (1965), KÜHLHORN (1978, 1979), NASWATY (1959). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977), SHORROCKS and WOOD (1973). — GREECE: DIS 38: 76. — HUNGARY: ARADI (1959), DELY-DRASKOVITS and BAROS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1924, 1935), PAPP (1973, 1976), SOÓS (1945). — ITALY: NICIO (1979). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — POLAND: DUDA (1924c). — ROMANIA: ARADI (1939), SOÓS (1943). — SPAIN: HADORN et al. (1952), MONCLÉS (1964). — SWITZERLAND: BÄCHLI (1969, 1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1948, 1949, 1951a, 1951b, 1961), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953), SCHATTZMANN (1977), SCHMID (1968). — TURKEY: unpublished. — USSR: PAPP (1979). — YUGOSLAVIA: BASDEN (1961), COE (1959), KERKIĆ and MARIKOVIĆ (1979). — MOROCCO: PREVOSTI (1974). — IRAN: unpublished. — S. KOREA: CHUNG and RHO (1959, 1960), KANG et al. (1969, 1980), LEE (1964a, 1966b). — JAPAN: KAWANISHI et al. (1975), MOMMA (1957), OKADA (1956, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1957), WAKAHAMA (1957), WAKAHAMA (1964).

***Drosophila kurokawai* OKADA, 1971**

General features of adults: OKADA (1971d).

Figures: OKADA (1971d).

Key: OKADA (1971d).

Distribution:

JAPAN: KAWAMURA et al. (1975), OKADA (1971d).

***Drosophila kyushuensis* TSACAS and CHASSAGNARD, 1976**

Other name used: *D. brunnnea* DE MELIERKE (misident.).

General features of adults: OKADA (1968d), TSACAS and CHASSAGNARD (1976).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d), TSACAS and CHASSAGNARD (1976).

***Drosophila lacertosa* OKADA, 1956**

Other name used: *Drosophila* sp. of *robusta* group I.

General features of adults: CHUNG and RHO (1959), KANEKO and TAKADA (1966), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), MOMMA (1956). OKADA (1953b, 1955a, 1956, 1959, 1961b), TAKADA (1959).

Figures: BEPPU et al. (1977), KIM (1962), MOMMA (1956), OKADA (1955a, 1955b, 1956, 1963a, 1968a).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), LEE (1964c), OKADA (1955a, 1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), KANEKO (1960, 1968), KANEKO and TORUMITSU (1963, 1969), KANEKO et al. (1964), KANG et al. (1960), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976), KIMURA and TODA (1979), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1963b), OKADA (1956, 1965), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958), TODA (1973a, 1973b, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964). WAKAHAMA et al. (1963).

Distribution:

S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1960), KIM (1962), LEE (1962, 1964, 1966b), TAKADA and LEE (1968). — JAPAN: BEPPU (1976, 1978, 1979, 1980), BEPPU and TODA (1976), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TORUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1956, 1957, 1965a, 1965b), OKADA (1955a, 1956, 1959, 1962, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1957, 1958, 1959, 1960, 1965), TAKADA and OKADA (1960), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU (1957, 1958a, 1958b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1963c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also in Nepal, India and Taiwan.

***Drosophila latifrontata* FROTA-PESSOA, 1945**

Other names used: *D. carinata* DUDA (syn.), *D. latifrons* DUDA (syn.), *D. latifrontata yakuensis* OKADA.

General features of adults: BÄCHLI (1974a), DUDA (1923b), OKADA (1956, 1967).

Figures: BÄCHLI (1974a), DUDA (1924a), OKADA (1967).

Keys: BÄCHLI (1974a), DUDA (1924a, 1925, 1926, 1927), OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: BÄCHLI (1974a), OKADA (1967).

Recorded mainly in southeast Asia.

Comment:

The subspecies *yakunensis* OKADA is probably a separate species.

### *Drosophila latinohogiri* OKADA, 1968

General features of adults: OKADA (1968d).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d).

### *Drosophila lebanonensis* WHEELER, 1949

Other names used: *D. lebanonensis castelli* PIPKIN, *D. victoria* STURTEVANT (misident.).

General features of adults: HSU (1949), MATHER (1955), PIPKIN (1956, 1961, 1962), WATABE (1977), WHEELER (1949a).

Figures: HSU (1949).

Key: MONCLÚS (1976).

Biology: PIPKIN (1952).

Distribution:

GREECE: ROCHA PITÉ and TSACAS (1980). — SPAIN: ROCHA PITÉ and TSACAS (1980). — CANARY IS.: MONCLÚS (1976). — ISRAEL: PIPKIN (1961, 1962). — LEBANON: PIPKIN (1962, 1956, 1962), WHEELER (1949a).

Recorded also in North America.

### *Drosophila limbata* VON ROSE, 1840

General features of adults: BECKER (1908a), BURLA (1951a), BURLA and GLOOR (1952), DUDA (1924c, 1935), HERTING (1940), HSU (1949), NATEL (1953), NIEGO (1979), VON ROSE (1840).

Figures: BURLA (1951a), DUDA (1924c), HSU (1949), NATEL (1953), PAPP (1973), STAKELBERG (1970).

Keys: DUDA (1924a, 1924c, 1935), BURLA (1951a), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), PAPP (1973), STAKELBERG (1970).

Development: BURLA (1951a).

Biology: BURLA (1951a, 1961), BURLA and BÄCHLI (1968), FRYDENBERG (1956b), HERTING (1955), HUMMEL et al. (1979), KÜHLHORN (1978, 1979), LEVER and SOBELS (1951), NASWATY (1959), PAPP (1973), SCHATEMANN (1977), SOBELS et al. (1954).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), THALMER (1977). — BELGIUM: unpublished. — CZECHOSLOVAKIA: ARADI (1959), SOOB (1945). — DENMARK: FRYDENBERG (1966a). — FINLAND: HÄGERMAN (1954, 1971). — FRANCE: DUDA (1935), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1935). — GERMAN FEDERAL REPUBLIC: DUDA (1935), HERTING (1955), KÜHLHORN (1978, 1979), NASWATY (1959), VON ROSE (1840). — GREAT BRITAIN: FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1959), DUDA (1924c, 1935), PAPP (1973), SOOB (1945). — ITALY: NIEGO (1979), ZAMBONI (1969). — NETHERLANDS: HUMMEL et al. (1979), LEVER and SOBELS (1951), SOBELS et al. (1954). — POLAND: DUDA (1924c, 1935). — ROMANIA: ARADI (1959), SOOB (1945). — SPAIN: HADORN et al. (1952). — SWEDEN: unpublished. — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974a, 1974c, 1975a, 1975b), BURLA (1948, 1951a, 1951b, 1960), BURLA and BÄCHLI (1968), HSU (1949), NATEL (1953), SCHATEMANN (1977). — USSR: ARADI (1959), DUDA (1924c, 1935), HACKMAN (1957), SOOB (1945), PAPP (1973), STAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), KLEKIC and MARINKOVIC (1979), SOOB (1945). — JAPAN: TAKADA et al. (1979).

### *Drosophila littoralis* MEIGEN, 1830

Other names used: *D. parenti* VILLENEUVE (syn.), *D. lugubris* DUDA (syn.), *D. imperatoria* SOKOLOV (syn.).

General features of adults: BURLA (1951a), DUDA (1924c, 1935), HACKMAN (1969c, 1972), HSU (1949), LAKOVAARA and HACKMAN (1978), MACQUART (1855), MEIGEN (1830), NATEL (1953), OKADA (1961b), PATTERSON (1952), SOKOLOV (1948), TAKADA and OKADA (1958), VILLENEUVE (1921), WATABE and HIGUCHI (1979), ZETTERSTEDT (1858).

Figures: BURLA (1951a), DUDA (1924a, 1935), HACKMAN (1972), HSU (1949), KUROKAWA (1972), MORGE (1976c), NATEL (1953), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972), TAKADA and OKADA (1958), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), PAPP (1973), ROCHA PITÉ (1975a), SHORROCKS (1972), STAKELBERG (1970).

Development: BURLA (1951a).

Biology: BASDEN (1954b), BASDEN and HARNDEN (1956), BURLA (1949, 1951a), COE (1959), FREY (1932), FRYDENBERG (1956b), HACKMAN (1954), HERTING (1955), KÜHLHORN (1978), LAKOVAARA et al. (1972b), LEVER and SOBELS (1951), LUUMME et al. (1978, 1979), NASWATY (1959), SOBELS et al. (1954), SPEIETH (1979), STÖRÖI (1957), ZUSKA and LASTOVKA (1969).

Distribution:

AUSTRIA: BASDEN (1961), PATTERSON (1952). — CZECHOSLOVAKIA: ZUSKA and LASTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: BASDEN (1956), DUDA (1935), FREY (1929, 1932), HACKMAN (1954, 1971), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1972b, 1973), LUUMME and OIKARINEN (1977), LUMMO et al. (1972, 1973, 1975, 1978, 1979), STÖRÖI (1956, 1957). — FRANCE: DUDA (1935), HADORN et al. (1952), PATTERSON (1952), ROCHA PITÉ and TSACAS (1979), VILLENEUVE (1921). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c, 1935). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHORN (1978), NASWATY (1959), VON ROSE (1840). — GREAT BRITAIN: BASDEN (1954b), FONSECA (1965), SHORROCKS (1972, 1977), WALKER (1858). — HUNGARY: PAPP (1973), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: PATTERSON (1952). — NETHERLANDS: LEVER and SOBELS (1951), DE MEIJERE (1928), SOBELS et al. (1954). — NORWAY: BASDEN and HARNDEN (1956). — POLAND:

BUEDA (1924c, 1935), KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITE (1972, 1975a). — ROMANIA: ARADE (1959), LAKOVAARA and HOIKKALA (1979), PAPP (1973). — SPAIN: HADORN et al. (1952). — SWEDEN: DUDA (1935), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1972b). — SWITZERLAND: BACHEL (1972b, 1972c, 1973a, 1975b, 1977), BUELA (1948, 1949, 1951a, 1951b), CLAYTON and WAED (1954), HSU (1949), JOHNSON et al. (1966), LAKOVAARA and HOIKKALA (1979), LAKOVAARA et al. (1973), LUMME and OIKARINEN (1977), LUMME et al. (1972, 1974, 1975), NATHR (1953), PATTERSON (1952), PATTERSON and STONE (1952), THROCKMORTON (1962). — TURKEY: unpublished. — USSR: BASDEN (1956, 1961), DUDA (1935), HACKMAN (1957), LAKOVAARA and HOIKKALA (1979), LUMME and OIKARINEN (1977), SOKOLOV (1945), STAKELBERG (1930, 1970). — YUGOSLAVIA: COĆ (1959), KERIĆ and MARIKOVIĆ (1979). — ? AZORES: FREY (1945). — IRAN: unpublished.

#### Comment:

Some records may refer to other species.

### *Drosophila lummei* HACKMAN, 1972

General features of adults: HACKMAN (1972), LAKOVAARA and HACKMAN (1973), WATABE and HIGUCHI (1979).

Figures: HACKMAN (1972), LAKOVAARA and HACKMAN (1973), WATABE and HIGUCHI (1979).

Biology: LUMME et al. (1978), SPIETH (1978).

#### Distribution:

CZECHOSLOVAKIA: unpublished. — FINLAND: HACKMAN (1972), LAKOVAARA and HOIKKALA (1979), LUMME et al. (1978, 1979). — NORWAY: ROCHA PITE and TSACAS (1980). — SWEDEN: HACKMAN (1972), LAKOVAARA and HOIKKALA (1979). — USSR: HACKMAN (1972). — JAPAN: WATABE and HIGUCHI (1979).

### *Drosophila lundstroemi* DUDA, 1935

Other names used: *D. oldenbergi* DUDA (misident.), *D. rufipes* (misident.).

General features of adults: BÄCHLI (1972a), BASDEN (1961), DUDA (1935), HACKMAN (1965a).

Figures: BASDEN (1961), HACKMAN (1957, 1965a), PAPP (1973), STAKELBERG (1970).

Keys: HACKMAN (1954), OKADA (1967), PAPP (1973), STAKELBERG (1970).

Biology: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973).

#### Distribution:

AUSTRIA: BASDEN (1961), STROBL (1894). — FINLAND: DUDA (1935), HACKMAN (1964, 1965a), LUMME et al. (1979). — HUNGARY: BÄCHLI (1972a), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1978). — ROMANIA: BÄCHLI (1972a), PAPP (1973). — USSR: HACKMAN (1957, 1965a), STAKELBERG (1970).

### *Drosophila lutescens* OKADA, 1975

Other names used: *D. tucko* OKADA (syn.), *D. lutea* KIKKAWA and PENG (syn.).

General features of adults: BOCK and WHEELER (1972), FREDRIK-MAIJA (1949), KIKKAWA and PENG (1938), KIM (1962), KIKKAWA and HIHARA (1976), MATHER (1955, 1957), OKADA (1953a, 1954c, 1954d, 1955c, 1956, 1959, 1961b), PARSHAD and PAISA (1964).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), KIKKAWA and PENG (1938), KIM (1962), OKADA (1954c, 1955, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964a), OKADA (1956), TAKADA (1973).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KATÔ (1954), KATÔ and HORI (1965), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA et al. (1977), MINAMI et al. (1979), NOZAWA (1956), OKADA (1954d, 1956, 1962), SAITO et al. (1963), SUZUKI (1955), TARADA (1954, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1953a, 1973b, 1974, 1977), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1965).

#### Distribution:

S. KOREA: CHUNG (1969a), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964a, 1966a), TADA (1968), TAKADA and LEE (1968). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), FUKAYAMA (1975), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KATÔ (1954), KATÔ and HORI (1965, 1968), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b), KIMURA et al. (1977), KUROGAWA (1967a), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954c, 1954d, 1956, 1961b, 1962, 1966b, 1968a), SAITO et al. (1963), SEIMA (1960), SUZUKI (1955), TARADA (1954, 1957, 1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATANABE and KAWANISHI (1976).

### *Drosophila macromaculata* KANG and LEE, 1961

General features of adults: KANG and LEE (1961).

Figures: KANG and LEE (1961).

Keys: BEPPU et al. (1977), KANG and LEE (1964), OKADA (1967).

Biology: KANG and LEE (1961), MINAMI et al. (1979).

#### Distribution:

S. KOREA: KANG and LEE (1961, 1964), LEE (1966b). — JAPAN: MINAMI et al. (1979).

### *Drosophila maculinotata* OKADA, 1956

General features of adults: KUBOKAWA and HIHARA (1976), OKADA (1956, 1961b).

Figures: OKADA (1956, 1968a).

Key: OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1956, 1968a).

Distribution: JAPAN: KAWANISHI et al. (1975), OKADA (1956, 1968a).

### *Drosophila magnipectinata* OKADA, 1956

Other names used: *D. magnipunctata*, *Drosophila* sp. from Sapporo.

General features of adults: BOCK and WHEELER (1972), KIM (1962), LEE (1959), OKADA (1954c, 1955b, 1956, 1961b), TAKADA and OKADA (1960).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1954c, 1955b).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1954c, 1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), SUZUKI (1955), TAKADA (1957), WAKAHAMA (1957a, 1964).

Distribution:

S. KOLEA: KANO et al. (1959), KIM (1962), LEE (1964c, 1966b). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954c, 1956), SUZUKI (1955), TAKADA (1957, 1968), WAKAHAMA (1957a, 1964), WAKAHAMA et al. (1963).

### *Drosophila makinoi* OKADA, 1956

Other names used: *Drosophila* sp. like *pallida*, *D. comearia* HALIDAY (misident.).

General features of adults: KIM (1962), KUROKAWA and HIRARA (1976), OKADA (1956, 1961b).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1954d, 1956), TAKADA (1957, 1958), TODA (1977).

Distribution:

S. KOREA: KIM (1962), LEE (1966b). — JAPAN: BEPPU (1978), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957), OKADA (1954b, 1956), TAKADA (1957, 1958), TODA (1977), WAKAHAMA (1964).

### *Drosophila mediohispida* OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Biology: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

### *Drosophila melanogaster* MEIGEN, 1830

Other names used: *D. fasciata* MEIGEN (syn.), *D. nigricentris* MACQUART (syn.), *D. approximata* ZETTERSTEDT (syn.), *D. ampetaphila* LOEW (syn.), *D. uvarum* RONDANI (syn.), *D. pilosula* BECKER (syn.), *D. fenestrarum* FALLÉN (misident.).

General features of adults: ASTAUROFF (1929), AUSTEN (1905), BAILEY (1967, 1968), BICKLER (1903b, 1905b), BIGOT (1881), BOCK (1976), BOCK and WHEELER (1972), BOHART and GRESSITT (1951), BRINCH (1957), BURLA (1951a, 1951b), COCKERELL (1923), CURRAY (1932), DAVID and BOUCQUET (1972), DAVID et al. (1974), DELOLOET (1909), DUDA (1924c, 1934, 1935), FRIEDE-MAJA (1940), FRITZ (1921), GALLO (1973), GLEICHHAUPT (1936), GEGGENBERGER et al. (1975), HALDAY (1833), HANNAH-ALVA (1958), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIRARA (1976), LIN et al. (1973), LINTNER (1982), LOEW (1862), MACQUART (1842), MAINX (1949), MALOGOLOWKIN (1948), MEIGEN (1830), DE MELLORE (1911a), NAYER (1953), NEUCHATEL (1886), OKADA (1955, 1954a, 1954c, 1954d, 1956, 1958, 1959), PARSHAD and DUGGAL (1966), PARSHAD et al. (1964), PATTERSON (1943), PENG (1937), PERETTIUS (1955), RAY-CHAUDHURI and MUKEBEE (1941), RILEY (1919), RONDANI (1875, 1876), SALLES (1848), SEGUY (1934a, 1934b), SOKOLOV (1945), STURTEVANT (1916, 1919a, 1921, 1929), TAKADA (1952, 1966b), TSACAS (1975), TSACAS and BOUCQUET (1976), TSACAS et al. (1971), VADHYA and GODBOLE (1971), VILLENEUVE (1911), WAHLGREN (1927), WHEELER (1960b), ZETTERSTEDT (1847).

Figures: BARKER (1967, 1968), BANKS (1912), BEPPU et al. (1977), BOCK and WHEELER (1974), BURLA (1951a), COVA-GARCIA and SUAREZ (1962), DUDA (1924a, 1924c, 1935), FLEY (1921), GLEICHHAUPT (1936), GOOCHENBURN et al. (1975), GUNNEY (1912), HANNAH-ALVA (1958), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KATIEN (1945), KIKKAWA and PENG (1938), KIM (1962), LACHAISE (1976), LASTOVKA and MÁCA (1977), LINSTROM (1932), MAINX (1949), MARTELLI (1910), MAYER (1935), MONCLÉS (1964), MORGE (1976b, 1976c), OKADA (1954c, 1956, 1958a), PAPP (1979), PARSHAD et al. (1964), PATTERSON (1943), PATTERSON and STOEZ (1952), PENG (1937), RILEY (1919), ROCHA PITÉ (1975b), RONDANI (1875), SALLES (1948), SEGUY (1934a, 1934b), SHOEROCKS (1972), STAKELBERG (1970), STURTEVANT (1921, 1942), TAKADA (1971), WAHLGREN (1927), ZIMIN (1948).

Keys: BASDEN (1954b), BEPPU et al. (1977), BOCK (1976), BOHART and GRESSITT (1951), BRINCH (1957), BRYAN (1938), BURLA (1951a), DUDA (1924a, 1924c, 1925, 1926, 1927, 1935, 1940), FONSECA (1965), FRYDENBERG (1956a), GREGOR (1961), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), HARDY (1965), HARRISON (1952, 1954, 1959), KIKKAWA and PENG (1938), LASTOVKA and MÁCA (1977), LIN (1964a), MALLON (1925b, 1927, 1934b, 1934c), MALLOCH and MCATER (1924), MONCLÉS (1964, 1976), OKADA (1956, 1966a), PAPP (1978), PATTERSON (1943), PATTERSON and MAINLAND (1944), PENG (1937), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHNEIDER (1964), SEGUY (1934a, 1934b), SHOEROCKS (1972), STAKELBERG (1970), STURTEVANT (1921, 1942), TAKADA (1971), WAHLGREN (1927), ZIMIN (1948).

Development: BANKS (1912), BASDEN (1954a), BIELA (1951), BUZZATI-TRAVANZO et al. (1958), YEDA (1934), GUNNEY (1912), LENNARD (1962), KELLIN (1915), KLUG et al. (1974), MAINX (1949), MARTELLI (1910), MAYER (1935), OKADA (1963a, 1968a), PARSHAD et al. (1964), PATTERSON (1943), PERETTIUS (1976), RILEY (1918), SMART (1943), TSACAS (1975), WATTIE (1979), ZIMIN (1948).

Biology: ATKINSON and SHOEROCKS (1977), AUSTEN (1905), BASDEN (1952, 1954b, 1957a), BEPPU (1976), BICKLER (1956), BIGOT (1881), BOCK (1977b), BOHART and GRESSITT (1951), BURGIA (1949, 1951a, 1954a), BURGIA (1976), BURGIA and OLEMO (1971), CANZANELLI (1941), CARSON (1965, 1971), COLLINS (1956), COLYER and HAMMOND (1951), COVA-GARCIA and SCARPE (1962), DAVID (1971), DE COURSEY (1925), DUDA (1934), FRIEDE (1936, 1954), FRYDENBERG (1956a), GOLD-SCHMIDT (1956b), GRISWOLD (1956), GUNNEY (1912), GUVER (1972), GUVER et al. (1956), HADORN et al. (1952), HARRISON et al. (1954), HEED (1956), HENNIG (1950, 1953), HERTING (1955), HOENTJENSBERG and LIN (1977), HOWARD (1900), HUNTER (1966), HUNTER et al. (1973), JUNGEN (1968a), KANEKO (1960), KANEKO et al. (1968), KAWANISHI and WATANABE (1977), KEEF

and MARINKOVIC (1970), KIKKAWA and PENG (1938), KIMURA and TADA (1976), KIMURA et al. (1977), KÖNIG (1965), KUHLJØDE (1964, 1968, 1978, 1979), LACHAISE (1971, 1975, 1976), LEE (1962), LEVIER and SORELS (1951), LINSEN (1882), MACA (1975), MCCOY (1962), MCKENZIE and PARSONS (1974), MAINX (1949), MALLON (1933), MALLON and MCATEE (1924), MARVELLI (1910), MARTINEZ et al. (1965), MASON (1956), MATHER (1955), MAYER (1955), DE MEIJERE (1940), MELICHAR (1901), MICHELBURGH (1901), MIDDLEKAUFF (1954), MINAMI et al. (1979), MONMA (1965b), NAWATY (1959), NELSON (1938), NOZAWA (1959), OKADA (1958, 1962), OLDFROYD (1965), ORTIZ (1968), PAPP (1975), PARSHAD and DUGGAL (1966), PARSHAD and PATKA (1964), PARSHAD et al. (1964), PARSONS (1970), PATERSON and STONE (1969), PAVAN et al. (1960), PERQUET (1926), PICARD (1919), PFEIFER (1952, 1965), PIPEK et al. (1966), RÉAL and RÉAL (1949), RICHARDS and HERFORD (1930), RILEY (1919), ROCHA PITÉ (1972, 1975a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), RONDANI (1975), SALATHÉ (1974), SAITO et al. (1962), SAKIMURA and LISFORD (1940), SCHATTMANN (1977), SCHULZE (1912), SEGUY (1934a, 1934b, 1950, 1951), SERGENT and ROUGHKEEPE (1924, 1926a, 1926b), SHORROCKS (1974, 1975, 1977), SHORROCKS and WOOD (1978), SHROCKES et al. (1979), SORELS et al. (1954), SPENCER (1950), STAHLER (1945), STOBL (1957), STUTEREVANT (1919b, 1921), TAKADA (1954, 1957), TAKADA and TOYOFUKI (1960), TAMINI (1958), TIMOFFEEFF-RESSOVSKY and TIMOFFEEFF-RESSOVSKY (1941a, 1941b, 1941c), TADA (1973a, 1974, 1976, 1977), UNWIN (1967), WAKAHAMA (1957a, 1961, 1962b, 1964), WATABE (1979), WATANABE and KAWANISHI (1976), ZUSKA and LASTOVKA (1969).

## Distribution:

AUSTRIA: ASHBURNER and LEMEUNIER (1976), KUNZEL-MÜHL et al. (1958), MEIGEN (1960), MELICHAR (1901), STROBL (1880, 1894), TIEF (1889). — CZECHOSLOVAKIA: ARADI (1959), ASHBURNER and LEMEUNIER (1976), BRANSIK (1910), ČÍZEK (1910), DOSEČUL (1962), DOSKOČIL and HŮRKA (1962), LÁSTOVKA and MÁCA (1977), MÁCA (1972b, 1975), MARTINEK (1973, 1974b), SKURRAY et al. (1959), STROBL (1901), VIMMER (1913), ZUSKA and LÁSTOVKA (1969). — DENMARK: FRYDENBERG (1956a). — FINLAND: ASHBURNER and LEMEUNIER (1976), FREY (1917, 1918, 1921), HACKMAN (1943, 1963, 1964), LUMME et al. (1978), STOBL (1957). — FRANCE: ASHBURNER and LEMEUNIER (1976). — GERMANY: FRIEDRICH (1956a), KÜHN (1956a). — SWITZERLAND: ADLER (1952), KUNTZER (1913), PERQUET (1926), PLÜS et al. (1975), ROCHA PITÉ and TRACAS (1979), SEGUY (1934b), STUTEREVANT (1921), TIMOFFEEFF-RESSOVSKY (1940), WALKER (1849). — GERMAN DEMOCRATIC REPUBLIC: BUZZATI-TRAVERSO et al. (1958), HENNIG (1950), KRAMER (1917), NEUHAUS (1886), RADZATZ (1873), TIMOFFEEFF-RESSOVSKY and TIMOFFEEFF-RESSOVSKY (1941a, 1941b, 1941c). — GERMAN FEDERAL REPUBLIC: BAUMANN (1977), BECK (1955), HERTING (1955), KÖNIG (1965), KRÖBER (1964, 1965), KUHLHORN (1964, 1968, 1975, 1979), MEIGEN (1880), NAWATY (1959). — GREAT BRITAIN: ASHBURNER and LEMEUNIER (1976), ATKINSON and SHORROCKS (1977), AUGUSTINE (1950), AUSFERS (1905), BASDEN (1962, 1964b, 1957a), BEARDMORE (1973), FONSECA (1965), GORDON (1936), HUNTER et al. (1973), HALDANE (1833), RICHARDS and HERFORD (1930), SHORROCKS (1969, 1972, 1974, 1975), SHROCKES and WOOD (1973), SHORROCKS et al. (1979), SMITH (1959, 1960), TANTAWY and EL HELW (1970), TIMOFFEEFF-RESSOVSKY (1940), WALKER (1849). — GREECE: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), PENTOS-PAPDOS (1964). — THAILAND (1978). — HUNGARY: ARADI (1969), ASHBURNER and LEMEUNIER (1976), PAPP (1973, 1975), SÓS (1943). — THAILAND (1989). — IRELAND: BASDEN (1952). — ITALY: ASHBURNER and LEMEUNIER (1976), BASDEN (1961), BEZZI (1891, 1892a, 1892b, 1895), BEZZI and DE STEFANI-PEREZ (1897), KARIBI and SPERLICH (1962), KUNZEL-MÜHL and SPERLICH (1962), MAINZ (1954), MASING (1927), NEGRO (1970), POPOVY (1887), RONDANI (1875, 1876), SILVESTRI (1917), SPERLICH (1961), STUTEREVANT (1921), ZANGHERI (1950, 1969). — NETHERLANDS: DE WIT (1952), DE WIT (1953), DE WIT (1975), DE WIT and SORELS (1951), DE MELERE (1907, 1928, 1933, 1940), SORELS et al. (1954). — SWITZERLAND (1921). — POLAND: BOBÉK (1890), KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: ARADI (1959), THALHAMMER (1899). — SPAIN: ASHBURNER and LEMEUNIER (1976). — FRAUENFELD (1860), HACKMAN (1964), HADORN et al. (1952), MONCLUS (1964). — ORTIZ (1968), STROBL (1966), STUTEREVANT (1921), TIMOFFEEFF-RESSOVSKY (1940). — SWEDEN: WAHLGREN (1927), ZETTERSTRÖM (1847). — SWITZERLAND: BÄCHLI (1972b, 1975c, 1975d, 1974b, 1974c, 1975a, 1975b, 1975d, 1977, 1979), BÜHLER (1948, 1949, 1951a), NÄTER (1953), SCHATTMANN (1977). — TURKEY: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), LOWB (1864). — USSR: ASHBURNER and LEMEUNIER (1976), BUZZATI-TRAVERSO et al. (1958), DUHED et al. (1934, 1937a, 1937b), FROLOWA (1929), GROBAN and KORENTAYA (1970), HACKMAN (1957), MASTING (1927), NABODITSKAYA (1941), PELETOVA (1968), PLÜS et al. (1952), STAKELBERG (1970), TIMOFFEEFF-RESSOVSKY (1932, 1933, 1940), ZUPFIN (1941). — YUGOSLAVIA: BASDEN (1961), KREK and MARINKOVIC (1978, 1979), KRŠIĆ et al. (1980), MARINKOVIC et al. (1980), STROBL (1889a, 1906a, 1904). — AZORES: FREY (1945). — SPAIN: (1936). — MADEIRA: BEARDMORE (1973), FREY (1949). — CANARY IS.: BRICKER (1960b), BREY (1901). — CHINA: HU (1964, 1965), HACKMAN (1965), MONCLUS (1976). — MOROCCO: ASHBURNER and LEMEUNIER (1976), PLÜS et al. (1975), PREVOST (1974), SEGUY (1954b). — ALGERIA: SEGUY (1954b), SERGENT and ROUGHKEEPE (1924, 1926a, 1926b). — LIBYA: BEZZI (1924b). — EGYPT: ASHBURNER and LEMEUNIER (1976), BEARDMORE (1973), BREWER (1963b), KHISHI (1961). — TANTAWY (1904). — TANTAWY and EL HELW (1970). — TANTAWY and MALLAH (1963). — TANTAWY and MALLAH (1961). — ISRAEL: ASHBURNER and LEMEUNIER (1976), BASDEN (1966), BISSES et al. (1979). — GOLDSCHEIDT (1951, 1956b), GOLDSCHMIDT et al. (1955). — LEBANON: ASHBURNER and LEMEUNIER (1976). — KHMISHE (1961), PISKIN (1952). — TANTAWY and MALLAH (1961). — IRAN: ASHBURNER and LEMEUNIER (1976). — AFGHANISTAN: HACKMAN (1969b). — CHINA: HSU (1949), KIKKAWA and PENG (1958). — PEGO (1967), TAN et al. (1949). — MONGOLIA: HACKMAN (1965b), OKADA (1973c). — N. KOREA: KIKKAWA and PENG (1958). — OKINA (1974). — S. KOREA: ASHBURNER and LEMEUNIER (1976). — CHUNG (1958, 1959), CHUNG and KHO (1959), KANG et al. (1958, 1959, 1964a, 1964b), KIKKAWA and PENG (1938). — KIM (1962, 1963), LEE (1962, 1964c, 1966b), PAIK (1954, 1960a), TAKADA and LEE (1968). — YANG and YOON (1962). — JAPAN: ASHBURNER and LEMEUNIER (1976), JOSEPH (1976), KANEROKO (1960), KANEROKO et al. (1966). — KAWANISHI (1978), KAWANISHI and WATANABE (1977). — KAWANISHI et al. (1975). — KIKKAWA and PENG (1938). — KIMURA and TADA (1976). — KIMURA et al. (1977). — MINAMI et al. (1979). — MINAMIKI and AZUMA (1962). — MOMMA (1957, 1965). — NOZAWA (1956). — OKADA (1954c, 1954d, 1966, 1965, 1969, 1962, 1966b, 1968a). — PIRES et al. (1975). — SAITO et al. (1962). — TAKADA (1952, 1964, 1957, 1965). — TAKADA and TOYOFUKI (1960). — TAKIBA et al. (1953). — TAKAHASHI and KANEROKO (1969). — TANTAWY and EL HELW (1970). — TADA (1973a, 1974, 1977). — TOYOFUKI (1957). — WAKAHAMA (1956b, 1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966). — WATABE (1979). — WATANABE and KAWANISHI (1978).

Recorded as virtually cosmopolitan species.

## Comment:

There is an immense literature about this species and our collection of references is far from being complete. Some records may refer to other *Drosophila* species, especially to *D. simulans* STUTEREVANT.

*Drosophila mercatorum* Patterson and Wheeler, 1942

Other names used: *D. carinata* GRIMSHAW (syn.), *D. pararepleta* DOZHANSKY and PAVAN (syn.), *D. pattersoni*, *D. mulleri*.

General features of adults: DE BARROS (1960), BERUER and ROCHA (1971), BRNCIC (1957), DOZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), HSU (1949), NATEK (1953), PATTERSON (1943), THECKMORTON (1962), WASSERMAN (1962a).

Figures: BREKES and ROCHA (1971), COVA GARCIA and SUÁREZ (1962), DOZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), HSU (1949), NATEK (1953), PATTERSON (1943), THECKMORTON (1962), WASSERMAN (1962a).

Keys: BRNCIC (1957), DOZHANSKY and PAVAN (1943), GRIMSHAW (1901), HARDY (1965), MONCLUS (1964, 1976), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975a), STUTEREVANT (1942).

**Development:** HENNIG (1952), PATTERSON (1943).

**Biology:** CARSON (1965), COVA GARCÍA and SUÁREZ (1962), HEED (1968).

**Distribution:**

PORTUGAL: ROCHA PITÉ (1972, 1975a). — SPAIN: MONCLÚS (1964), ORTIZ (1968). — MADEIRA: unpublished. — CANARY IS.: MONCLÚS (1976). — MOROCCO: PREVOSTI (1974).

Recorded mainly in America and Hawaii.

***Drosophila metakuntzei* OKADA, 1973**

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

**Distribution:**

MONGOLIA: OKADA (1973c).

***Drosophila mikti* DUDA, 1924**

General features of adults: DUDA (1924c, 1935), LAŠTOVKA and MÁČA (1978).

Figures: DUDA (1924a, 1935), LAŠTOVKA and MÁČA (1978).

Keys: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁČA (1978), PAPP (1973).

**Distribution:**

AUSTRIA: DUDA (1924c, 1935), LAŠTOVKA and MÁČA (1978).

***Drosophila mommai* TAKADA and OKADA, 1960**

Other name used: *Drosophila* sp. like *magnipictinata*.

General features of adults: LAŠTOVKA and MÁČA (1978), OKADA (1956, 1966b, 1974b), TAKADA and OKADA (1960).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a), TAKADA and OKADA (1960).

Keys: BEPPU et al. (1977), OKADA (1956, 1968a), TAKADA (1971).

**Development:** OKADA (1968a).

**Biology:** KIMURA (1976a), KIMURA et al. (1977).

**Distribution:**

JAPAN: KANERU et al. (1969), KIMURA (1976b), KIMURA et al. (1977), LAŠTOVKA and MÁČA (1978), MOMMA (1965a), OKADA (1956, 1968a), TAKADA (1968), TAKADA and OKADA (1960), TOYOKAWA and KIMURA (1960, 1961), WAKAHAMA (1964).

***Drosophila montana* PATTERSON and WHEELER, 1942**

Other names used: *D. montana* STONE, GRIPPEN and PATTERSON (7 sp.); *D. oenophorum* LAKOVAARA and HACKMAN (syn.).

General features of adults: HSU (1949), LAKOVAARA and HACKMAN (1973), NAYER (1953), PATTERSON (1943), PATTERSON and WHEELER (1942), WATABE and HIGUCHI (1979).

Figures: HSU (1949), NAYER (1953), PATTERSON (1943), THROCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: PATTERSON (1943), STEURTEVANT (1942).

**Development:** PATTERSON (1943).

**Biology:** CARSON (1971), CARSON et al. (1966), LUMME et al. (1978, 1979), SPENCER (1950), SPIETH (1979), WHEELER and THROCKMORTON (1960).

**Distribution:**

FINLAND: LAKOVAARA and HACKMAN (1973), LUMME et al. (1978, 1979). — NORWAY: DIS 51: 122. — SWEDEN: LAKOVAARA and HACKMAN (1973). — JAPAN: WATABE and HIGUCHI (1979).

Recorded mainly in North America.

***Drosophila moriakai* OKADA and KUROKAWA, 1957**

Other name used: *Drosophila* sp. of *robusta* group II.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1956, 1959, 1961b), OKADA and KUROKAWA (1957).

Figures: BEPPU et al. (1977), OKADA (1955b, 1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

**Development:** OKADA (1968a).

**Biology:** BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), KANERU and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), OKADA (1959, 1968a), OKADA and KUROKAWA (1957), TAKADA (1957, 1958, 1960, 1965), TAKAHASHI and KANERU (1969), TODA (1973a, 1973b, 1973c, 1977), TOKUMITSU et al. (1967), WAKAHAMA (1957a, 1964, 1966), WAKAHAMA et al. (1963), WATABE and BEPPU (1977).

***Drosophila multispina* OKADA, 1956**

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1956, 1961b), PARESHAD and DUGGAL (1966).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

**Development:** OKADA (1968a).

**Biology:** BEPPU (1976), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1966, 1965a), TODA (1973a, 1977), WAKAHAMA (1964), WATABE (1979).

**Distribution:**

JAPAN: BEPPU (1976, 1978), KANEKO (1960), KANEKO and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1956, 1968a), TAKADA (1965), TODA (1973a, 1977), WAKAHAMA (1964), WATABE (1979).

### *Drosophila neokadai* KANEKO and TAKADA, 1966

General features of adults: KANEKO and TAKADA (1966).

Figures: BEPPU et al. (1977), KANEKO and TAKADA (1966).

Key: BEPPU et al. (1977), TAKADA (1971).

**Biology:** BEPPU (1976, 1978, 1979, 1980), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a).

**Distribution:**

JAPAN: BEPPU (1976, 1978, 1979, 1980), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a), WATABE and BEPPU (1977).

### *Drosophila nigricolor* STROBL, 1898

General features of adults: BASDEN (1961), DUDA (1924c, 1935, 1940), LAŠTOVKA and MÁCA (1978), STROBL (1898b).

Figures: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁCA (1978), PAPP (1973).

Keys: DUDA (1924a, 1924c, 1935), LAŠTOVKA and MÁCA (1978), PAPP (1973), STAKELBERG (1970).

**Distribution:**

AUSTRIA: BASDEN (1961), DUDA (1924c, 1935), STROBL (1898b, 1901, 1910), THALER (1977). — FINLAND: HACKMAN (1957), LAŠTOVKA and MÁCA (1978). — GERMAN FEDERAL REPUBLIC: DUDA (1935), LAŠTOVKA and MÁCA (1978). — USSR: HACKMAN (1957), STAKELBERG (1970).

### *Drosophila nigripennis* KANG, LEE and BAHNG, 1965

General features of adults: KANG et al. (1965b), OKADA (1968).

Figures: KANG et al. (1965b).

Key: OKADA (1967).

**Biology:** KANG et al. (1965b).

**Distribution:**

S. KOREA: KANG et al. (1965b), LEE (1966b), OKADA (1967).

### *Drosophila nigromaculata* KIKKAWA and PENG, 1938

General features of adults: KIKKAWA and PENG (1938), KANEKO and SHIMA (1965), KIM (1965), KUROKAWA and HIRAIWA (1976), OKADA (1953b, 1954d, 1955a, 1956, 1959, 1961b).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1956, 1968a).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1962), OKADA (1956), TAKADA (1971).

**Development:** KIKKAWA and PENG (1938), OKADA (1956, 1963a, 1968a).

**Biology:** BEPPU (1976), BEPPU and TODA (1976), HAGIYA (1954), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KANG et al. (1960), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), LEE (1962), MINAMI et al. (1979), MOMMA (1965a), NOZAWA (1956), OKADA (1954d, 1956), SATO et al. (1962), SHIMA (1960), SUZUKI (1955), TAKADA (1964, 1957, 1958), TAKADA and TOYOFUKU (1960), TODA (1973a, 1973b, 1973c, 1974), WAKAHAMA (1956b, 1957a, 1957b, 1957c, 1961, 1962b, 1964), WATABE (1979), WATABE and BEPPU (1977).

**Distribution:**

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1959), CHUNG and RHO (1960), KANG et al. (1958, 1959, 1960) KIM (1962), LEE (1962, 1964c, 1966a), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), HAGIYA (1954), ISHIHARA (1955a, 1955b), KANEKO (1960, 1968), KANEKO and SHIMA (1962, 1965), KANEKO and TAKADA (1960), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966), KANG et al. (1960, 1968), KIKKAWA and PENG (1938), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a, 1965b), NOZAWA (1956), OKADA (1954d, 1955a, 1955b, 1959, 1960b, 1968a), SATO et al. (1962), SHIMA (1960, 1965), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957, 1958a, 1958b, 1960, 1962), TOYOFUKU and KIMURA (1966, 1961), WAKAHAMA (1956b, 1957a, 1957b, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

### *Drosophila nigrosparsa* STROBL, 1898

General features of adults: BASDEN (1961), BUELA (1951a), DUDA (1924c, 1934), NATER (1953), OLDRIDGE (1914), URSO (1960b).

Figures: BUELA (1951a), DUDA (1924a, 1924c, 1934), NATER (1953), PAPP (1973).

Keys: BUELA (1951a), DUDA (1924a, 1924c, 1927, 1934), ENDEKELEN (1936), LAŠTOVKA and MÁCA (1977), PAPP (1973).

**Development:** BUELA (1951a).

**Biology:** BÄCHLI (1979).

**Distribution:**

AUSTRIA: BASDEN (1961), DUDA (1934), STROBL (1898b, 1910). — CZECHOSLOVAKIA: LAŠTOVKA and MÁCA (1977), MÁCA (1972b, 1975), PAPP (1973). — FRANCE: BOUCHA PITÉ and TSAGAS (1979). — GERMAN FEDERAL REPUBLIC: unpublished. — ITALY: DUDA (1934), OLDRIDGE (1914). — POLAND: DUDA (1924c, 1934), OLDRIDGE (1914). — SPAIN: unpublished. — SWITZERLAND: BÄCHLI (1973c, 1975b, 1977, 1979), BUELA (1951a, 1951b), NATER (1953).

*Drosophila nipponica* KIKKAWA and PENG, 1938

General features of adults: BOCK and WHEELER (1972), FREIRE-MAIA (1949), KIKKAWA and PENG (1938), LEE (1959), MATHER (1955), OKADA (1953b, 1954c, 1955b, 1956, 1959, 1961b).

Figures: KIKKAWA and PENG (1938), OKADA (1954c, 1955b, 1956).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956), SUZUKI (1955), TAKADA (1958), TAKADA and TOYOFUKU (1960), WAKAHAMA (1956b, 1957a, 1961, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), KANG et al. (1959), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KIKKAWA and PENG (1938), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954c, 1954d, 1956, 1959, 1966b), SHIMA (1960), SUZUKI (1955), TAKADA (1958, 1968), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA and KIMURA (1978), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1961, 1962a, 1964, 1966), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands.

*Drosophila nokogiri* OKADA, 1956

General features of adults: BASDEN (1957b), KANG et al. (1965b), KIM (1962), OKADA (1956, 1961b, 1967), OKADA and LEE (1961).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956, 1967).

Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967), TAKADA (1971).

Biology: BEPPU (1976), KANEKO and TOKUMITSU (1969), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), WAKAHAMA (1957a, 1964).

Distribution:

S. KOREA: CHUNG (1958), KANG and LEE (1964), KANG et al. (1958, 1959), KIM (1962), LEE (1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), KANEKO and TOKUMITSU (1969), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1956, 1967, 1968b), TAKADA (1968), WAKAHAMA (1957a, 1964).

*Drosophila nudinokogiri* OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

Recorded also on the Ryukyu Islands.

*Drosophila obscura* FALLÉN, 1823

Other names used: *D. obscuroides* POMINI (syn.), *D. obscura* var. *meigeni* DUDA, *D. obscura* 2, *D. bifasciata* POMINI (misident.).

General features of adults: BASDEN and HARNDEN (1956), BUZZATI-TRAVESIO and SCOSSETTI (1955), BURLA (1951a), BURLA and KÁLÍN (1957), CAIN et al. (1952), CZERNÝ and STROBL (1909), DUDA (1924a, 1925, 1936), FALLÉN (1823), FREIRE-MAIA (1949), FRYDENBERG (1955, 1956a), HSU (1949), KUBOKAWA and HIIHARA (1976), LÖRW (1873), MACQUART (1855), MEGION (1830), MONCLÉS (1964), MORIYAMA et al. (1952), NÄTER (1953), NEUHAUS (1886), OKADA (1953b, 1958), POMINI (1940), SEGUY (1934b), SMARY (1945), STROBL (1893a, 1910), STURTEVANT (1921), WAHLRÖHN (1927), ZETTERSTEDT (1838, 1847).

Figures: BASDEN and HARNDEN (1956), BURLA (1951a), CAIN et al. (1952), DUDA (1924a, 1924c, 1935), DYSON-HUDSON (1954), HSU (1949), MAYER (1935), DE MEIJERE (1916a), MORGE (1976a), NÄTER (1953), PAPP (1978), POMINI (1940), ROCHA PITÉ (1975a), SEGUY (1934b), SHORROCKS (1972), STAKELBERG (1970), STURTEVANT (1921).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MALLOCH and MCALPIN (1924), MONCLÉS (1964), OKADA (1956), PAPP (1973), POMINI (1940), RICHARDS and HERFORD (1930), ROCHA PITÉ (1975a), SCHINER (1964), SEGUY (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970), STURTEVANT (1921), WAHLRÖHN (1927).

Development: BURLA (1951a), DUDA (1934), HENNIG (1952), MAYER (1935), DE MEIJERE (1916a, 1947), STURTEVANT (1921).

Biology: BÄCHLI (1977, 1979), BASDEN (1952, 1953, 1954b), BASDEN and HARNDEN (1956), BEGON (1975, 1976a, 1978), BEGON et al. (1975), BONNAMOUR (1926), BURLA (1949, 1951a, 1961), BURLA and GREUTER (1958a, 1958b, 1961), BYRUGA (1976), BUZZATI-TRAVESIO and SCOSSETTI (1955), CANZANELLI (1941), COS (1959), COLYER and HAMMOND (1951), DYSON-HUDSON (1958), FALCOZ (1924), FRÉY (1932), FRYDENBERG (1956a), GORDON (1942), GREUTER (1963), HACKMAN (1954), HADORN et al. (1952), HERTING (1955), JUNGES (1968a), KERČI and MARINKOVIĆ (1979), KOCH (1967), KÖNIG (1965), KRAMER (1917), KÜHLHORN (1978), LEVER and SOEBS (1951), LUMME et al. (1978, 1979), MAYER (1935), DE MEIJERE (1916a), PERRIS (1876), RADDAZ (1873), ROBERTSON (1905), ROCHA PITÉ (1978), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHLATZMANN (1977), SEGUY (1934a, 1934b, 1950), SHORROCKS (1974, 1975, 1977), SHORROCKS and BEGON (1975), SHORROCKS and WOOD (1973), SOEBS et al. (1954), STORZ (1957), STURTEVANT (1921), TESCHNER (1961, 1962).

Distribution:

AUSTRIA: BASDEN (1961), MAINX et al. (1953), STORZ (1894, 1901), TIEP (1888). — CZECHOSLOVAKIA: ARABI (1959), ČEZEK (1906), SEROEL (1901), VENNER (1913). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1932), HACKMAN (1954, 1961, 1971), LAKOVAARA and SAURA (1971a), LAKOVAARA et al. (1972), LUMME et al. (1978, 1979), STORZ (1956, 1957), ZETTERSTEDT (1860). — FRANCE: BONNAMOUR (1926), FALCOZ (1924), HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMANY-DEMOCRATIC REPUBLIC: KRÄMER (1917), NEUHAUS (1886), POMINI (1940), RADDAZ (1873), SCHUMLANN (1963). — GERMANY-FEDERAL REPUBLIC: BEUHEN (1887), DUDA (1953), HERTING (1956), KÖNIG (1965), KRÖBNER (1910, 1935), KÜHLHORN (1975), TESCHNER (1961, 1962). — GREAT BRITAIN: AUDGREN (1950), BASDEN (1952, 1953, 1954a, 1954b), BANDEN and GOODLEY (1955), BEATTY and

SIDHU (1969), BEGON (1975, 1976a, 1978), BEGON et al. (1975), CAIS et al. (1952), DYSON-HUDSON (1954, 1956), FONSECA (1965), GORLON (1942), RICHARDS and HERRFORD (1930), ROBERTSON (1965), SHORE ROCKS (1969, 1970, 1972, 1974, 1975, 1977), SMITH (1950, 1960). — GREECE: BOCHA PITÉ and TSACAS (1980). — HUNGARY: ÁRADI (1956), PAPP (1973). — IERLAND: BASDEN (1952). — ITALY: BEZZI (1891, 1892a, 1892b), BIZZI and DE STEFANI-PEREZ (1897), CANZANELLI (1941), MAINX et al. (1954), STORTEVANT (1921). — NETHERLANDS: EUSSES et al. (1979), LEVER and SORELS (1951), DE MELDERS (1948, 1952), SORELS et al. (1954), STORTEVANT (1921). — NORWAY: BASDEN (1956), BASDEN and HAHNSEN (1956), LAKOVAARA and SAURA (1971a), LAKOVAARA et al. (1972c). — ? POLAND: KARL (1936). — PORTUGAL: HADORN et al. (1952), BOCHA PITÉ (1974a, 1975a, 1977b, 1978, 1979), BOCHA PITÉ and da COSTA NICOLAT (1978). — ROMANIA: ÁRADI (1969), SÁKÓ (1904), STROBL (1897), THALHAMMER (1899, 1901). — SPAIN: CZEMLÝ and STROBL (1906), HADORN et al. (1952), MORCILLOS (1964). — SWEDEN: BUZZATI-TRAVERSO and SCOSCHIROLI (1955), FALLEN (1823), LAKOVAARA and SAURA (1971a), RINGDAHL (1941, 1951), WAHLØREN (1927), ZETTERSTEDT (1838, 1847, 1860). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974c, 1975a, 1975b, 1977, 1979), BUELA (1948, 1949, 1951a, 1961), BURLA and GERHET (1959a, 1959b), BURLA and KÄLIN (1957), GREUTER (1963), HSU (1949), KOCH (1967), LAKOVAARA et al. (1972c), KÄTER (1953), SCHATTMANN (1977), SCHMID (1968), STÜMM-ZOLLINGER (1953). — TURKEY: unpublished. — USSR: DUBINTIN et al. (1937b), FROLOWA (1926), FROLOWA and ASTABUROW (1929), GERSHENSON (1928, 1934), HACKMAN (1957), STAKELBERG (1950, 1970). — YUGOSLAVIA: COB (1959), KECIĆ and MARINKOVIĆ (1979), STROBL (1893a, 1894, 1898a, 1900a). — ? CANARY IS.: SEGUY (1934b). — IRAN: unpublished.

**Comment:** This species may have been confused with other species of the *obscura* species group.

#### *Drosophila okadai* TAKADA, 1959

General features of adults: KANEKO and TAKADA (1960), TAKADA (1969).

Figures: BEPPU et al. (1977), TAKADA (1969).

Key: BEPPU et al. (1977).

Biology: BEPPU (1976, 1978, 1979, 1980), KANEKO and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), TODA (1973a, 1973b).

Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), KANeko (1960, 1968), KANeko and SHIMA (1962), KANeko and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1965a), TAKADA (1958, 1959, 1968), TAKADA and OKADA (1966), TAKAHASHI and KANeko (1969), TODA (1973a, 1973b), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1964), WAKAHAMA et al. (1963), WAYABE and BEPPU (1977).

#### *Drosophila okadomei* OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:

JAPAN: OKADA (1967).

#### *Drosophila oldenbergi* DUDA, 1924

General features of adults: BÄCHLI (1972a), DUDA (1924c, 1935), HACKMAN (1965a).

Figures: HACKMAN (1957, 1965a), STAKELBERG (1970).

Keys: DUDA (1924a, 1924c, 1925, 1927), ENDERLEIN (1936), OKADA (1967), PAPP (1973), STAKELBERG (1970).

Distribution:

AUSTRIA: BÄCHLI (1972a). — ROMANIA: BÄCHLI (1972a), DUDA (1924c, 1935), PAPP (1973), ROHLFIEN and EWALD (1972), SOÓS (1945). — SWITZERLAND: BÄCHLI (1972a, 1972b, 1975b). — USSR: HACKMAN (1957, 1965a), STAKELBERG (1970).

#### *Drosophila ornogensis* OKADA, 1956

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Key: OKADA (1956, 1967).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

#### *Drosophila oshimai* CHOO and NAKAMURA, 1973

Other name used: *Drosophila* sp.

General features of adults: CHOO and NAKAMURA (1973).

Figures: CHOO and NAKAMURA (1973).

Biology: KAWANISHI (1978), OKADA (1975).

Distribution:

JAPAN: CHOO and NAKAMURA (1973), KAWANISHI (1978), KAWANISHI and WATANABE (1977).

#### *Drosophila pappi* OKADA, 1974

General features of adults: LAŠTOVKA and MÁČA (1978), OKADA (1974b).

Figures: OKADA (1974b).

Distribution:

N. KOREA: OKADA (1974b).

*Drosophila parakuntzei* OKADA, 1973

General features of adults: OKADA (1970c).

Figures: OKADA (1973c).

Distribution: MONGOLIA: OKADA (1973c).

*Drosophila pattersoni* PIPKIN, 1956

General features of adults: PIPKIN (1956, 1961).

Figures: PIPKIN (1956), THROCKMORTON (1962).

Biology: PIPKIN (1961).

Distribution: LIBANON: PIPKIN (1956), THROCKMORTON (1962).

*Drosophila pengi* OKADA and KUROKAWA, 1957Other name used: *D. melanisina* STURTEVANT (misident.).

General features of adults: KIKKAWA and PENG (1938), KUROKAWA and HIRARA (1976), OKADA (1953a, 1955a, 1956, 1961b), OKADA and KUROKAWA (1957).

Figures: BEPPU et al. (1977), OKADA (1955a, 1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1957), OKADA (1963a, 1968a).

Biology: BEPPU (1976), BEPPU and TODA (1976), KANEKO and TOKUMITSU (1969), KIKKAWA and PENG (1938), KIMURA and TODA (1976), MINAMI et al. (1979), OKADA (1956, 1962, 1968a), OKADA and KUROKAWA (1957), TODA (1973a, 1974, 1977), WAKARAMA (1957a, 1962b, 1964).

Distribution:

S. KOREA: LEE (1962, 1964a, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), KANEKO (1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIKKAWA and PENG (1938), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1955a, 1956, 1959, 1962, 1968a), OKADA and KUROKAWA (1957), TODA (1973a, 1974, 1977), WAKARAMA (1957a, 1962a, 1962b, 1964, 1966), WATABE and BEPPU (1977).

*Drosophila phalerata* MEIGEN, 1830

General features of adults: BECKER (1902), BURLA (1951a), BURLA and GLOER (1952), DUDA (1924c, 1926a, 1935), DUFOUR (1859), HENNIG (1958), HERING (1940), HSU (1949), MACQUART (1855), MEIGEN (1830), NATER (1955), NEUHAUS (1886), OLDFIELD (1914), SEGUY (1934b), STROBL (1893, 1906), VILLENEUVE (1911, 1923), WAHLBERG (1927).

Figures: BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), MEIGEN (1830), DE MELIÈRE (1947), MONCLOS (1964), MÖGKE (1976), NATER (1955), PAPP (1973), ROCHA PITÉ (1975), SEGUY (1934b), SHORROCKS (1972), STAKELBERG (1970), THROCKMORTON (1962).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FREYDENBERG (1956a), HACKMAN (1954), LASTOVKA and MÁČA (1977), MONCLOS (1964), PAPP (1973), ROCHA PITÉ (1975a), SCHNEIDER (1954), SEGUY (1934a, 1954b), SHORROCKS (1972), STAKELBERG (1970), WAHLBERG (1927).

Development: BURLA (1951a), HENNIG (1952), DE MELIÈRE (1947), SCHATZMANN (1977).

Biology: AZARJAN (1968), BÄCHLI (1970, 1977), BASDEN (1952, 1953, 1954b), BEUTHIN (1887), BONNAMOUR (1926), BURLA (1949, 1951a, 1961), BURLA and BÄCHLI (1968), BUXTON (1960), CANZANELLI (1941), CHARLESWORTH and SHORROCKS (1980), COX (1959), CURTIS (1833), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), FALCÓ (1924), FREYDENBERG (1956a), HACEMAN (1954), HACKMAN and MEINANDER (1970), HADORN et al. (1952), HENNIG (1958), HERTING (1955), KALTENRACH (1974), KERÉC and MARINKOVIC (1979), KÖNIG (1965), KRAMER (1917), KROBBER (1910, 1930), KÜHLHORN (1978), LEVY and SOHELS (1951), LUJME et al. (1978), MAYER (1985), NASWATY (1959), ORTH (1968), PAPP (1976, 1979), PIPKIN (1952), RADDATZ (1978), RIEL (1921), ROCHA PITÉ (1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAI (1978), SCHMID (1968), SCHULER (1972), SEGUY (1934a, 1934b, 1950), SHORROCKS (1970, 1972, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1974), STORA (1957), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1880, 1894, 1901, 1910), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), ČÍŽEK (1910), DOKEČT (1962), LASTOVKA and MÁČA (1977), MARTINKO (1973, 1974b), STROBL (1901), VÍDNER (1913), DENMARK: FREYDENBERG (1956a). — FINLAND: HACKMAN (1964, 1971), HACKMAN and MEINANDER (1970), LUMME et al. (1978), STORA (1957). — FRANCE: BONNAMOUR (1926), FALCÓ (1924), HADORN et al. (1952), RIEL (1921), ROCHA PITÉ and TSACAS (1970), SEGUY (1934b). — GERMAN DEMOCRATIC REPUBLIC: NEUHAUS (1886), RADDAZ (1873), TIMOFÉEFF-RESSOVSKY and TIMOFÉEFF-RESSOVSKY (1941a). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), HERTING (1955), KÖNIG (1965), KROBBER (1910, 1935), KÜHLHORN (1978), NAWROT (1959). — GREAT BRITAIN: AUDCOTT (1950), BASDEN (1952, 1953, 1954b), BUXTON (1960), CURTI (1952), EDWARDS and COLLIN (1952), HALIDAY (1833), HENDERSON (1911), SHORROCKS (1968, 1970, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1970), SMITH (1966), WALLER (1840), YERBURY (1913). — GREECE: ROCHA PITÉ and TSACAS (1980). — HUNGARY: ARADI (1959), BASDEN (1961), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1976), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BEZZI (1899b), CANZANELLI (1941), CORTI (1897), NIGRO (1979), POGGIO (1887), ZANGHERI (1950, 1969). — NETHERLANDS: DE MELIÈRE (1947), LEVY and SOHELS (1951), SOHELS et al. (1954). — NORWAY: BASDEN (1956). — POLAND: KARL (1936). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAI (1978). — ROMANIA: ARADI (1959), STROBL (1897), THALHAMMER (1899, 1901). — SPAIN: CHARLESWORTH and SHORROCKS (1980), HACKMAN (1969a), HADORN et al. (1952), MONCLOS (1964). — SWEDEN: BASDEN (1956), BINGDAHL (1941, 1949), WAHLBERG (1927). — SWITZERLAND: BÄCHLI (1970, 1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), BURLA and BÄCHLI (1968), HSU (1949), NATER (1953), SCHATZMANN (1977), SCHMID (1968). — TURKEY: unpublished. — USSR: AZARJAN (1968), BALAKUCHINA and ROMASCHOFF (1985), BOBEK (1997), EVERSMANN (1948), FROLOWA (1928), GEYSPER and SIMONENKO (1970), GIMBERTHAL (1845, 1847), HACKMAN (1954, 1957), PAPP (1979), STAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), COE (1950), KERÉC and MARINKOVIC (1979), STROBL (1988a, 1990a). — AZORES: FREY (1945), SEGUY (1936). — MOROCCO: PREVOST (1974). — TUNISIA: unpublished. — LEBANON: CLAYTON and WARD (1954), JOHNSON et al. (1966), PIPKIN (1952), THROCKMORTON (1962). — IRAN: unpublished.

***Drosophila picta* ZETTERSTEDT, 1847**

Other names used: *D. macularia* VILLENEUVE (syn.), *D. pleurofasciata* DUDA (syn.), *D. histrio* MEIGEN (misident.). General features of adults: DUDA (1924c, 1935), FRYDENBERG (1955), OKADA (1956), OKADA and KUROKAWA (1957), TSACAS (1969), VILLENEUVE (1921), ZETTERSTEDT (1847).

Figures: DUDA (1924a, 1935), FRYDENBERG (1955), TSACAS (1969).

Keys: DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), PAPP (1973), ZETTERSTEDT (1847).

Development: DUDA (1934), HENNIG (1952), TSACAS (1969).

Biology: DUDA (1935), DYSON-HUDSON and VOCKEROTH (1955), FRYDENBERG (1955), LEVER and SOBELS (1951), PAPP (1976), SOBELS et al. (1954), TESCHNER (1961, 1962), TSACAS (1969).

## Distribution:

AUSTRIA: DUDA (1924c, 1935), TSACAS (1969). — CZECHOSLOVAKIA: unpublished. — DENMARK: FRYDENBERG (1955, 1956a), TSACAS (1969), ZETTERSTEDT (1847). — FINLAND: ROCHA PIPE and TSACAS (1980). — FRANCE: DUDA (1935), ROCHA PIPE and TSACAS (1979), TSACAS (1969), VILLENEUVE (1921). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c), RÖHLICH and EWALD (1972), TSACAS (1969). — GERMAN FEDERAL REPUBLIC: TESCHNER (1961, 1962). — GREAT BRITAIN: DYSON-HUDSON and VOCKEROTH (1955), FONSECA (1965), TSACAS (1969). — GREECE: TSACAS (1969). — HUNGARY: ARADI (1959), DUDA (1924c, 1935), PAPP (1973, 1976), SOOS (1945), TSACAS (1969). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954), TSACAS (1969). — POLAND: DUDA (1935), TSACAS (1969). — SPAIN: unpublished. — SWEDEN: RINGDAHL (1949).

***Drosophila polychaeta* PATTERSON and WHEELER, 1942**

Other name used: *D. patterni*.

General features of adults: BOHART and GRESSITT (1951), DE CASTRO (1953), HARDY (1965), HSU (1949), LIN and TSENG (1965), NAYER (1965), PATTERSON (1943), PATTERSON and WHEELER (1942), WHEELER and TAKADA (1964).

Figures: HARDY (1965), HSU (1949), MALOGOLOWKIN (1958), NAYER (1953), PATTERSON (1943), THROCKMORTON (1962), WHEELER and TAKADA (1964).

Keys: BOHART and GRESSITT (1951), FONSECA (1965), HARDY (1965), LIN and TSENG (1971), PATTERSON (1943), STURTEVANT (1942), TAKADA (1971), WHEELER and TAKADA (1964).

Development: PATTERSON (1943).

Biology: BASDEN (1957a), BOHART and GRESSITT (1951), PATTERSON and WHEELER (1942), SOBELS et al. (1954).

## Distribution:

GREAT BRITAIN: BASDEN (1957a), FONSECA (1965). — NETHERLANDS: SOBELS et al. (1954).

Recorded mainly in America and on some Pacific Islands.

***Drosophila pseudonokogiri* KANG, LEE and BAHN, 1965**

General features of adults: KANG et al. (1965b, 1967), LIN and TING (1971), OKADA (1967, 1973a).

Figures: BEPPU et al. (1977), KANG et al. (1965b, 1967), OKADA (1967).

Keys: BEPPU et al. (1977), OKADA (1967), TAKADA (1971).

Biology: KANG et al. (1965b).

## Distribution:

S. KOREA: KANG et al. (1965b, 1967), LEB (1966b). — JAPAN: OKADA (1967).

***Drosophila pseudosororitula* KANEKO, TOKUMITSU and TAKADA, 1964**

General features of adults: KANEKO and TAKADA (1966), KANEKO et al. (1964).

Figures: BEPPU et al. (1977), KANEKO et al. (1964).

Keys: BEPPU et al. (1977), TAKADA (1971).

Development: OKADA (1968a).

Biology: BEPPU (1976, 1979, 1980), BEPPU and TADA (1976), KANEKO and TOKUMITSU (1963, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), TAKADA (1971), TODA (1973a, 1973b).

## Distribution:

JAPAN: BEPPU (1976, 1978, 1979, 1980), BEPPU and TODA (1976), KANEKO (1968), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1964, 1968, 1969), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), TAKAHASHI and KANEKO (1969), TODA (1973a, 1973b), TOKUMITSU et al. (1967), WATARE and BEPPU (1977).

***Drosophila pulchrella* TAN, HSU and SHENG, 1949**

General features of adults: BOCK and WHEELER (1972), HSU (1949), KUBOKAWA and HIHARA (1976), OKADA (1953b, 1954c, 1956, 1959, 1961b, 1966a), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), TAN et al. (1949).

Figures: BOCK and WHEELER (1972), HSU (1949), OKADA (1954c, 1956, 1968a).

Keys: GUPTA and RAY-CHAUDHURI (1970), OKADA (1956, 1966a).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), WAKAHAMA (1962b, 1964).

## Distribution:

JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), NOZAWA (1956), OKADA (1954c, 1956, 1959, 1962, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia.

***Drosophila pullata* TAN, HSU and SHENG, 1949**

General features of adults: HSU (1949), OKADA (1956), TAN et al. (1949).  
 Figures: HSU (1949).  
 Distribution:  
 CHINA: TAN et al. (1949).

***Drosophila puncticeps* OKADA, 1956**

General features of adults: OKADA (1956, 1968d), WAKAHAMA (1966).  
 Figures: OKADA (1956, 1968d), WAKAHAMA (1966).  
 Keys: BEPPU et al. (1977), LEE (1964c).  
 Biology: OKADA (1956).  
 Distribution:  
 S. KOREA: CHUNG (1958), KANG et al. (1958, 1959), LEE (1964, 1966b). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), OKADA (1956, 1968d), WAKAHAMA (1966).

***Drosophila quadrisetata* TAKADA, BEPPU and TODA, 1979**

Other names used: *Drosophila* sp. 3.  
 General features of adults: TAKADA et al. (1979).  
 Figures: TAKADA et al. (1979).  
 Key: BEPPU et al. (1977).  
 Distribution:  
 JAPAN: TAKADA et al. (1979).

***Drosophila quadricittata* OKADA, 1956**

General features of adults: HACKMAN (1969c), KUROKAWA and HIRARA (1976), OKADA (1956, 1961b, 1967).  
 Figures: BEPPU et al. (1977), OKADA (1956, 1967, 1968a).  
 Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967, 1968a), TAKADA (1971).  
 Development: OKADA (1968a).  
 Biology: BEPPU (1976), KIMURA (1978b), KIMURA et al. (1977), OKADA (1956), TODA (1973b), WAKAHAMA (1962b, 1964).  
 Distribution:  
 S. KOREA: KANG and LEE (1964), KANG et al. (1958, 1959), LEE (1964c, 1966b). — JAPAN: BEPPU (1976), KIMURA (1970b), KIMURA et al. (1977), OKADA (1956, 1967, 1968a), TAKADA (1968), TODA (1973b), WAKAHAMA (1962a, 1962b, 1962c, 1964).

***Drosophila repleta* WOLLASTON, 1858**

Other names used: *D. punctulata* LOEW (syn.), *D. adspersa* MIX (syn.), *D. prorepleta* DUDA (syn.), *D. austrorepleta* DOEBHANSKY and PAVAN (syn.).  
 General features of adults: BENČÍK (1957), BURLA (1951a), DE CASTRO (1953), COE (1943), DOEBHANSKY and PAVAN (1943), DUDA (1934c, 1925, 1935, 1939), FRAPPA (1931), HACKMAN (1969a), HARDEY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1968), KNAB (1912), KUROKAWA and HIRARA (1976), LOEW (1862), MALLOCH (1923a, 1924b), MALOGOLOWSKIN (1953), NÄTER (1963), OKADA (1956, 1959, 1961b), PATTERSON (1943), SALLES (1948), SEGUY (1934b), STURTEVANT (1916, 1921), VADYIA and GODBOLE (1971), WHEELER (1960b), WOLLASTON (1858).  
 Figures: COVA GARCIA and SUÁREZ (1962), DUDA (1935), FRAPPA (1951), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), MALOGOLOWSKIN (1953), OKADA (1956), PAPP (1973), PATTERSON (1943), SEGUY (1934a), THROCKMORTON (1962), VADYIA and GODBOLE (1971), WHEELER (1960b).  
 Keys: BOCK (1976), BENČÍK (1957), BRYAN (1958), BURLA (1951a), DUDA (1924a, 1924c, 1925, 1926, 1935, 1940), ENDERLIN (1930), FONSECA (1965), OGAWA and ANTOCHAUDHEURI (1970), HARVEY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1958), LÁŠTOVKA and MÁČA (1977), MALLOCH and MEADE (1924), MATHER (1955), MONCLUS (1964, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), ROCHA PITÉ (1975a), SEGUY (1934a, 1934b), STURTEVANT (1921, 1942), WILLSTON (1896).  
 Development: DUDA (1934), FRAPPA (1951), HENNIG (1952), KAMBYSSELLIS (1968), KIKKAWA and PENG (1938), OKADA (1963a), PATTERSON (1948).

Biology: BASDEN (1957a), BICKLEY (1956), BURLA (1949, 1954a), BURUGA and OLEMBO (1971), BUXTON (1954, 1960), CARSON (1965, 1971), COE (1943), COLVER and HAMMOND (1951), COVA GARCIA and SUÁREZ (1962), DUDA (1934), HEED (1956), HENNIG (1953), HERTING (1955), KIKKAWA and PENG (1958), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978), LEVÉR and SOBELS (1951), MARTINEZ et al. (1965), MATHER (1956), NELSON (1938), OLDBROYD (1965), ORTIZ (1965), PIPKIN (1952, 1965), PIPKIN et al. (1966), ROCHA PITÉ (1970), SAKIMURA and LINFORD (1940), SEGUY (1933b, 1934b, 1951), SQUARROCS and WOOD (1973), SIMMONS and DOVE (1942), STURTEVANT (1919b), TAYLOR (1955), TESCHNER (1959), ZUSKA and LÁŠTOVKA (1969).  
 Distribution:  
 AUSTRIA: SEGUY (1934b), STURTEVANT (1921). — CZECHOSLOVAKIA: LÁŠTOVKA and MÁČA (1977), MÁČA (1972b), MARTEČEK (1973), SKURKOVÁ et al. (1969), ZUSKA and LÁŠTOVKA (1969). — FINLAND: JACKMAN (1960b). — FLANDERS: ROCHA PITÉ and TSACAS (1979), SEGUY (1954b). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GERMANY FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965), KÜHLHORN (1964, 1968, 1978), TESCHNER (1969). — GREAT BRITAIN: BASDEN (1954b, 1957a), BUXTON (1954, 1960), COE (1943), COLVER (1954), FONSECA (1965), TAYLOR (1955). — GREECE: DIS 37: 95. — HUNGARY: ÁRAIDI (1959), PAPP (1973), SÓS (1943, 1945). — ITALY: BEZZI (1910), NIGRO (1979), OKADA (1959), SEGUY (1934b), ZANGHERI (1950, 1969). — NETHERLANDS: LEVÉR and SOBELS (1951). — MEXICO: JEREZ (1935). — POLAND: DUDA (1935). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1978, 1979). — SPAIN: ČERNÝ and SYBROL (1969), MONCLUS (1964), ORTIZ (1965), SEGUY (1954b), STURTEVANT (1921). — SWITZERLAND: BÄCHLI (1973a, 1975a, 1975b), BURLA (1948, 1949, 1951a, 1961), NÄTER (1953). — TURKEY: unpublished. — YUGOSLAVIA: unpublished. — AZORES: FERRY (1945), SEGUY (1956). — MADEIRA: FREY (1940), GARDNER and CLAS-

SEY (1960), WOLLASTON (1858). — CANARY IS.: BECKER (1908b), FREY (1936), HACKMAN (1958), MONCLÉS (1976), SEGUY (1934a, 1934b). — MOROCCO: SEGUY (1933b, 1934b). — ALGERIA: SEGUY (1934b). — TUNISIA: unpublished. — LIBYA: BIEZZI (1924b). — EGYPT: DIS 30: 124. — LEBANON: PIPKIN (1952). — ISRAEL: unpublished. — CHINA: KIKKAWA and PENG (1938). — S. KOREA: LEE (1966b). — JAPAN: KIKKAWA and PENG (1938), WHARTON (1942). Recorded as virtually cosmopolitan species.

## Comment:

Some records may refer to *D. hydei* STURTEVANT.

***Drosophila repletaoides* HSU, 1943**

Other names used: *D. tumidorsus* TAN, HSU and SHENG (syn.), *D. chinai* OKADA (syn.), *D. hayashii* OKADA, *Drosophila* sp. of *repleta* group I.

General features of adults: HSU (1949), KUROKAWA and HIRARA (1976), OKADA (1953b, 1955a, 1956), TAN et al. (1949). Figures: HSU (1949), OKADA (1955a, 1956a, 1968), THEOCKMORTON (1962).

Keys: OKADA (1955a, 1956).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1950, 1962), TAN et al. (1949).

Distribution:

CHINA: HSU (1949), TAN et al. (1949), THEOCKMORTON (1962). — JAPAN: OKADA (1955a, 1956, 1962, 1968a).

***Drosophila rufa* KIKKAWA and PENG, 1938**

General features of adults: BOCK and WHEELER (1972), BURLA (1954b), FREIRE-MAIA (1949), HSU (1949), KIM (1962), KIKKAWA and PENG (1938), KUROKAWA and HIRARA (1976), MATHER (1955), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), LIN et al. (1973), OKADA (1954c, 1956, 1968a), PARSHAD and PAIKA (1964), THEOCKMORTON (1962).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), OKADA (1956), TAKADA, (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a), PARSHAD and PAIKA (1964).

Biology: ISHIHARA (1955a), KANEKO (1960), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

CHINA: HSU (1949), TAN et al. (1949), THEOCKMORTON (1962). — S. KOREA: CHUNG (1959, 1960a), KANG et al. (1959), KIM (1962, 1963), LEE (1968b). — JAPAN: ISHIHARA (1955a), KANEKO (1960), KAWANISHI (1975), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KUROKAWA (1967a), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OKADA (1954c, 1956, 1959, 1962, 1966b, 1968a), TAKADA et al. (1958), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966).

Recorded also on the Ryukyu Islands and in India.

***Drosophila rufifrons* LOEW, 1873**

Other name used: *D. nilea* BUZZATI-TRAVESIO (syn.).

General features of adults: BURLA (1948, 1951a), BUZZATI-TRAVESIO (1943), DUDA (1924c, 1935), HERTING (1953), LOWK (1973), MATHER (1955), NATER (1953), OKADA (1973b), OLDEMBERG (1914), PAPP (1973), PARSHAD and DUGGAL (1966), PIPKIN (1961), FOMINI (1940), STROBL (1893a), WHEELER (1949a).

Figures: BURLA (1948, 1951a), BUZZATI-TRAVESIO (1943), DUDA (1924a, 1924c, 1935), MONCLÉS (1964), OKADA (1955b), PAPP (1973), ROCHA PITÉ (1975a).

Keys: BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), MONCLÉS (1964), PAPP (1973), ROCHA PITÉ (1975a), STAKELBERG (1970).

Development: BASDEN (1954a), BURLA (1951a), BUZZATI-TRAVESIO (1943).

Biology: BASDEN (1954b), BERTANI (1947), BURLA (1951a), BUZZATI-TRAVESIO (1943), COE (1959), COLLIN (1952), HADORN et al. (1952), HERTING (1955), KERIĆ and MARINKOVIC (1979), KÜHLHOHN (1978), OLDEMBERG (1914), ORTIZ (1968), SOBELS et al. (1954).

Distribution:

AUSTRIA: DUDA (1924c, 1935). — CZECHOSLOVAKIA: ROCHA PITÉ and TSACAS (1980). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1924c, 1935). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHOHN (1978). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1952), FONSECA (1965), SHROPSHIRE (1977). — GREECE: DIS 37: 135–136. — HUNGARY: ARADI (1959), PAPP (1973, 1975). — ITALY: BASDEN (1961), BUZZATI-TRAVESIO (1943), HERTING (1959), MAGNI (1959), NATER (1953). — NETHERLANDS: SOBELS et al. (1954). — POLAND: DUDA (1935). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b). — ROMANIA: ARADI (1959). — SWEDEN: OLDEMBERG (1914). — THAILAND: (1899). — SPAIN: HADORN et al. (1952), MONCLÉS (1964), ORTIZ (1968). — SWEDEN: DIS 29: 160–161. — SWITZERLAND: BÄCHLI (1972c, 1973a, 1975a), BURLA (1948, 1951a). — ? TURKEY: unpublished. — USSR: HACKMAN (1957), STAKELBERG (1950, 1970). — YUGOSLAVIA: ARADI (1959), COB (1959), KERIĆ and MARINKOVIC (1979). — ? MOOROCO: unpublished. — ? IRAN: unpublished.

Comment:

Some records may refer to *D. deflexa* DUDA.

***Drosophila scaptomyzoptera* DUDA, 1935**

General features of adults: DUDA (1935).

Key: DUDA (1935).

Distribution:

USSR: DUDA (1935).

***Drosophila schmidti* DUDA, 1924**

General features of adults: DUDA (1924c, 1935).

Figures: DUDA (1924a, 1924c, 1935), PAPP (1973).

Keys: DUDA (1924a, 1924c, 1935), PAPP (1973).

Distribution:

HUNGARY: ÁRADI (1959), DUDA (1924c, 1935), PAPP (1973), SÓS (1945).

***Drosophila sexvittata* OKADA, 1956**Other names used: *D. sexvittata triangularis* OKADA, *Drosophila (Hirtodrosophila)* sp. I.

General features of adults: CHUNG and RHO (1959), KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1956, 1959, 1961b, 1967).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), KANG and LEE (1964), LEE (1964c), OKADA (1956, 1967), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: KANeko and TOKUMITSU (1969), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1965b), OKADA (1954d, 1956, 1968a), SUZUKI (1965), TAKADA (1960), TODA (1977), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959), KIM (1962), KANG and LEE (1964), KANG et al. (1959), LEE (1964c, 1966b). — JAPAN: BEPPU and TODA (1976), KANEKO (1960), KANeko and SHIMA (1962), KANeko and TOKUMITSU (1969), KANeko et al. (1968), KIKUCHI (1976a, 1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a, 1965b), OKADA (1954d, 1956, 1967, 1968a), SUZUKI (1965), TAKADA (1960, 1968), TODA (1977), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

***Drosophila simulans* STURTEVANT, 1919**Other name used: *D. melanogaster* MEIGEN (misident.).

General features of adults: BOCK (1976), BOCK and WHEELER (1972), BURLA (1951a, 1954a), BRNCIC (1957), DAVID and BOCQUET (1972), DAVID et al. (1974), DUDA (1927), FRIEDE-MALAI (1949), GALLO (1975), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), KUROKAWA and HIHARA (1976), MALOGOLOWEIN (1948), NATTER (1953), OKADA (1953b, 1954c, 1956, 1961b), PATTERSON (1943), SALLES (1948), SÉGUIN (1954b), STURTEVANT (1919a, 1929), TSACAS et al. (1971). Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), BURLA (1951a), COVA GARCIA and SUÁREZ (1962), HARDY (1965), HARRISON (1952, 1959), HSU (1949), KIKKAWA and PENG (1938), LACHAISE (1976), MAYER (1935), MONCLUS (1964), OKADA (1954c, 1956, 1968a), PAPP (1973), PATTERSON (1943), ROCHA PITÉ (1975a), SALLES (1948), SÉGUIN (1954b), SHEDROCK (1972), STURTEVANT (1919a, 1921), THROCKMORTON (1962), TSACAS et al. (1971).

Keys: BASDEN (1964b), BEPPU et al. (1977), BOCK (1976), BRNCIC (1957), BURLA (1951a), DUDA (1952, 1927), FONSECA (1965), FRYDENBERG (1950a), HARDY (1965), HARRISON (1952, 1959), KIKKAWA and PENG (1938), MAINLAND and MCGAHEY (1924), MONCLUS (1984, 1976), OKADA (1956), PAPP (1973), PATTERSON (1943), PATTERSON and MAINLAND (1944), PAVAN and DA CUNHA (1947), ROCHA PITÉ (1975a), SÉGUIN (1954a, 1954b), SHEDROCKS (1972), STURTEVANT (1921, 1942). Development: HENNIG (1952), KIKKAWA and PENG (1938), MAYER (1935), OKADA (1968a), PATTERSON (1943), SÉGUIN (1954b), WATABE (1979).

Biology: ATKINSON and SHEDROCKS (1977), BASDEN (1964b, 1957a), BOCK (1977b), BURLA (1949, 1951a), BURUGA (1976), BURUGA and OHREBO (1971), CARSON (1965, 1971), COLLINS (1965), COVA GARCIA and STÁREK (1962), DAVID (1971), DORZHANSKY (1965), DOBRHANSKY and DA CUNHA (1955), DOBRHANSKY and PAVAN (1960), FRYDENBERG (1956a), GOLDSCHMIDT (1956b), HERD (1965, 1968), HUNTER (1966), JUNGEN (1968a), KAWANISHI and WATANABE (1977), KEKÜ and MARINKOVIC (1979), KIKKAWA and PENG (1938), LACHAISE (1976), MAYER (1956), MCKENZIE and PARSONS (1974), OKADA (1956), ORTIZ (1965), PARSONS (1979), PAVAN et al. (1950), PIKES (1952, 1965), ROCHA PITÉ (1975a, 1977a, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), SHEDROCKS et al. (1979), STURTEVANT (1921), TODA (1976), WATABE (1979), WATANABE and KAWANISHI (1976).

Distribution:

AUSTRIA: ROCHA PITÉ and TSACAS (1980). — CZECHOSLOVAKIA: unpublished. — DENMARK: FRYDENBERG (1956a). — FINLAND: HÄKKÄNEN (1971), LUMME et al. (1978). — FRANCE: DAVID and BOCQUET (1972), HADORN et al. (1962), ROCHA PITÉ and TSACAS (1980). — GERMANY: SEGUIN (1964b). — GERMAN DEMOCRATIC REPUBLIC: unpublished. — GREAT BRITAIN: ATKINSON and SHEDROCKS (1977), BASDEN (1952, 1954b, 1957a), FONSECA (1965), SHEDROCKS et al. (1979). — GREECE: TRIANTAPHYLLOIDES (1973). — HUNGARY: PAP (1973). — IRELAND: unpublished. — ITALY: BEARDMORE (1978), KUNZE-MÜHL and SPERLICH (1962). — MAGNI (1959). — MAINX (1968). — NIGRO (1979). — SPERLICH (1961). — ZANGERI (1969). — NETHERLANDS: ROCHA PITÉ and TSACAS (1980). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977a, 1978, 1979). — ROCHA PITÉ and DA COSTA NICOLAU (1978). — SPAIN: BEARDMORE (1978), MONCLUS (1964), ORTIZ (1968). — SWITZERLAND: BÄCHLER (1972), 1972c, 1973a, 1974b). — TURKEY: BEARDMORE (1978). — USSR: BOCK and WHEELER (1972). — YUGOSLAVIA: ŠKUTIĆ and MARINKOVIC (1978, 1979). — MARINKOVIC et al. (1960). — AZORES: FREY (1945), HÄCKELN (1960), SÉGUIN (1956). — MADEIRA: unpublished. — CA. MARY IS.: unpublished. — MOROCCO: PREVOSTI (1964). — TUNISIA: JUNGEN (1968a). — EGYPTE: BEARDMORE (1973). — TANTAWY (1964), TANTAWY and MALLAH (1961). — ISRAEL: BASDEN (1966), GOLDSCHMIDT (1956b). — LEBANON: PIKES (1952), TANTAWY and MALLAH (1961). — IRAQ: unpublished. — S. KOREA: KANO et al. (1959), LEE (1966b). — JAPAN: KAWANISHI (1973), KAWANISHI and WATANABE (1977), WATABE (1979), WATANABE and KAWANISHI (1976).

Recorded as virtually cosmopolitan species, but absent in higher latitudes.

***Drosophila sordidula* KIKKAWA and PENG, 1938**

General features of adults: KANeko et al. (1964), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), OKADA (1953b, 1955a, 1955b, 1956, 1959), TAN et al. (1949).

Figures: BEPPU et al. (1977), KIKKAWA and PENG (1938), KIM (1962), OKADA (1955a, 1955b, 1956, 1968a), THROCKMORTON (1962).

Keys: BEPPU et al. (1977), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

**Biology:** BEPPU (1976, 1979, 1980), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and TOKUMITSU (1969), KATO (1954), KATO and HIRI (1952), KIKKAWA and PENG (1958), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956, 1961b, 1962, 1968a), SAITO et al. (1968), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1957a, 1962b, 1964).  
**Distribution:**

S. KOREA: CHUNG (1958), KANG et al. (1958, 1959, 1964a), KIKKAWA and PENG (1958), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978, 1979), BEPPU and TODA (1976), BEPPU et al. (1977), ISHIHARA (1955a), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KATO (1954), KATO and HIRI (1952, 1954), KIKKAWA and PENG (1958), KIMURA et al. (1977), MINAMI et al. (1979), MINAMI et al. (1979), MOMMA (1954, 1957, 1965a), OKADA (1955a, 1956, 1959, 1962, 1966b, 1968a), SAITO et al. (1962), SHIMA (1960), TAKADA (1954, 1957, 1958), TAKAHASHI and KANEKO (1969), TEROCKMORTON (1962), TODA (1973a, 1973b, 1975c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957, 1958a, 1958b), WAKAHAMA (1957a, 1962a, 1962c, 1964), WATABE and BEPPU (1977).

### *Drosophila stackelbergi* DUDA, 1935

General features of adults: DUDA (1935).

Key: DUDA (1935).

Distribution:

USSR: DUDA (1935).

### *Drosophila sternopleuralis* OKADA and KUROKAWA, 1957

Other names used: *Drosophila* sp. of *quinaria* section, *Drosophila* sp. of *histrio* group I.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1953b, 1956, 1959, 1961b, 1966a), OKADA and KUROKAWA (1957).

Figures: OKADA (1956, 1968a), OKADA and KUROKAWA (1957).

Keys: BEPPU et al. (1977), LEE (1964c).

Development: OKADA (1963a, 1968a).

Biology: KAWANISHI et al. (1975), OKADA (1962), OKADA and KUROKAWA (1957), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: CHUNG (1958, 1960), KANG et al. (1969), LEE (1962, 1964c), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1956, 1959, 1962, 1968a), OKADA and KUROKAWA (1957), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964, 1966).

### *Drosophila stonei* PIPKIN, 1956

General features of adults: PIPKIN (1956, 1961).

Figures: PIPKIN (1956).

Biology: PIPKIN (1961).

Distribution:

LEBANON: PIPKIN (1966).

### *Drosophila subarctica* HACKMAN, 1960

General features of adults: HACKMAN (1960c).

Figures: HACKMAN (1960c).

Biology: LAKOVAARA et al. (1972b), LUMME et al. (1979).

Distribution:

FINLAND: HACKMAN (1969c, 1971), LAKOVAARA et al. (1972b), LUMME et al. (1978, 1979). — NORWAY: LAKOVAARA et al. (1972b). — SWEDEN: LAKOVAARA et al. (1972b).

### *Drosophila subobscura* COLLIN, 1936

Other names used: *D. obscura* FALLÉN (misident.), *D. obscura* 3.

General features of adults: BURLA (1951a), CAIN et al. (1952), FREIBERG-MAI (1949), GORDON (1936), HSU (1949), MISRA (1966), MISRA and REEVE (1964), MONCLUS (1964), MORTIWAKI et al. (1952), NATER (1955), OKADA (1955b, 1961b), POMINI (1940), PRINSZER (1955a, 1970), REEVE and REED (1948), SMART (1945).

Figures: BURLA (1951a), CAIN et al. (1952), DYSON-HUDSON (1954), HOLLINGSWORTH (1960), HSU (1949), MAYNARD SMITH and SONOJI (1961), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MONCLUS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORROCKS (1972).

Development: BURLA (1951a), SMART (1945).

Biology: ATKINSON and SHORROCKS (1977), BACHÉ (1977, 1979), BASDEN (1952, 1953, 1954b, 1956, 1957a), BEGON (1975, 1976a, 1976b, 1977, 1978), BEGON et al. (1975), BURLA (1949, 1951a, 1961), BURLA and GERUTER (1959a, 1959b, 1961), BUXTON (1960), BUZZATTI-TRAVERSO and SCOSSETROLI (1955), COX (1959), DELY-DRASKOVITS and RABOR (1976), DELY-DRASKOVITS and PAPP (1973), DYSON-HUDSON (1956), DYSON-HUDSON and VÖCKEROTH (1955), FRYDENBERG (1956a), GOLDSCHMIDT (1956b), GORDON (1942), GRACIUS (1949), HALDORSEN et al. (1965b), HEMING (1955), JUNGEN (1968a), KEBEKAIA and MARINKOVIC (1979), KOCH (1967), KÖNIG (1965), KÜHLHORN (1978, 1979), LEVER and SOERELS (1951), LEWIS and TAYLOR (1984), MAINX et al. (1955), PHILLIPS et al. (1944), PIPKIN (1952), RISCH (1971), ROBERTSON (1965), ROBERTSON and WOOD (1973), SHORROCKS (1972, 1974, 1975, 1977), SHORROCKS and BEGON (1975), SHORROCKS and CHARLESWORTH (1980), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMART (1945), SOERELS et al. (1954), TAYLOR and KALMUS (1954), ZUSKA and LÁSTOVKA (1969).

Distribution:

AUSTRIA: BALDUZZI (1954), KUNZER-MÜHL and SPERLICH (1955), KUNZER-MÜHL et al. (1955), MAINX (1950), MAINX et al. (1953), MISRA and REEVE (1964), POMINI (1940), RICHTER and HUNDLER (1955), SPERLICH (1950, 1966), SPERLICH and

- FEUERBACH (1966). — THALER (1977). — BELGIUM: WATTIAUX (1968). — CYPRUS: unpublished. — CZECHOSLOVAKIA: ABADI (1959), ZUSKA and LASTOVKA (1960). — DENMARK: BASDEN (1956), FRYDENBERG (1956a), LAKOVAARA et al. (1976b), McFARQUHAR and ROBERTSON (1963), MISRA and REEVE (1964), SAURA et al. (1973). — FINLAND: HACKMAN (1971), LAKOVAARA and SAURA (1971b), LAKOVAARA et al. (1972c, 1976a), SAURA et al. (1972). — FRANCE: BALDEZZI (1964), PREVOST (1964a, 1966b, 1967), PREVOST et al. (1975), ROCHA PITÉ and TSACAS (1979), SAURA et al. (1973), STUMM-ZOLLINGER (1958). — GERMAN DEMOCRATIC REPUBLIC: POMINI (1940). — GERMAN FEDERAL REPUBLIC: DAHL (1966), HERTING (1965), KÖNIG (1965), KÜHLHOLZ (1978, 1979), PINSKER and SPERLICH (1979). — GREAT BRITAIN: ATKINSON and SHORROCKS (1977), BASDEN (1952, 1963, 1964a, 1964b, 1967a), BASDEN and GOODEY (1965), BEGON (1976a, 1976b, 1978), BEGON et al. (1975), BUZZATI-TRAVESIO (1942b), CAIN et al. (1952), CLARKE et al. (1961), DYSON-HUDSON (1954, 1956), DYSON-HUDSON and VOCKEROTH (1965), FONSECA (1965), GONZALEZ-DUARTE et al. (1972), GOREN (1968, 1942), GORDON et al. (1939), HARTMANN-GOLDSTEIN and SPERLICH (1963), KNIGHT (1961), KUNZE-MÜHL and SPERLICH (1955), LEWIS and TAYLOR (1964), McFARQUHAR and ROBERTSON (1963), MAINX et al. (1965), MILANI (1953), MISRA and REEVE (1964), PHILIP et al. (1944), POMINI (1940), PREVOST (1955a, 1955b, 1957), RICHTER and HÜNDLER (1955), ROBERTSON (1965), SHORROCKS (1969, 1970, 1974, 1975, 1977), SHORROCKS and CHARLESWORTH (1969), SHORROCKS and WOOD (1973), SHORROCKS et al. (1979), SMAIT (1945), SMITH (1959, 1960), SPERLICH (1966), TAYLOR and KALMUS (1954). — GREECE: KROMBS (1964a, 1967), KREDDAS and ALIVIZOS (1973), LAKOVAARA and SAURA (1971b), PENTZOS-DAPONT (1964), PENTZOS-DAPONT et al. (1967), SPERLICH (1965), ZOTZOS et al. (1974). — HUNGARY: ABADI (1959), DEHV-DRÁKOTES and BÁDÓ (1976). — IRELAND: DELY-DRAKEVENS and PAPP (1978). — ILLERLAND: DASSIN (1952), PREVOST (1955b). — ITALY: BALDUZZI (1954), BUZZATI-TRAVESIO (1942a, 1942b), FREZZI (1956), KUNZE-MÜHL and SPERLICH (1955, 1962), LAKOVAARA et al. (1976b), MAGNI (1959), MAINX (1954, 1958), MAINX et al. (1953), MILANI (1953), MISRA and REEVE (1964), PHILIP et al. (1944), PINSKER and SPERLICH (1979), POMINI (1940), PREVOST et al. (1975), RICHTER and HÜNDLER (1955), RUDERER (1959), SAURA et al. (1973), SPERLICH (1961, 1966), SPERLICH and KUNZE-MÜHL (1963). — NETHERLANDS: EIJSES et al. (1979), KRIMBS (1964b), KUNZE-MÜHL and SPERLICH (1955), LIEVER and SOBELS (1951), RICHTER and HÜNDLER (1955), SOBELS et al. (1954). — NORWAY: BASDEN (1956), JOHNSON et al. (1966), SPERLICH (1964, 1966). — PORTUGAL: HADORN et al. (1952), ROCHA PITÉ (1972, 1975a, 1975b, 1977b, 1978, 1979), ROCHA PITÉ and DA COSTA NICOLAU (1978), STUMM-ZOLLINGER (1953). — SPAIN: BALDUZZI (1954), BASDEN (1961), FRUTOS (1972), GONZALEZ-DUARTE et al. (1973), HACKMAN (1969a), HADORN et al. (1962), LAKOVAARA and SATRA (1971b), MONCLUS (1953, 1964), ORTEGA (1968), PREVOST (1951, 1952, 1954, 1955a, 1957, 1960, 1963, 1964a, 1966a, 1966b, 1967, 1968). — SWEDEN: BALDUZZI (1964), BASDEN (1956), LAKOVAARA et al. (1976b), MAINX et al. (1953), PINSKER and SPERLICH (1979), SAURA et al. (1973). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1975a, 1975b, 1977, 1979), BALDUZZI (1954), BEUR (1972), BURLA (1948, 1949, 1951a, 1961), BURLA and GOTZ (1965), BURLA and GRETTER (1969a, 1969b), CLARKE et al. (1961), GOTZ (1965a), GREUTER (1968), HSU (1949), JUNGEN (1970), KOCH (1967), KUNZE-MÜHL and SPERLICH (1955), LAKOVAARA and SAURA (1971b), McFARQUHAR and ROBERTSON (1963), MAINX (1950), MAINX et al. (1953), MAYNARD SMITH et al. (1965), MISRA and REEVE (1964). — NATURE (1963), PINSKER and SPERLICH (1979), PREVOST (1957), REICH (1971), SCHATZMANN (1977), SCHMID (1968), STUMM-ZOLLINGER (1953), ZOLLINGER (1960). — TURKEY: GOTZ (1965a, 1967). — USSR: DUSHIN et al. (1937b), MAINX et al. (1953). — YUGOSLAVIA: ANDJELKOVIĆ and SPERLICH (1973), BASDEN (1961), COE (1959), KERIG and MARINKOVIC (1974, 1979), KERIG et al. (1980), MARINKOVIC et al. (1980). — AZORES: FREY (1945), HACKMAN (1960). — MADEIRA: FREY (1949), PREVOST (1972). — CANARY IS.: FREY (1936), HACKMAN (1958), MONCLUS (1976), PREVOST (1971, 1972). — MOROCCO: GONZALEZ-DUARTE et al. (1973), GOTZ (1965a, 1965b), PREVOST (1974), PREVOST et al. (1975). — TUNISIA: JUNGEN (1968a, 1968b), PAPP (1978), PINSKER and SPERLICH (1979). — EGYPTE: unpublished. — ISRAEL: CLARKE et al. (1961), GOLDSCHMIDT (1956a, 1956b, 1958), KUNZE-MÜHL and SPERLICH (1955), McFARQUHAR and ROBERTSON (1963), MISRA and REEVE (1964). — RICHTER and HÜNDLER (1955), STUMM-ZOLLINGER and GOLDSCHMIDT (1959). — WATTIAUX (1968). — LEBANON: PIPKIN (1952). — SYRIA: KUNZE-MÜHL and SPERLICH (1955), MAINX et al. (1953). — RICHTER and HÜNDLER (1955). — IRAN: GOTZ (1965a, 1967). Recorded also in South America.

### *Drosophila subsilvestris* HARDY and KANESHIRO, 1968

Other names used: *D. silvestris* BASDEN (syn.), *D. obscura* X, *Drosophila* sp. near *obscura*.

General features of adults: BASDEN (1954b), BASDEN and HARNDEN (1956), BURLA (1951a), CAIN et al. (1952), DYSON-HUDSON (1954), KNIGHT (1956).

Figures: DYSON-HUDSON (1954), KNIGHT (1956), SHORROCKS (1972), STAKELBERG (1970).

Keys: BASDEN (1954b), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), PAPP (1973), SHORROCKS (1972), STAKELBERG (1970).

Biology: BASDEN (1953, 1954b), BASDEN and HARNDEN (1956), BEGON (1978), BURLA (1961), FRYDENBERG (1956a), HERTING (1955), KÜHLHOLZ (1978), LUMME et al. (1978, 1979), SCHATZMANN (1977), SHORROCKS (1972, 1975), SOBELS et al. (1954).

#### Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: ROCHA PITÉ and TSACAS (1980). — DENMARK: FRYDENBERG (1956a). — FINLAND: HACKMAN (1971), LAKOVAARA et al. (1972a, 1972c), LUMME et al. (1978, 1979). — FRANCE: ROCHA PITÉ and TSACAS (1979). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÜHLHOLZ (1978). — GREAT BRITAIN: BASDEN (1952, 1953, 1954b), BASDEN and GOODEY (1955), BEGON (1978), BUZZATI-TRAVESIO and SCOTTIROLI (1955), DYSON-HUDSON (1954), FONSECA (1965), KNIGHT (1956), SHORROCKS (1969, 1970, 1975, 1977), SMITH (1959). — IRELAND: ROCHA PITÉ and TSACAS (1980). — NETHERLANDS: SOBELS et al. (1954). — NORWAY: BASDEN and HARNDEN (1956). — SWEDEN: LAKOVAARA et al. (1972a, 1972c). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1973c, 1974b, 1974c, 1975a, 1975b, 1979), BURLA (1951a, 1961), SCHATZMANN (1977). — USSR: HACKMAN (1957), STAKELBERG (1970). — YUGOSLAVIA: unpublished.

### *Drosophila subtilis* KIKKAWA and PENG, 1938

General features of adults: HSU (1949), KIKKAWA and PENG (1938), OKADA (1953a, 1955a, 1956, 1961b).

Figures: HSU (1949), KIKKAWA and PENG (1938), OKADA (1953a, 1956, 1959, 1968a).

Keys: KIKKAWA and PENG (1938), OKADA (1956).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1968a).

Biology: KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1956, 1962, 1968a), TAN et al. (1949), WAKAHAMA (1962b, 1962c, 1964).

#### Distribution:

S. KOREA: CHUNG (1960a), KANG et al. (1959), LEE (1966b). — JAPAN: KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), NOZAWA (1956), OKADA (1953a, 1956, 1959, 1962, 1968a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966). Recorded also in South China.

***Drosophila suzukii* MATSUMURA, 1931**

Other name used: *D. suzukii* PARSHAD and PAIKA.

General features of adults: BOCK and WHEELER (1972), FRIERE-MAIA (1949), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), MATSUMURA (1931), OKADA (1953b, 1954c, 1954d, 1956, 1959, 1961b, 1966a), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), PENG (1937).

Figures: BEPPU et al. (1977), BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), MATSUMURA (1931), OKADA (1954c, 1956, 1968a), PARSHAD and PAIKA (1964).

Keys: BEPPU et al. (1977), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), LEE (1964c), OKADA (1956), PENG (1937), TAKADA (1971).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1965a).

Biology: BEPPU (1976), BEPPU and TODA (1970), HSU (1953), ISHIHARA (1955a), KANERU (1960), KANERU and TOKUMITSU (1963, 1969), KATO (1965), KATO and HOSHII (1952), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1970), KIMURA et al. (1977), LEE (1962), MINAMI (1979), MINAMI et al. (1979), MOMMA (1965a), NOZAWA (1956), OKADA (1956, 1962), PARSHAD and DUGGAL (1966), PARSHAD and PAIKA (1964), SAIKO et al. (1962), TAKADA (1954, 1957, 1958), TODA (1973a, 1973b, 1974, 1976, 1977), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution:

CHINA: HSU (1949), PENG (1937), TAN et al. (1949). — S. KOREA: CHUNG (1958, 1959, 1960a), CHUNG and RHO (1960, 1969), KANG et al. (1958, 1959), KIM (1962, 1963), LEE (1962, 1964c, 1965, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1970), ISHIHARA (1955a), KANERU (1960, 1965), KANERU and TOKUMITSU (1963, 1969), KANERU et al. (1969, 1969), KATO (1964), KATO and HOSHII (1952, 1954), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIKKAWA and PENG (1938), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MATSUMURA (1931), MINAMI et al. (1979), MOMMA (1957, 1965a), NOZAWA (1956), OKADA (1954c, 1956, 1962, 1966b, 1968a), SAIKO et al. (1962), SHIMA (1960), TAKADA (1954, 1957, 1958, 1960, 1965), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1974, 1977), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1964, 1965), WAKAHAMA et al. (1963), WATABE and BEPPU (1977). Recorded also in India and on the Ryukyu and Bonin Islands.

***Drosophila takadai* LEE, 1964**

General features of adults: LEE (1964a, 1964c).

Figures: LEE (1964a, 1964c).

Key: LEE (1964c).

Development: LEE (1964a, 1964c).

S. KOREA: LEE (1964a, 1964c, 1966b).

***Drosophila takahashii* STURTEVANT, 1927**

General features of adults: BOCK and WHEELER (1972), BOHART and GRESSITT (1951), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), KUROKAWA and HIHARA (1976), NATEER (1950, 1953), OKADA (1953b, 1954c, 1954d, 1955, 1956, 1959, 1961b), PARSHAD and PAIKA (1964), PENG (1937), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Figures: BOCK and WHEELER (1972), HSU (1949), KIKKAWA and PENG (1938), KIM (1962), NATEER (1950, 1953), OKADA (1954c, 1955c, 1956, 1968a), PARSHAD and PAIKA (1964), PENG (1937), THROCKMORTON (1962), VAIDYA and GODBOLE (1971), WHEELER and TAKADA (1964).

Keys: BOHART and GRESSITT (1951), GUPTA and RAY-CHAUDHURI (1970), KIKKAWA and PENG (1938), OKADA (1956, 1966a), PENG (1937), WHEELER and TAKADA (1964).

Development: KIKKAWA and PENG (1938), OKADA (1963a, 1965a), PARSHAD and PAIKA (1964).

Biology: BOHART and GRESSITT (1951), KIKKAWA and PENG (1938), OKADA (1956), PARSHAD and PAIKA (1964).

Distribution:

CHINA: HSU (1949), KIKKAWA and PENG (1938), OKADA (1954c), PENG (1937), TAN et al. (1949). — S. KOREA: KIM (1962), LEE (1966b). — JAPAN: OKADA (1954c, 1954d, 1955c, 1956, 1959, 1968a). Recorded mainly in South Asia.

***Drosophila tenuicauda* OKADA, 1956**

Other name used: *Drosophila* sp. III like *grandis*.

General features of adults: KUROKAWA and HIHARA (1976), OKADA (1955b, 1956, 1961b, 1966a), TAKADA and LEE (1958).

Figures: BEPPU et al. (1977), OKADA (1956, 1968a).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1968a).

Biology: KANERU and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1956), TAKADA and LEE (1958).

Distribution:

S. KOREA: KANG et al. (1959, 1964a), LEE (1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KANERU and SHIMA (1962), KANERU and TAKADA (1966), KANERU and TOKUMITSU (1969), KANERU et al. (1969), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TADA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957), OKADA (1956, 1966a, 1965d), TAKADA (1968), TAKADA and OKADA (1960), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1964). Recorded also on the Ryukyu Islands.

***Drosophila testacea* VON ROSER, 1840**

Other names used: *D. nigrithorax* STROBL (syn.), *D. setosa* VILLENEUVE (syn.), *D. fasciata* MEIGEN (misident.).

General features of adults: BECKER (1906a), BURLA (1951a), BURLA and GLOOM (1952), CHUNG and RHO (1959), COLLINS (1952), DUDA (1924c, 1934), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), MALOGOLOWKIN (1953), NATEER (1953), NEGHRANI (1956), OKADA (1953a, 1954d, 1955a, 1956, 1959, 1961b), PARSHAD and DUGGAL (1966), VON ROSER (1840), STROBL (1894), TAKADA (1960), VILLENEUVE (1921), WATAKE (1977).

**Figures:** BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1934), HSU (1949), KIM (1962), NATER (1953), OKADA (1955a, 1956, 1968a), PAPP (1973), TAKADA (1960), THROCKMORTON (1962), WATABE (1977).

**Keys:** BEPPU et al. (1977), BURLA (1951a), DUDA (1924a, 1924c, 1927, 1934), ENDERLEIN (1934), FONSECA (1965), FRYDENBERG (1956a), GUPTA and RAY-CHAUDHURI (1970), HACKMAN (1954), LASTOVKA and MÁCA (1977), LEE (1964c), MONCLOS (1964), OKADA (1956), PAPP (1973), STAKELBERG (1970), STURTEVANT (1942), TAKADA (1971).

**Development:** BURLA (1951a), KIMURA et al. (1979), OKADA (1963a, 1968a).

**Biology:** BÄCHLI (1969, 1974), BEPPU (1976), BEPPU and TODA (1976), BURLA (1949, 1951a, 1961), BURLA and BÄCHLI (1968), COR (1959), COUGLIE (1952), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), HACKMAN (1963), HACKMAN and MEHNANDER (1979), HADORN et al. (1952), HERTING (1955), ISHIHARA (1965a, 1955), KANEKO (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1960, 1968), KECÍK and MARINKOVIC (1979), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977, 1978), KÖNIG (1965), KÜHLBORN (1978), LEE (1962), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), MINAMI et al. (1979), MOMMA (1965b), OKADA (1944d, 1956, 1968a), PAPP (1970), PARSHAD and DUGGAL (1966), SAITO et al. (1962), SCHMID (1968), SHORROCKS (1977), SHORROCKS and WOOD (1973), SOBELS et al. (1954), SUZUKI (1955), TAKADA (1954, 1957, 1958, 1960), TODA (1973a, 1973b, 1973c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1962b, 1964), WATABE (1977, 1979), WHEELER and THROCKMORTON (1960), ZUSKA and LASTOVKA (1969).

**Distribution:**

AUSTRIA: BASDEN (1961), STROBL (1894). — CZECHOSLOVAKIA: ARADI (1959), LASTOVKA and MÁCA (1977), SOEBS (1945), ZUSKA and LASTOVKA (1969). — DENMARK: BASDEN (1956), FRYDENBERG (1956a). — FINLAND: HACKMAN (1954, 1963, 1971), HACKMAN and MEHNANDER (1979), LUMME et al. (1978, 1979). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — VILLENEUVE (1921). — ? GERMAN DEMOCRATIC REPUBLIC: NEUHAUS (1886). — GERMANY: FEDERAL REPUBLIC: HERTING (1955), KÖNIG (1965), KÜHLBORN (1978), VON ROSSE (1840). — GREAT BRITAIN: BASDEN (1952), COLLYN (1952), FONSECA (1965), SHORROCKS (1977). — HUNGARY: ARADI (1959), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), SOEBS (1945). — ITALY: NIGRO (1979). — NETHERLANDS: LEVER and SOBELS (1951), SOBELS et al. (1954). — NORWAY: ROCHA PITÉ and TSACAS (1980). — ROMANIA: ARADI (1965), SOEBS (1945). — SPAIN: BURLA and GLOOR (1952), HADORN et al. (1952), MONCLOS (1964). — SWEDEN: BASDEN (1956). — SWITZERLAND: BÄCHLI (1969, 1972b, 1972c, 1973a, 1973b, 1974b, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1951b, 1961), BURLA and BÄCHLI (1968), NATER (1953), SCHMID (1968). — TURKEY: unpublished. — USSR: ARADI (1959), HACKMAN (1954, 1957), SOEBS (1945), PAPP (1970), STAKELBERG (1930, 1970). — YUGOSLAVIA: BASDEN (1961), COB (1959), KECÍK and MARINKOVIC (1979). — IRAN: unpublished. — MONGOLIA: OKADA (1973a). — N. KOREA: OKADA (1974a). — S. KOREA: CHUNG (1958), CHUNG and RHO (1959, 1960), KANEKO (1958, 1959), KIM (1962), LEE (1962, 1964a, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978), BEPPU and TODA (1976), ISHIHARA (1955a, 1955b, 1961), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TAKADA (1968), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968, 1969), KIMURA (1976a, 1976b, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977, 1978), MINAMI (1979), MINAMI et al. (1979), MOMMA (1967, 1968a, 1968b), OKADA (1954d, 1955a, 1956, 1959, 1968a), SAITO et al. (1962), SHIMA (1966), SUZUKI (1955), TAKADA (1954, 1957, 1958a, 1960, 1962), TAKADA and OKADA (1960), TODA (1973a, 1973b, 1973c, 1974, 1977), TOYOFUKU (1957, 1958a), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956b, 1957a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1977, 1979), WATABE and BEPPU (1977).

Recorded also in North America and India.

### *Drosophila throckmortonii* OKADA, 1973

Other names used: *D. rufifrons* LOEW (misident.), *Drosophila* sp. like *lebanonensis*.

General features of adults: KUROKAWA and HIRATA (1976), OKADA (1953b, 1956, 1968a, 1973b).

Figures: BEPPU et al. (1977), OKADA (1955b, 1956, 1968a, 1973b).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956).

Development: OKADA (1963a, 1968a).

Biology: BEPPU and TODA (1976), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1956, 1962, 1968a), TODA (1973a, 1974, 1977).

Distribution:

S. KOREA: LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU and TODA (1976), KIMURA and TODA (1976), KIMURA et al. (1977), OKADA (1956, 1962, 1968a, 1973b), TODA (1973a, 1974, 1977).

### *Drosophila transversa* FALLÉN, 1823

Other names used: *D. transversa var. laeta* ZETTERSTEDT (syn.), *D. transversa subquadrata* SPENCER.

General features of a fly: BÖCKER (1902), BURLA (1951a), DE CASTRO (1953), CZERNÝ (1903a), DUDA (1924c, 1935), FALLÉN (1823), GOURLAT (1865), HENNIG (1940), HSU (1949), MACQUART (1855), MALOGOLOWKIN (1935), MEIGEN (1830), NATER (1953), NEUHAUS (1886), OKADA (1956, 1961b), PATTERSON (1943), SEGUY (1934b), SPENCER (1942), STROBL (1929), STURTEVANT (1921), VILLENEUVE (1911), WAHLGREN (1927), WALKER (1853), WHEELER (1900a), ZETTERSTEDT (1838, 1847, 1855).

Figures: BURLA (1951a), DUDA (1924a, 1924c, 1935), HSU (1949), MONCLOS (1964), MORGE (1976a), NATER (1953), PAPP (1973), PATTERSON (1943), STAKELBERG (1970), THROCKMORTON (1962), WHEELER (1900a).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), LASTOVKA and MÁCA (1977), MONCLOS (1964), PAPP (1973), PATTERSON (1943), SCHNEIDER (1964), SEGUY (1934a, 1934b), SHORROCKS (1972), STAKELBERG (1970), STURTEVANT (1921, 1942), WAHLGREN (1927).

Development: BURLA (1951a), DUDA (1924), HENNIG (1952).

Biology: AZARJAN (1968), BÄCHLI (1970), BASDEN (1952, 1964b), BASDEN and HARNDEN (1956), BAUMANN (1977), BRÜHLIS (1857), BUNNAMOUE (1929), BURLA (1949, 1951a), BURSA (1976), BUCKTON (1960), CANANKELEI (1941), CHARLESWORTH and SHORROCKS (1980), DELY-DRASKOVITS (1976), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1954, 1955), EISFELDER (1957), FRYDENBERG (1956a), GOTREAU (1965), HACKMAN (1954, 1963), HACKMAN and MEHNANDER (1979), HERTING (1955), KOBIG (1965), KRAMER (1911, 1935), KÜHLBORN (1978), LEVER and SOBELS (1951), LUMME et al. (1978, 1979), MAYER (1935), DE MEIJERE (1939a, 1947), NASZAWY (1959), PAPP (1976, 1979), RADDAZI (1973), RIHL (1921), SCHULZE (1912), SEGUY (1934b), SHORROCKS (1972, 1975, 1977), SHORROCKS and WOOD (1973), SMITH (1959), SOBELS et al. (1954), STORI (1957).

Distribution:

AUSTRIA: BASDEN (1961), STROBL (1880, 1894, 1901, 1910), THALER (1977), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), ERANSKÝ (1910), CZÍZEK (1966), DOSKOČIL (1902), LASTOVKA and MÁCA (1977), MARTINKO (1974b), STROBL

- (1901), VIMMER (1913). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: FREY (1917a, 1950), HACKMAN (1954, 1963, 1971), HACKEMAN and MEINANDER (1979), LUMME et al. (1978, 1979), STÖRÅ (1955, 1957), ZETTERSTEDT (1847, 1960). — FRANCE: BONNAMOUR (1926), GOUREAU (1865), HADORN et al. (1952), RIEL (1921), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: KAHN (1936), KRAMER (1917), NUHHAUS (1956), RADZATZ (1873), TIMOFFREFF-KROSSOVSKY and TIMOFFREFF-KROSSOVSKY (1944). — GERMAN FEDERAL REPUBLIC: BAUMANN (1977), BIRK (1959), ZETTERSTEDT (1847). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1954b), BUXTON (1960), CHARLESWORTH and SHORELOCKS (1960), CURTIS (1958), FONSECA (1965), HALDAY (1833), HENDERSON (1911), SHORELOCKS (1972, 1975, 1977), SHORELOCKS and WOOD (1973), SMITH (1959), THROCKMORTON (1962), WALKER (1944, 1953), YEEBURY (1913). — HUNGARY: ÁRADI (1959), BASDEN (1961), DÉLY-DRASKOVITS (1976), DÉLY-DRASKOVITS and BÁBÓS (1976), DÉLY-DRASKOVITS and PAPP (1973), PAPP (1973, 1976), SOÓS (1943), THALHAMMER (1899). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BIZZI (1952), CANZANELLI (1941), POKORNÝ (1887). — NETHERLANDS: DE MELIJERE (1920, 1939a), LEVER and SOEELS (1951), SOEELS et al. (1954), STUETEBANT (1921). — NORWAY: BASDEN and HARNDEN (1956). — POLAND: KARŁA (1936). — ROMANIA: ÁRADI (1959), STROBL (1897), THALHAMMER (1899). — SPAIN: HADORN et al. (1952), MONCLOS (1964). — SWEDEN: FÄLLEN (1923), RINGDAHL (1951, 1951, 1959), WAHLGRÉN (1927), ZETTERSTEDT (1858, 1847, 1855, 1860). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974c, 1975a, 1975b, 1977, 1979), BURLA (1948, 1949, 1951a, 1961), HSU (1949), NATER (1953). — TURKEY: unpublished. — USSR: AZARJAN (1968), BALKASCHINA and ROMASCOFF (1935), BASDEN (1956), BOBEK (1957), EVERSMANN (1854), FROLIOVA (1926), GEYSPTS and SIMONENKO (1970), HACKMAN (1954, 1957), PAPP (1979), STAKLBÆKG (1930, 1970). — YUGOSLAVIA: ÁRADI (1959), STROBL (1888a, 1900a), KECIĆ and MARINKOVIĆ (1979). — MONGOLIA: OKADA (1973c). Recorded also in North America.

### *Drosophila triauraria* BOCK and WHEELER, 1972

Other name used: *D. auraria* race C.

General features of adults: BOCK and WHEELER (1972), KIM (1962), KUROKAWA (1956, 1962, 1967b), OKADA (1958b, 1954c).

Figures: BEITU et al. (1977), BOCK and WHEELER (1972), KIM (1962), OKADA (1954c, 1955b).

Keys: BEITU et al. (1977), TAKADA (1971).

Development: BOCK and WHEELER (1972).

Biology: KANEKO and TOKUMITSU (1969), KIMURA and TODA (1976), MINAMI (1979), MINAMI et al. (1979), TODA (1973b, 1973c, 1974, 1977), WAKAHAMA (1966).

Distribution:

N. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1960a), CHUNG and RHO (1959), KIM (1962, 1965), KUROKAWA (1962, 1963, 1967a), LEE (1964c, 1965). — JAPAN: BOCK and WHEELER (1972), KANEKO (1965), KANEKO and SHIMA (1962, 1963), KANEKO and TOKUMITSU (1963, 1968), KANEKO et al. (1968), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), KIMURA (1979), KIMURA and TODA (1970), KUROKAWA (1956, 1960, 1962, 1963, 1967a, 1967b), MINAMI (1970), MINAMI et al. (1979), OKADA (1954c, 1964b), TAKADA (1960), TAKADA and OKADA (1960), TODA (1973b, 1973c, 1974, 1977), TOYOFURU and KIMURA (1960, 1961), WAKAHAMA (1966), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands.

### *Drosophila tritineata* CHUNG, 1960

Other name used: *D. trivittata* STROBL (misident.).

General features of adults: CHUNG (1960b), OKADA (1967).

Figures: CHUNG (1960b).

Keys: LEE (1964c), OKADA (1967).

Biology: CHUNG (1960b).

Distribution:

S. KOREA: CHUNG (1958, 1960b), LEE (1964c, 1966b).

### *Drosophila tristis* FALLÉN, 1823

Other names used: *D. sparsa* ZETTERSTEDT (syn.), *D. tristipennis* STROBL (syn.), *D. obscura* var. *tristis*.

General features of adults: BASDEN (1958), BECKR (1902), BURLA (1951a), CAIN et al. (1952), EGGER (1862), FÄLLEN (1823), FRIEDE-MÄLJ (1949), FRYDENBERG (1955), HALDAY (1833), MACQUART (1853), MEIGEN (1880), MONCLOS (1964), MORIWAJI et al. (1952), NATER (1953), OLDBERG (1914), OKADA (1953b), POMINI (1940), SCHINER (1864), SEOUY (1934b), STROBL (1901), ZETTERSTEDT (1847).

Figures: BURLA (1951a), DUDA (1924a), DYSON-HUDSON (1954), MORGE (1976a, 1976c), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SHORELOCKS (1972).

Keys: BASDEN (1954b), BURLA (1951a), DUDA (1924a, 1924c), DYSON-HUDSON (1954), FONSECA (1965), FRYDENBERG (1956a), HACKMAN (1954), MONCLOS (1964), OKADA (1956), PAPP (1973), POMINI (1940), ROCHA PITÉ (1975a), SEOUY (1934a, 1934b), SHORELOCKS (1972).

Biology: BASDEN (1953, 1954b), BEGON et al. (1975), BURLA (1949, 1951a), BUZZATI-TRAVERSO and SCOSSETTI (1965), COLIN (1911), FRYDENBERG (1956a), HADORN et al. (1952), HERTING (1955), RADZATZ (1873), ROCHA PITÉ and DA COSTA NICOLAU (1978), SCHMID (1968), SHORELOCKS (1975), SOEELS et al. (1954), SMART (1945).

Distribution:

AUSTRIA: BASDEN (1961), MAINX et al. (1953), STROBL (1901). — CZECHOSLOVAKIA: BASDEN (1961), STROBL (1901). — DENMARK: BASDEN (1956), FRYDENBERG (1956a), ZETTERSTEDT (1847). — FRANCE: HADORN et al. (1952), ROCHA PITÉ and TSACAS (1979). — GERMAN DEMOCRATIC REPUBLIC: RADZATZ (1873). — GERMAN FEDERAL REPUBLIC: HERTING (1955), KÖRNER (1910, 1935). — GREAT BRITAIN: AUDCENT (1950), BASDEN (1952, 1953, 1954a, 1954b), BASDEN and GOODLEY (1955), BEGON et al. (1975), CAIN et al. (1952), COLIN (1911), CURTIS (1885), DYSON-HUDSON (1954), FONSECA (1965), HALDAY (1833), SHORELOCKS (1969, 1970, 1975, 1977), SMART (1945), SMITH (1959, 1960), WALKER (1849, 1863). — HUNGARY: ÁRADI (1959), PAPP (1973). — IRELAND: ROCHA PITÉ and TSACAS (1980). — ITALY: BUZZATI-TRAVERSO (1942b), MAINX et al. (1953), POMINI (1940). — NETHERLANDS: LEVER and SOEELS (1951), SOEELS et al. (1954). — PORTUGAL: ROCHA PITÉ (1975a, 1975b, 1977b), ROCHA PITÉ and DA COSTA NICOLAU (1978). — ROMANIA: THALHAMMER (1890). — SPAIN: HADORN et al. (1952), MONCLOS (1964). — SWEDEN: BASDEN (1956), FÄLLEN (1823), WAHLGRÉN (1927), ZETTERSTEDT (1847). — SWITZERLAND: BÄCHLI (1972b, 1972c, 1973a, 1974b, 1974c, 1975a, 1975b, 1979). — TURKEY: unpublished. — USSR: unpublished. — YUGOSLAVIA: KECIĆ and MARINKOVIĆ (1978, 1979). — IRAN: unpublished.

***Drosophila trivittata* STROBL, 1893**

Other names used: *D. trivittata* var. *usuraria* DUDA, *Drosophila* sp. II.

General features of adults: BASDEN (1957b), CHUNG (1960b), DUDA (1921, 1924c, 1935), HENNIG (1958), OKADA (1956, 1961b), OLDEMBERG (1914), STROBL (1993b).

Figures: DUDA (1935), OKADA (1956, 1967).

Keys: BEPPU et al. (1977), DUDA (1924a, 1924c, 1935), KANG and LEE (1964), OKADA (1956, 1967), PAPP (1973), STAKELBERG (1970), TAKADA (1971).

Biology: COE (1950), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), KANEKO and TOKUMITSU (1969), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINOMI (1965b), OKADA (1956), OLDEMBERG (1914), PAPP (1979), TODA (1978a).

Distribution:

AUSTRIA: DUDA (1935), STROBL (1893b, 1894). — CZECHOSLOVAKIA: unpublished. — HUNGARY: DELY-DRASKOVITS and BABOS (1975), DELY-DRASKOVITS and PAPP (1973), PAPP (1973), Sods (1945). — ROMANIA: ARADI (1959), DUDA (1924c, 1935), OLDEMBERG (1914), SODS (1945). — SWEDEN: unpublished. — USSR: DUDA (1935), FEOLIOVA (1926), HACKMAN (1957), PAPP (1979), STAKELBERG (1930, 1970). — YUGOSLAVIA: COE (1959). — S. KOREA: KANG and LEE (1964), KANG et al. (1965, 1966), LEE (1965b). — JAPAN: KANEKO (1960), KANNO and SHIRA (1962), KANEKO and TOKUMITSU (1963, 1969), KAWASHIMI et al. (1975), KIMURA (1976b, 1980a, 1980b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MINOMI (1965, 1965b), OKADA (1956, 1967), TAKADA (1968), TODA (1978a), WAKAHAMA (1964), WAKAHAMA et al. (1963).

Recorded also on the Ryukyu Islands and in Taiwan.

***Drosophila tsigana* BURLA and GLOOR, 1952**

General features of adults: BURLA and GLOOR (1952), NATER (1953).

Figures: BURLA and GLOOR (1952), NATER (1953).

Keys: ROCHA PITÉ (1975a).

Biology: HADORN et al. (1952).

Distribution:

FRANCE: BURLA and GLOOR (1952), HADORN et al. (1952), NATER (1953), ROCHA PITÉ and TSACAS (1979). — PORTUGAL: BURLA and GLOOR (1952), HADORN et al. (1952), ROCHA PITÉ (1972).

***Drosophila unimaculata* STROBL, 1893**

General features of adults: BASDEN (1961), BURLA (1951b), CHERNY (1903a), DUDA (1924c, 1935), HSU (1949), NATER (1953), OLDEMBERG (1914), STROBL (1893b).

Figures: BASDEN (1961), DUDA (1924b, 1935), HSU (1949), NATER (1953), PAPP (1973).

Keys: BURLA (1951a), DUDA (1924a, 1924c, 1935), FONSECA (1965), PAPP (1973).

Development: BURLA (1951a).

Biology: BURLA (1951a), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUDA (1924c), HERTING (1965), SCHMID (1968), TESCHNER (1961, 1962).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1935), STROBL (1893b, 1894, 1910). — CZECHOSLOVAKIA: ARADI (1959), SODS (1945). — GERMAN FEDERAL REPUBLIC: DUDA (1935), HERTING (1955), OLDEMBERG (1914), TESCHNER (1961, 1962). — GREAT BRITAIN: FONSECA (1965). — HUNGARY: DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1978), SODS (1945). — POLAND: DUDA (1924c, 1935). — ROMANIA: ARADI (1959), DUDA (1935), OLDEMBERG (1914), PAPP (1973), SODS (1945). — SWITZERLAND: BÄCHLI (1972c, 1975b), BURLA (1948, 1951a), DUDA (1935), HSU (1949), NATER (1953), OLDEMBERG (1914), SCHMID (1968). — YUGOSLAVIA: unpublished.

***Drosophila unipectinata* DUDA, 1924**

Other name used: *Drosophila* sp. like *unipectinata*.

General features of adults: BOCK and WHEELER (1972), DUDA (1924b, 1931), OKADA (1953b, 1954c, 1956, 1959, 1961b).

Figures: DUDA (1924a), OKADA (1954c, 1956).

Keys: DUDA (1924a), OKADA (1956).

Biology: OKADA (1956), SAITO et al. (1962).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1954c, 1956, 1959), SAITO et al. (1962). Recorded also in Taiwan and India.

***Drosophila unispina* OKADA, 1956**

Other names used: *D. transversa* FALLEIN (misident.), *D. transversa* type C, *D. transversa* type III.

General features of adults: CHUNG and RHO (1959), KIM (1962), LEE (1964c), OKADA (1953b, 1955a, 1955b, 1956, 1961b), TAKADA (1952), WAKAHAMA (1956a).

Figures: BEPPU et al. (1977), KIM (1962), OKADA (1955a, 1956, 1968a), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Development: OKADA (1953a, 1958a).

Biology: BEPPU (1976), BEPPU and TODA (1976), ISHIHARA (1955a), KANEKO (1960), KANEKO and TOKUMITSU (1963, 1969), KANG et al. (1960), KATO (1954), KATO and HOBII (1959), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), NOZAWA (1956), OKADA (1954d), SETOJI (1953), TAKADA (1954, 1957, 1958), TODA (1978a, 1978b, 1978c, 1974, 1977), WAKAHAMA (1956b, 1957a, 1961, 1962b, 1964), WATAYA (1979).

Distribution:

S. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1958, 1966a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1964a), KIM (1962, 1963), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976, 1978),

BEPPU and TUDA (1970), ISHIHARA (1955a), KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1969), KATO (1954), KATO and HOBI (1952, 1954), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TUDA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MIZUNO (1952), MOMMA (1957, 1965a), NOZAWA (1956), OKADA (1954d, 1955a, 1956, 1968a), SHIMA (1967), SUZUKI (1955), TAKADA (1952, 1954, 1957, 1958, 1968), TAKADA and OKADA (1960), TAKADA et al. (1953), TUDA (1973a, 1973b, 1973c, 1974, 1977), TOKUMITSU et al. (1967), TOYOFUKU (1957), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1956a, 1956b, 1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963), WATABE (1979), WATABE and BEPPU (1977).

### *Drosophila virilis* STURTEVANT, 1916

General features of adults: DE CASTRO (1953), CHINO (1936), HSU (1949), KIKKAWA and PENG (1935), KIM (1962), KUROKAWA (1972), KUROKAWA and HINARA (1976), NATER (1953), OKADA (1953b, 1955a, 1956, 1961b), PATTERSON (1943), PENG (1937), STURTEVANT (1916, 1921), WATABE and HIGUCHI (1979).

Figures: BEPPU et al. (1977), CHINO (1936), HSU (1949), KIKKAWA and PENG (1935), KIM (1962), KUROKAWA (1972), MALOGOLOWKIN (1953), MAYER (1935), NATER (1953), OKADA (1955a, 1956, 1968a), PATTERSON (1943), PATTERSON and STONE (1952), PENG (1937), STURTEVANT (1921), THORCKMORTON (1962), WATABE and HIGUCHI (1979).

Keys: BEPPU et al. (1977), DUDA (1927), KIKKAWA and PENG (1938), LEE (1964c), MONCLUS (1976), OKADA (1956), PATTERSON (1943), PATTERSON and MAINLAND (1944), PENG (1937), STURTEVANT (1918, 1921), TAKADA (1971).

Development: HENNIG (1962), KIKKAWA and PENG (1938), MAYER (1935), OKADA (1963a, 1968a), PATTERSON (1943).

Biology: HACHIDA (1954), HUNTER (1966), KANEKO (1960), KANEKO et al. (1966), KIKKAWA and PENG (1938), KIMURA and TADA (1976), NOZAWA (1956), OHMORI et al. (1960), OKADA (1956, 1962), PATTERSON (1942), SAITO et al. (1962), SPITH (1979), STURTEVANT (1921), TAKADA (1954, 1957, 1968), TAKADA and TOYOFUKU (1960), TAN et al. (1949), TUDA (1973a), WAKAHAMA (1957a, 1961, 1962b, 1964).

Distribution: NETHERLANDS: LAKOVAARA and HOIKKALA (1970). — SPAIN: MONCLUS (1976). — TURKEY: ROCHA PITÉ and TSACAS (1980). — USSR: KIKKAWA and PENG (1938), LAKOVAARA and HOIKKALA (1979), WHEELER and HAMILTON (1972). — MA-DEIRA: unpublished. — CANARY IS.: MONCLUS (1976). — CHINA: KIKKAWA and PENG (1938), PATTERSON and GRIFFEN (1944), PATTERSON and STONE (1952), PENG (1937), TAN et al. (1949), WARTHERS (1944). — N. KOREA: KIKKAWA and PENG (1938), OKADA (1974b). — S. KOREA: CHUNG (1958, 1959), KANG et al. (1959, 1964a), KIKKAWA and PENG (1938), KIM (1962), LEE (1963, 1964a, 1966b), OKADA (1956), PAIK (1955), TAKADA and LEE (1958). — JAPAN: HACHIDA (1954), KANEKO (1960, 1968), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1968), KAWANISHI and WATANABE (1977), KIKKAWA and PENG (1938), KIMURA and TADA (1976), MOMMA (1954, 1957, 1965a), NOZAWA (1956), OHMORI et al. (1960), OKADA (1955a, 1956, 1962, 1968a), PATTERSON and STONE (1952), SAITO et al. (1962), SHIMA (1960), TAKADA (1952, 1954, 1957, 1958, 1968, 1971), TAKADA and OKADA (1960), TAKAHASHI and KANEKO (1968), TADA (1973a), TOYOFUKU (1957), TOYOFUKU and KIMURA (1960, 1961), TSUNO (1973), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WARTHERS (1944).

Recorded also in America.

### *Drosophila yakushimanana* OKADA, 1967

General features of adults: OKADA (1967).

Figures: OKADA (1967).

Key: OKADA (1967).

Distribution:  
JAPAN: OKADA (1967).

### *Gitona* MEIGEN, 1830

#### *Gitona beckeri* DUDA, 1924

General features of adults: DUDA (1934).

Figures: DUDA (1924a, 1934).

Keys: DUDA (1924a, 1934), McALPINE (1968).

Distribution:  
CHINA: DUDA (1924a, 1934).

#### *Gitona canariensis* DUDA, 1934

General features of adults: DUDA (1934), SÉGUY (1941).

Key: DUDA (1934).

Distribution:  
CANARY IS.: DUDA (1934), FREY (1936), MONCLUS (1976), TSACAS and DESMIER DE CHENON (1976).

#### *Gitona distans* BEZZI, 1924

General features of adults: BASDEN (1966), BEZZI (1924a).

Figures: BEZZI (1924a).

Biology: BEZZI (1924a).

Distribution:  
CYPRUS: BEZZI (1924a).

Recorded also in Pakistan.

***Gitona distigma* MEIGEN, 1830**

General features of adults: BEZZI (1924a), COLLIN (1902a), DUDA (1934), LANGHOFFER (1897), LÖRWS (1864), MACQUART (1855), MEIGEN (1830), NEUHAUS (1886), OKADA (1973c), OLDENBERG (1914), SÉGUY (1933a, 1934a, 1934b).

Figures: BEZZI (1924a), DUDA (1924a, 1934), FRAUNEFELD (1868b), LIOT (1895), OKADA (1973c), PAPP (1973), SÉGUY (1934b), ŠTAKELBERG (1970).

Keys: DUDA (1924a, 1934), ENDERLEIN (1936), LAŠTOVKA and MÁČA (1977), PAPP (1973), SÉGUY (1934a, 1934b), ŠTAKELBERG (1970).

Biology: BRAUER (1883), DOSKOČIL (1962), DUDA (1934), KALTENBACH (1874), KNAB (1914), LANGHOFFER (1897), SCHOLTZ (1848-50), SÉGUY (1933b, 1934a, 1934b, 1951), STURTEVANT (1921), TIEF (1888), WHEELER (1952), ZUSKA and LAŠTOVKA (1969).

Distribution:

- AUSTRIA: ARADI (1959), BASDEN (1961), SCHINER (1864), STROBL (1894), TIEF (1888). — CZECHOSLOVAKIA: CZERNÝ (1906, 1910), DOSKOČIL (1962), LAŠTOVKA and MÁČA (1977), VIMMER (1913), ZUSKA and LAŠTOVKA (1969).
- GERMANY: MACQUART (1855), MEIGEN (1830), SÉGUY (1934a, 1934b). — FRANCE: NEUHAUS (1886), OLDENBERG (1914). — GERMAN DEMOCRATIC REPUBLIC: DUDA (1934), NEUHAUS (1886), OLDENBERG (1914). — GERMAN FEDERAL REPUBLIC: unpublished.
- HUNGARY: ARADI (1959), PAPP (1973), SÓS (1943). — ITALY: BEZZI (1924a), LIOT (1895), OLDENBERG (1914). — POLAND: SCHOLTZ (1848-50). — ROMANIA: ARADI (1959). — SPAIN: CZERNÝ and STROBL (1909). — SWITZERLAND: unpublished.
- USSR: DUDA (1934), ŠTAKELBERG (1970). — YUGOSLAVIA: COĆ (1959), LANGHOFFER (1897), STROBL (1898a, 1900a), THALHAMMER (1899). — CHINA: SÉGUY (1934a, 1934b). — MONGOLIA: OKADA (1973c).

***Gitona microchaeta* SÉGUY, 1941**

General features of adults: SÉGUY (1941).

Distribution:

- MOROCCO: SÉGUY (1941), TSACAS and DESMIER DE CHENON (1976).

***Hypselothyrea* DE MEIJERE, 1906*****Hypselothyrea breviscutellata* DUDA, 1928**

General features of adults: DUDA (1928), GUPTA (1974b), OKADA (1956, 1961b).

Figures: DUDA (1928), OKADA (1956).

Keys: DUDA (1928), OKADA (1956).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

Recorded also in Taiwan.

***Leucophenga* MIK, 1886*****Leucophenga angusta* OKADA, 1956**

Other names used: *L. nigricentris* MACQUART (misident.), *L. nigripalpis* DUDA (misident.), *L. guttiventris* DE MEIJERE (misident.), *Leucophenga* sp.

General features of adults: BOCK (1970), BOHART and GRESSITT (1951), LIN and WHEELER (1972), OKADA (1956, 1966a, 1970), WHEELER and TAKADA (1964).

Figures: LIN and WHEELER (1972), OKADA (1956, 1966a, 1970), WHEELER and TAKADA (1964).

Keys: BEPPU et al. (1977), BOCK (1970), OKADA (1956, 1970), WHEELER and TAKADA (1964).

Biology: BOHART and GRESSITT (1951), OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

JAPAN: KAWANISHI (1978), LIN and WHEELER (1972), OKADA (1956, 1965, 1966a), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also in South Asia, Australia and on some Pacific Islands.

***Leucophenga atrinervis* OKADA, 1968**

Other names used: *L. nigrinervis* DUDA (misident.), *Leucophenga* sp.

General features of adults: OKADA (1968c).

Figures: OKADA (1968a, 1968c).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1968a).

Distribution:

JAPAN: OKADA (1968a, 1968c).

***Leucophenga bellula* BERGROTH, 1894**

Other names used: *L. guttiventris* DE MEIJERE (syn.), *L. maculiventris* DE MEIJERE (syn.).

General features of adults: BERGROTH (1894), BOCK (1979), BURLA (1954a), DUDA (1923, 1939), GUPTA (1970), LIN and WHEELER (1972), MALLLOCH (1923a), DE MEIJERE (1905, 1911b, 1918b), OKADA (1956, 1966a, 1970, 1971e).

Figures: BOCK (1970), DUDA (1924a), DE MEIJERE (1908), OKADA (1956, 1966a, 1970).

**Keys:** BOCK (1979), DUDA (1924a, 1939), DE MELJERE (1908), OKADA (1956, 1966a, 1970), SINGH and GUPTA (1974).

**Biology:** OKADA (1956).

**Distribution:**

JAPAN: KAWANISHI (1978), OKADA (1956, 1966a, 1970). Recorded mainly in South Asia and Australia.

### *Leucophenga concitta* OKADA, 1956

**General features of adults:** KANG et al. (1965a), KIM (1962), OKADA (1956, 1968c).

**Figures:** KIM (1962), OKADA (1956, 1968c).

**Keys:** LEE (1964c), OKADA (1956).

**Biology:** OKADA (1956), WAKAHAMA (1962b, 1964).

**Distribution:**

S. KOREA: KANG et al. (1958, 1959), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), OKADA (1956, 1966b, 1968c), WAKAHAMA (1962a, 1962b, 1962c, 1964, 1966).

Recorded also on the Ryukyu Islands.

### *Leucophenga interrupta* DUDA, 1923

**General features of adults:** DUDA (1924b), LIN and WHEELER (1972), OKADA (1956), SINGH and GUPTA (1974).

**Figures:** DUDA (1924a), LIN and WHEELER (1972), OKADA (1956), SINGH and GUPTA (1974).

**Keys:** DUDA (1924a, 1939), OKADA (1956), SINGH and GUPTA (1974).

**Biology:** OKADA (1954, 1956).

**Distribution:**

JAPAN: OKADA (1954d, 1956, 1964).

Recorded mainly in South Asia.

### *Leucophenga lacteosa* TAKADA and WAKAHAMA, 1967

**General features of adults:** TAKADA and WAKAHAMA (1967).

**Figures:** TAKADA and WAKAHAMA (1967).

**Distribution:**

JAPAN: OKADA (1968c).

Recorded also on the Ryukyu Islands.

### *Leucophenga maculata* DUFOUR, 1839

**Other name used:** *Leucophenga* sp. from Hokkaido.

**General features of adults:** BASDEN (1957), DUDA (1923, 1924c, 1934), DUFOUR (1839), KIM (1962), KUROKAWA and HIRARA (1976), LAME (1914), LIN and WHEELER (1972), DE MELJERE (1911b), MIK (1886a), OKADA (1956), OLDEMBERG (1914), SEGUY (1934a, 1934b), SHARP (1900), STOHL (1893b, 1894), TAKADA and WAKAHAMA (1967), WAHLBERG (1927), ZETTERSTEDT (1847, 1960).

**Figures:** BEPPU et al. (1977), DUDA (1934), DUFOUR (1839, 1845), HENNIG (1952, 1958), KIM (1962), LASTOVKA and MÁCA (1977), LIN and WHEELER (1972), OKADA (1956), PAPP (1973), SEGUY (1934b).

**Keys:** BEPPU et al. (1977), DUDA (1924a, 1934, 1939), ENDERLEIN (1936), FONSECA (1965), LASTOVKA and MÁCA (1977), LEE (1964c), OKADA (1956), PAPP (1973), SCHINER (1864), SEGUY (1934a, 1934b), ŠTAKELBERG (1970), TAKADA (1971), WAHLBERG (1927).

**Development:** DUDA (1924), DUFOUR (1839, 1840, 1845, 1846), HENNIG (1952), MAXER (1935), OKADA (1965a).

**Biology:** BRAUTER (1883), BUXTON (1940), CANZANELLI (1941), COLEVER and HAMMOND (1951), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), DUFOUR (1839, 1840, 1845), KANKEI and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KIRCHBERG (1960), MÁCA (1975), MAXER (1935), MINAMI et al. (1979), MOMMA (1957), OKADA (1954d, 1962), OLDEMBERG (1923), RINGDAHL (1949), SCHMID (1968), SCHULZE (1912), SEGUY (1934a, 1934b), TODA (1973a, 1977).

**Distribution:**

AUSTRALIA: BASTEN (1961), MIK (1886a), RINGDAHL (1957), STOHL (1894, 1902), TROY (1888). — CZECHOSLOVAKIA: ABDIĆ (1950), LASTOVKA and MÁCA (1977), MÁCA (1978), VERNER (1913). — FRANCE: DUFOUR (1839, 1840, 1845), SEGUY (1934a, 1934b). — GERMANY: FEDERAL REPUBLIC: KRÖBER (1910, 1925), OLDEMBERG (1925). — GREAT BRITAIN: ANDRENT (1954), HUNGARY: ARADI (1959), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973). — ITALY: BIZZI (1892d), CANZANELLI (1941), OLDEMBERG (1914), PORODNY (1892), NOHNER (1864). — POLAND: RĘDKIEWICZ (1930). — ROMANIA: ARADI (1959), OLDEMBERG (1914), THALHAMMER (1890). — SPAIN: HACKMAN (1969a). — SWEDEN: RINGDAHL (1949), WAHLBERG (1927), ZETTERSTEDT (1860). — SWITZERLAND: HÄCHL (1972c, 1975a, 1973a, 1974c, 1975a, 1975b, 1979), BIRKA (1951a), SCHMID (1968). — TURKEY: unpublished. — USSR: ŠTAKELBERG (1970). — YUGOSLAVIA: BASDEN (1961), COE (1959), STOHL (1894, 1898a, 1900a). — S. KOREA: KANG et al. (1958, 1959, 1964a), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: KANKEI (1969), KANKEI and TAKADA (1966), KANKEI and TOKUMITSU (1963, 1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1954d, 1962, 1966), TAKADA (1968), TODA (1973a, 1977), WAKAHAMA (1962a, 1964, 1966). Recorded also in Taiwan.

### *Leucophenga orientalis* LIN and WHEELER, 1972

**Other name used:** *L. magnipalpis* DUDA (misident.).

**General features of adults:** KUROKAWA and HIRARA (1976), KIM (1962), LIN and WHEELER (1972), OKADA (1956, 1961a, 1970, 1971e), WAKAHAMA (1956a).

**Figures:** KIM (1962), LIN and WHEELER (1972), OKADA (1956, 1970), WAKAHAMA (1956a).

**Keys:** BEPPU et al. (1977), LEE (1964c), OKADA (1956, 1970), TAKADA (1971).

**Biology:** KANKE and TOKUMITSU (1969), KIMURA (1976a), MOMMA (1957), WAKAHAMA (1962b, 1984).

**Distribution:**

S. KOREA: CHUNG (1960a), KANG et al. (1968, 1959), KIM (1962, 1963), LEE (1964c, 1966b), PAIK (1958), TAKADA and LEE (1968). — JAPAN: KANKE and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), LIN and WHEELER (1972), MOMMA (1957, 1965a), OKADA (1956, 1966b), TAKADA (1968), WAKAHAMA (1956a, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1965).

Recorded also on the Ryukyu and Bonin Islands and in Taiwan.

***Leucophenga ornata* WHEELER, 1959**

Other name used: *L. ornatipennis* DE MEIJERE (syn.).

General features of adults: BASDEN (1957b), BOCK (1979), KIM (1962), KUROKAWA and HIRABA (1976), LIN and WHEELER (1972), DE MEIJERE (1914), OKADA (1953a, 1956, 1961a, 1968c).

Figures: BOCK (1979), DUDA (1924a), KIM (1962), DE MEIJERE (1914), OKADA (1956, 1968c).

**Keys:** BOCK (1979), DUDA (1924a), LEE (1964c), DE MEIJERE (1914), OKADA (1956, 1966a).

**Biology:** BEPPU (1976), KIMURA (1976a), OKADA (1956, 1964), WAKAHAMA (1961, 1962b, 1964).

**Distribution:**

S. KOREA: KANG et al. (1959), LEE (1964c, 1966b), PAIK (1958), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), LIN and WHEELER (1972), OKADA (1956, 1966b, 1968c), WAKAHAMA (1961, 1962a, 1962b, 1962c, 1964).

Recorded mainly in South Asia and Australia.

***Leucophenga quadrivirgata* DE MEIJERE, 1908**

General features of adults: BOCK (1979), DE MEIJERE (1908), OKADA (1956), TAKADA and MOMMA (1975).

Figures: BOCK (1979), DUDA (1924a), DE MEIJERE (1908), OKADA (1956).

**Keys:** BOCK (1979), DUDA (1924a, 1939), DE MEIJERE (1908), OKADA (1956).

**Distribution:**

S. KOREA: KANG et al. (1959), LEE (1964b). — JAPAN: OKADA (1956).

Recorded mainly in South Asia and Australia.

***Leucophenga quinquemaculata* STROBL, 1893**

Other name used: *L. quinquemaculata* var. *marginalis* OLDFIELD.

General features of adults: BASDEN (1961), DUDA (1934), OKADA (1956), OLDFIELD (1914), STROBL (1893b), TAKADA and LEE (1958), WHEELER (1952).

Figures: DUDA (1924a, 1934), PAPP (1973).

**Keys:** DUDA (1924a, 1934, 1939), ENDERLEIN (1936), PAPP (1973), STAKELBERG (1970).

**Biology:** PAPP (1973).

**Distribution:**

AUSTRIA: DUDA (1934), STROBL (1893b, 1894). — FINLAND: FREY (1929). — ITALY: OLDFIELD (1914). — POLAND: DUDA (1934). — SWEDEN: unpublished. — SWITZERLAND: BÄCHLI (1975b). — USSR: PAPP (1973), STAKELBERG (1970).

***Leucophenga quinquemaculipennis* OKADA, 1956**

Other names used: *Leucophenga* sp., *L. quinquemaculata* STROBL (lapetus).

General features of adults: KIM (1962), OKADA (1956, 1968c), TAKADA (1960), TAKADA and LEE (1958).

Figures: KIM (1962), OKADA (1968a, 1968c), TAKADA (1960).

**Keys:** BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

**Development:** OKADA (1968a).

**Biology:** BEPPU (1976), KANKE and TOKUMITSU (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d), SUZUKI (1955), TAKADA (1960), TODA (1973a, 1973b, 1977).

**Distribution:**

S. KOREA: OKADA (1974b). — S. KOREA: CHUNG and RHO (1959), KANG et al. (1959), KIM (1962), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: BEPPU (1976), BEPPU and TODA (1976), KANKE and TOKUMITSU (1969), KANKE et al. (1969), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1968a, 1968c), SUZUKI (1955), TAKADA (1960, 1968), TODA (1973a, 1973b, 1977), WAKAHAMA (1964), WAKAHAMA et al. (1964).

***Leucophenga saigusa* OKADA, 1968**

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

**Distribution:**

JAPAN: OKADA (1968c).

***Leucophenga sorii* KANG, LEE and BAHNG, 1965**

General features of adults: KANG et al. (1965a).

Figures: BEPPU et al. (1977), KANG et al. (1965a).

**Key:** BEPPU et al. (1977).

**Biology:** KANG et al. (1965).

**Distribution:**

S. KOREA: KANG et al. (1965a), LEE (1966b). — JAPAN: BEPPU et al. (1977).

***Leucophenga stackelbergi* DUDA, 1934**

General features of adults: DUDA (1934).

Key: DUDA (1934).

Distribution:

USSR: DUDA (1934).

***Leucophenga stenomaclipennis* OKADA, 1968**

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

Biology: KIMURA (1976b), TODA (1974).

Distribution:

JAPAN: KIMURA (1976b), OKADA (1968c), TODA (1974).

***Leucophenga subpollinosa* DE MEIJERE, 1914**

General features of adults: BÄCHLI (1971, 1973b), BOCK (1970), DUDA (1926a), GUPTA (1974b), LIN and WHEELER (1972), DE MEIJERE (1914), OKADA (1956, 1966a), WHEELER and TAKADA (1964).

Figures: BÄCHLI (1971), BOCK (1970), DUDA (1924a), GUPTA (1974b), OKADA (1956).

Keys: BÄCHLI (1971), BOCK (1970), DUDA (1924, 1939), DE MEIJERE (1914), OKADA (1956, 1966), SINH and GUPTA (1974), WHEELER and TAKADA (1964).

Biology: LACHAISE (1975).

Distribution:

JAPAN: OKADA (1956).

Recorded mainly in Old World tropics and Australia.

***Liodrosophila* DUDA, 1922*****Liodrosophila aerea* OKADA, 1956**Other names used: *Parasycyphodrosophila* sp., *L. rugulosa* DE MEIJERE (misident.).

General features of adults: KUBOKAWA and HIRAKAWA (1976), OKADA (1953a, 1955b, 1956, 1961a, 1965, 1968d, 1974a), OKADA and CHUNG (1960).

Figures: OKADA (1956, 1965, 1968a, 1968d, 1974a).

Keys: BIEPPU et al. (1977), OKADA (1965, 1974a), TAKADA (1971).

Development: OKADA (1963a, 1968a).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: KANEKO and SHIMA (1962), KAWANISHI (1978), KAWANISHI and WATANABE (1977), KAWANISHI et al. (1975), OKADA (1956, 1966b, 1968a, 1974a), WAKAHAMA (1962a, 1964, 1966).

Recorded also in Southeast Asia.

***Liodrosophila bicolor* OKADA, 1956**

General features of adults: OKADA (1956, 1965, 1968d, 1974a).

Figures: OKADA (1956, 1965, 1968d, 1974a).

Keys: OKADA (1965, 1974a).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

Recorded also on the Ryukyu Islands.

***Liodrosophila castanea* OKADA and CHUNG, 1960**

General features of adults: OKADA (1974a), OKADA and CHUNG (1960).

Figures: LEE (1964c), OKADA (1974a), OKADA and CHUNG (1960).

Keys: LEE (1964c), OKADA (1974a).

Development: LEE (1964c).

Biology: OKADA and CHUNG (1960).

Distribution:

S. KOREA: CHUNG (1959), LEE (1964c, 1966b), OKADA and CHUNG (1960).

***Liodrosophila nitida* DUDA, 1922**

General features of adults: DUDA (1922, 1926a), OKADA (1964, 1966a, 1974a).

Figures: DUDA (1924a), OKADA (1964, 1966a, 1974a).

Keys: DUDA (1922), OKADA (1966a, 1974a).

Distribution:

JAPAN: OKADA (1974a).

Recorded mainly in Southeast Asia.

### *Microdrosophila* MALLOCH, 1921

#### *Microdrosophila congesta* ZETTERSTEDT, 1847

General features of adults: BASDEN (1957b), BOHART and GRESSITT (1951), DUDA (1923, 1924c, 1926a, 1927, 1934), OKADA (1960b), WAHLGREN (1927), ZETTERSTEDT (1847).

Figures: DUDA (1924a, 1934), LÁŠTOVKA and MÁČA (1927).

Keys: BOHART and GRESSITT (1951), DUDA (1924a, 1924c, 1926a, 1927, 1934), ENDERLEIN (1936), LÁŠTOVKA and MÁČA (1927), WAHLGREN (1927).

Biology: BOHART and GRESSITT (1951), SCHMID (1968).

Distribution:

AUSTRIA: unpublished. — POLAND: DUDA (1924c, 1934). — SWEDEN: DUDA (1924c), WAHLGREN (1927), ZETTERSTEDT (1847). — SWITZERLAND: SCHMID (1968). — USSR: ŠTAKELBERG (1930).

Recorded also in Southeast Asia.

Comment:

Records outside of Europe may refer to other species.

#### *Microdrosophila cristata* OKADA, 1960

General features of adults: KUROKAWA and HIRAKAWA (1976), LEE and LEE (1967), OKADA (1960b, 1961a, 1968a, 1968b, 1968c).

Figures: BEPPU et al. (1977), LEE and LEE (1967), OKADA (1960b, 1968a, 1968b, 1968c).

Keys: BEPPU et al. (1977), OKADA (1960b), TAKADA (1971).

Development: OKADA (1968a).

Biology: KANERO and TOKUMITSU (1960).

Distribution:

S. KOREA: LEE and LEE (1967). — JAPAN: KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KAWANISHI et al. (1975), OKADA (1960b, 1968a).

Recorded also in Taiwan.

#### *Microdrosophila fuscata* OKADA, 1960

General features of adults: OKADA (1960b, 1968b), LEE and LEE (1967).

Figures: OKADA (1960b, 1968b).

Keys: LEE (1964c), OKADA (1960b).

Biology: OKADA (1960b).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: KAWANISHI (1978), OKADA (1960b, 1968b).

#### *Microdrosophila latifrons* OKADA, 1965

General features of adults: LEE and LEE (1967), OKADA (1965).

Figures: LEE and LEE (1967), OKADA (1965).

Key: OKADA (1965).

Distribution:

S. KOREA: LEE and LEE (1967).

Recorded also on the Ryukyu Islands.

#### *Microdrosophila maculata* OKADA, 1960

General features of adults: OKADA (1960b, 1961a, 1968a, 1968b, 1968c).

Figures: OKADA (1960b, 1968b, 1968c).

Key: OKADA (1960b).

Biology: OKADA (1960).

Distribution:

JAPAN: OKADA (1960b).

#### *Microdrosophila matsudairai* OKADA, 1960

General features of adults: LEE and LEE (1967), OKADA (1960b, 1968a, 1968b, 1968c).

Figures: LEE (1964a), OKADA (1960b, 1968a, 1968b).

Keys: LEE (1964c), OKADA (1960b, 1965).

Development: LEE (1964a), OKADA (1968a).

Biology: OKADA (1960b, 1968a).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: KAWANISHI (1978), OKADA (1960b, 1968a).

Recorded also on the Ryukyu Islands.

#### *Microdrosophila nigripalpis* OKADA, 1966

General features of adults: OKADA (1966a, 1968b, 1968c).

Figures: OKADA (1966a, 1968b, 1968c).

Key: OKADA (1966a).

Distribution:

JAPAN: OKADA (1968c).

Recorded also in Nepal.

***Microdrosophila pleurolineata* WHEELER and TAKADA, 1964**

General features of adults: OKADA (1965, 1968b, 1968c), WHEELER and TAKADA (1964).

Figures: OKADA (1965, 1968b, 1968c), TAKADA (1966), WHEELER and TAKADA (1964).

Keys: OKADA (1965), WHEELER and TAKADA (1964).

Distribution:

JAPAN: OKADA (1977b).

Recorded also in Southeast Asia and Micronesia.

***Microdrosophila pseudopleurolineata* OKADA, 1968**

General features of adults: OKADA (1968c).

Figures: OKADA (1968c).

Biology: OKADA (1968c).

Distribution:

JAPAN: OKADA (1968c).

Recorded also on the Ryukyu Islands.

***Microdrosophila purpurata* OKADA, 1956**

General features of adults: KUROKAWA and HIRAKAWA (1976), OKADA (1956, 1960b, 1961a, 1968a, 1968b, 1968c).

Figures: OKADA (1956, 1968a, 1968b, 1968c).

Keys: LEE (1964c), OKADA (1956, 1960b).

Development: OKADA (1968a).

Biology: LEE (1962), OKADA (1956, 1968a).

Distribution:

K. KOREA: OKADA (1974b). — S. KOREA: CHUNG (1960a), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: KAWANISHI (1978), KAWANISHI et al. (1975), OKADA (1956, 1966b, 1968a), WAKAHAMA (1966).

Recorded also in India.

***Microdrosophila urashimae* OKADA, 1960**

Other name used: *M. congesta* ZETTERSTEDT (misident.).

General features of adults: OKADA (1956, 1960b, 1961a, 1968b), OKADA and KUROKAWA (1957).

Figures: OKADA (1956, 1968a, 1968b), OKADA and KUROKAWA (1957).

Keys: LEE (1964c), OKADA (1956, 1960b).

Development: OKADA (1956, 1968a, 1968b).

Biology: OKADA (1956, 1968a), OKADA and KUROKAWA (1957).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b). — JAPAN: OKADA (1956, 1960b, 1966b, 1968a), OKADA and KUROKAWA (1957).

Recorded also in Taiwan.

***Microdrosophila zetterstedti* WHEELER, 1959**

Other name used: *M. nigricentris* ZETTERSTEDT (syn.).

General features of adults: BASDEN (1961), DUDA (1934), OKADA (1960b), ZETTERSTEDT (1847).

Figures: BASDEN (1961), DUDA (1934).

Keys: DUDA (1934), HACKMAN (1954), STAKELBERG (1970), ZETTERSTEDT (1847).

Distribution:

AUSTRIA: BASDEN (1961). — FINLAND: HACKMAN (1954). — NORWAY: unpublished. — SWEDEN: ZETTERSTEDT (1847). — USSR: DUDA (1934), STAKELBERG (1970).

***Mycodrosophila* OLDBERG, 1914*****Mycodrosophila atrithorax* OKADA, 1968**

General features of adults: OKADA (1968d).

Figures: OKADA (1968d).

Distribution:

JAPAN: OKADA (1968d).

***Mycodrosophila basalis* OKADA, 1956**

General features of adults: OKADA (1956).

Figures: OKADA (1956).

Keys: LEE (1964c), OKADA (1956).

Biology: LEE (1964), OKADA (1956).

Distribution:

S. KOREA: CHUNG (1958), KANG et al. (1959), LEE (1962, 1964c, 1966b), TAKADA and LEE (1958). — JAPAN: OKADA (1956).

*Mycodrosophila biceps* KANG, LEE and BAHNG, 1966

General features of adults: KANG et al. (1966), OKADA (1968d).

Figures: KANG et al. (1966), OKADA (1968d).

Biology: KANG et al. (1966).

Distribution:

S. KOREA: KANG et al. (1966), LEE (1966b). — JAPAN: OKADA (1968d).

*Mycodrosophila bifibulata* TAKADA, 1968

General features of adults: TAKADA (1968).

Figures: TAKADA (1968).

Keys: BEPPU et al. (1977), TAKADA (1971).

Biology: KIMURA (1976a), KIMURA and TODA (1976), TAKADA (1968).

Distribution:

JAPAN: KIMURA (1976a), KIMURA and TODA (1976), TAKADA (1968).

*Mycodrosophila erecta* OKADA, 1968

Other name used: *Mycodrosophila* sp. from Kirishimayama.

General features of adults: LIN and TING (1971), OKADA (1956, 1968d).

Figures: OKADA (1956, 1968d).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959). — JAPAN: OKADA (1956, 1968d).

Recorded also on the Ryukyu Islands.

*Mycodrosophila gratiosa* DE MEIJERE, 1911

Other names used: *M. fructicola* LAMBS (syn.), *M. biroi* DUDA (syn.), *M. splendida* OKADA (syn.).

General features of adults: BURLA (1954a), DUDA (1923, 1939), GUPTA (1974b), LAMB (1914), MALLOCH (1933), DE MEIJERE (1911b), OKADA (1956, 1961a, 1965, 1971c), WHEELER and TAKADA (1964).

Figures: BURLA (1954a), GUPTA (1974b), LAMB (1914), OKADA (1956, 1968a, 1971c), WHEELER and TAKADA (1964).

Keys: BEPPU et al. (1977), BURLA (1954a), DUDA (1924a), LEE (1964c), MALLOCH (1934b), DE MEIJERE (1911b), WHEELER and TAKADA (1964).

Development: OKADA (1963a, 1968a).

Biology: BURLA (1954a), OKADA (1956, 1968a), TODA (1976), WAKAHAMA (1961, 1962b, 1964).

Distribution:

S. KOREA: CHUNG (1959), KANG et al. (1959), KIM (1963), LEE (1964c, 1966b). — JAPAN: OKADA (1956, 1960b, 1968a), WAKAHAMA (1961, 1962a, 1962b, 1963c, 1964, 1966).

Recorded mainly in Old World tropics.

*Mycodrosophila japonica* OKADA, 1956

Other name used: *Mycodrosophila* sp. I.

General features of adults: OKADA (1956, 1961a, 1968d).

Figures: OKADA (1956, 1968d).

Keys: BEPPU et al. (1977), LEE (1964c), OKADA (1956), TAKADA (1971).

Biology: KIMURA (1976b), MOMMA (1957, 1965b), OKADA (1956), SUZUKI (1955).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1959, 1964c, 1966b). — JAPAN: KIMURA (1976b), MOMMA (1957, 1965b), OKADA (1956, 1960b, 1968d), SUZUKI (1955), WAKAHAMA (1964).

*Mycodrosophila koreana* LEE and TAKADA, 1959

Other name used: *Mycodrosophila* sp.

General features of adults: KANG et al. (1964a, 1965a), KIM (1962), LEE and TAKADA (1959).

Figures: KIM (1962), LEE (1964c), LEE and TAKADA (1959).

Key: LEE (1964c).

Development: LEE (1964c).

Biology: LEE (1962, 1964c), LEE and TAKADA (1959).

Distribution:

S. KOREA: KIM (1962, 1963), LEE (1962, 1964c, 1966b), LEE and TAKADA (1959), TAKADA and LEE (1958). — JAPAN: LEE and TAKADA (1959).

*Mycodrosophila nigropteropleura* KANG, LEE and BAHNG, 1965

General features of adults: KANG et al. (1965a, 1966).

Figures: KANG et al. (1965a).

Biology: KANG et al. (1965a).

Distribution:

S. KOREA: KANG et al. (1965a), LEE (1966b).

***Mycodrosophila palmata* OKADA, 1956**

General features of adults: LEE and TAKADA (1959), OKADA (1956).

Figures: OKADA (1956).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956).

***Mycodrosophila planipalpis* KANG, LEE and BAHNG, 1966**

General features of adults: KANG et al. (1966), OKADA (1968d).

Figures: KANG et al. (1966), OKADA (1968d).

Biology: KANG et al. (1966).

Distribution:

S. KOREA: KANG et al. (1966), LEE (1966b). — JAPAN: OKADA (1968d).

***Mycodrosophila poccilogastera* LOEW, 1874**

Other names used: *M. johni* POKORNÝ (syn.), *Mycodrosophila* sp. II.

General features of adults: BASDEN (1957b), DUDA (1934, 1939), HENNIG (1958), LEE and TAKADA (1959), LOEW (1874), OKADA (1953a, 1956, 1961a), OLDEMBERG (1914), POKORNÝ (1896), SÉGUIN (1934b).

Figures: DUDA (1924a, 1934), OKADA (1956, 1968a), PAPP (1973).

Keys: BEPPU et al. (1977), DUDA (1924a, 1934), ENDERLEIN (1936), LÁŠTOVKA and MÁCA (1977), LEE (1964c), OKADA (1956), PAPP (1973), SÉGUIN (1934b), STAKELBERG (1970), TAKADA (1971).

Development: OKADA (1968a).

Biology: COE (1959), KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI et al. (1979), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1968a), STURTEVANT (1921), SUZUKI (1955).

Distribution:

AUSTRIA: unpublished. — CZECHOSLOVAKIA: unpublished. — HUNGARY: ARADI (1959), PAPP (1973). — ROMANIA: ARADI (1959), DUDA (1934), OLDEMBERG (1914). — USSR: STAKELBERG (1970). — YUGOSLAVIA: ARADI (1959), COE (1959), POKORNÝ (1896), THALHAMMER (1899). — IRAN: DUDA (1934), LOEW (1874). — S. KOREA: CHUNG (1958), KANG et al. (1968, 1970, 1976a, 1986), LEE (1964c, 1968b), PARK (1968). — JAPAN: KIMURA (1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957, 1965b), OKADA (1954d, 1956, 1966b, 1968a), SUZUKI (1955), TAKADA (1968), WAKAHAMA (1962a, 1964, 1966).

***Mycodrosophila setipalpis* OKADA, 1956**

General features of adults: OKADA (1956, 1961a).

Figures: OKADA (1956).

Key: OKADA (1956).

Biology: OKADA (1956).

Distribution:

JAPAN: OKADA (1956).

***Mycodrosophila shikokuana* OKADA, 1956**

General features of adults: OKADA (1956, 1968d).

Figures: BEPPU et al. (1977), OKADA (1956, 1968d), TAKADA (1960).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Biology: KIMURA (1976b), OKADA (1956), TAKADA (1960).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1964c, 1968b). — JAPAN: KIMURA (1976b), MOMMA (1965a), OKADA (1956, 1968d), TAKADA (1960), WAKAHAMA (1966).

***Mycodrosophila takachihonis* OKADA, 1956**

General features of adults: OKADA (1956, 1961a, 1968d).

Figures: BEPPU et al. (1977), OKADA (1956, 1968d), TAKADA (1960).

Keys: BEPPU et al. (1977), OKADA (1956), TAKADA (1971).

Biology: OKADA (1956), TAKADA (1960).

Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956, 1964, 1968d), TAKADA (1960), WAKAHAMA (1964). Recorded also on the Ryukyu Islands.

***Nesiadrosophila* WHEELER and TAKADA, 1964*****Nesiadrosophila magnidentata* LEE, 1964**

General features of adults: LEE (1964a, 1964c).

Figures: LEE (1964a, 1964c).

Key: LEE (1964c).

Distribution:

S. KOREA: LEE (1964a, 1964c, 1966b).

***Nesiodrosophila quelpartiensis* KANG, LEE and BAHNG, 1967**

General features of adults: KANG et al. (1967).

Figures: KANG et al. (1967).

Distribution:

S. KOREA: KANG et al. (1967).

***Nesiodrosophila ravidentata* OKADA and CHUNG, 1960**

General features of adults: LEE (1964a, 1964c), OKADA (1966a), OKADA and CHUNG (1960), TAKADA et al. (1979), WAKAHAMA et al. (1965).

Figures: BEPPU et al. (1977), LEE (1964c), OKADA (1966a), OKADA and CHUNG (1960).

Keys: BEPPU et al. (1977), LEE (1964), OKADA (1966a), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), OKADA and CHUNG (1960).

Distribution:

S. KOREA: LEE (1964c, 1966b), OKADA and CHUNG (1960). — JAPAN: KANEKO and TOKUMITSU (1969), KAWANISHI et al. (1975), WAKAHAMA (1964), WAKAHAMA et al. (1964).

Recorded also in Nepal.

***Nesiodrosophila sufflava* TAKADA, BEPPU and TODA, 1979**

Other name used: *Drosophila* sp. 8.

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Biology: MINAMI et al. (1979).

Distribution:

JAPAN: MINAMI et al. (1979), TAKADA et al. (1979).

***Nesiodrosophila surukella* OKADA, 1965**

▀ Other name used: *N. elyponigra* OKADA (syn.).

General features of adults: OKADA (1965, 1968d).

Figures: OKADA (1965, 1968d).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1968d).

Recorded also on the Ryukyu Islands.

***Paraleucophenga* HENDEL, 1914*****Paraleucophenga argentosa* OKADA, 1966**

General features of adults: KIM (1962), KUROKAWA and HIHARA (1976), OKADA (1956, 1968c).

Figures: KIM (1962), OKADA (1956, 1968c).

Keys: LEE (1964c), OKADA (1956).

Biology: OKADA (1956), WAKAHAMA (1962b, 1964).

Distribution:

S. KOREA: CHUNG and RHO (1960), KANG et al. (1968, 1969), KIM (1962), LEE (1962, 1964c, 1966b), PAIK (1958), TAKADA and LEE (1968). — JAPAN: OKADA (1956), WAKAHAMA (1962a, 1962b, 1962c, 1964).

***Paramycodrosophila* DUDA, 1924*****Paramycodrosophila nahamurai* OKADA, 1973**

General features of adults: OKADA (1973a).

Figures: OKADA (1973a).

Distribution:

JAPAN: OKADA (1973a).

***Scaptomyza* HARDY, 1849*****Scaptomyza acuta* NISHIHARU, 1979**

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

*Scaptomyza ampliata* TAKADA and TODA, 1979

General features of adults: TAKADA et al. (1979).

Figures: TAKADA et al. (1979).

Distribution:  
JAPAN: TAKADA et al. (1979).

*Scaptomyza atlantica* HACKMAN, 1955

Other names used: *S. incana* var. *tetrasticha* BECKER (misident.), *S. tetrasticha* BECKER (misident.).

General features of adults: BASDEN (1961), FREY (1936), HACKMAN (1955).

Figures: BASDEN (1961), HACKMAN (1955).

Key: HACKMAN (1955).

Biology: FREY (1936).

Distribution:

AZORES: HACKMAN (1955). — CANARY IS.: BASDEN (1961), FREY (1936), HACKMAN (1955, 1958).

*Scaptomyza carinata* OKADA, 1973

General features of adults: OKADA (1973c).

Figures: OKADA (1973c).

Distribution:

MONGOLIA: OKADA (1973c).

*Scaptomyza choi* KANG, LEE and BAHNG, 1965

General features of adults: KANG et al. (1965b).

Figures: KANG et al. (1965b).

Biology: KANG et al. (1965b).

Distribution:

S. KOREA: KANG et al. (1965b), LEE (1966b).

*Scaptomyza clavata* OKADA, 1973

General features of adults: OKADA (1973b).

Figures: OKADA (1973b).

Distribution:

JAPAN: KAWANISHI et al. (1975), OKADA (1973b).

*Scaptomyza consimilis* HACKMAN, 1955

Other names used: *S. monticola* OKADA (syn.), *Scaptomyza* sp.

General features of adults: HACKMAN (1955), KUROKAWA and HIRARA (1976), OKADA (1956, 1961a), SINGH (1976), WAKAHAMA (1956a).

Figures: BEPPU et al. (1977), HACKMAN (1955), OKADA (1956), STAKELBERG (1970), WAKAHAMA (1956a).

Keys: BEPPU et al. (1977), HACKMAN (1955, 1959), OKADA (1956), STAKELBERG (1970), TAKADA (1971).

Biology: HACKMAN (1955), KANEKO and TOKUMITSU (1969), KANEKO et al. (1960), KIMURA (1976a, 1976b), KIMURA and TADA (1976), KIMURA et al. (1977), MINAMI et al. (1979), OKADA (1968).

Distribution:

FINLAND: HACKMAN (1955). — USSR: HACKMAN (1955, 1957), STAKELBERG (1970). — JAPAN: KANEKO and TAKADA (1966), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1966, 1969), KIMURA (1976a, 1976b), KIMURA and TADA (1976), KIMURA et al. (1977), MINAMI (1970), MINAMI et al. (1979), MONNA (1957, 1965a), OKADA (1956), TAKADA (1968), WAKAHAMA (1956a, 1964, 1966), WAKAHAMA et al. (1963).

*Scaptomyza elmoi* TAKADA, 1970

Other names used: *S. pallida* ZETTERSTEDT (misident.), *S. disticha* DUDA (misident.).

General features of adults: HARDY (1965), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Figures: HARDY (1965), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Keys: HARDY (1965), OKADA (1956).

Biology: NISHIHARU (1977).

Distribution:

JAPAN: KAWANISHI (1978), NISHIHARU (1977), OKADA (1956), OKADA and KUROKAWA (1957), TAKADA (1970).

Recorded also in Hawaii and Taiwan.

*Scaptomyza flava* FALLEN, 1823

Other names used: *S. flavula* MEIGEN (syn.), *S. apicalis* HALLIDAY (syn.), *S. montana* WHEELER (syn.), *S. graminum* FALLEN (misident.), *S. graminum* var. *flava* FALLEN, *S. pisi*, *S. apicalis* var. *flava* FALLEN.

General features of adults: BASDEN (1957a), BECKER (1902, 1908b), DE CASTRO (1955), COQUELLIET (1900), DUDA (1921, 1940), FALLEN (1823), FRIEDRICHSEN (1956a), GERCKE (1882), GOUREAU (1851), HACKMAN (1959, 1960, 1969a), HARDY (1849), HEESER (1852), HENDIG (1928), HESSING (1927a), HSU (1949), KJELLANDER (1948), MACA (1972a), MALLINCH (1915), MEIGEN (1830), DE MELJERE (1908, 1911a, 1950), NEUHAUS (1886), OKADA (1956), OLDENDERG (1914), RICHARDS and HENDIG (1930), SEGUY (1934a, 1934b), STEIN (1963), WAHLGREN (1927), WHEELER (1855), WHEELER (1919c, 1952), ZETTERSTEDT (1847).

Figures: CARPENTER (1911), CHITTENDEN (1902), COQUELLIET (1895), DUDA (1921), FREY (1951), GODAN (1957), GOUREAU (1851), HACKMAN (1955, 1959), HEESER (1852), HENDIG (1928), HESSING (1927a), HSU (1949), KRAMER (1958), MACA (1972a), MORGE (1976c), PAPP (1973), SEGUY (1934b), STAKELBERG (1970), STEIN (1963), WHEELER and TAKADA (1966).

**Keys:** BASDEN (1954), BECKER (1908b), COLLIN (1953), DUDA (1924a, 1924c, 1926a, 1934), FONSECA (1965), HACKMAN (1955, 1956), MÁCA (1972a), PAPP (1978), SCHINER (1864), SÉGUÉY (1934a, 1934b), STAKELBERG (1970), WAHLGEEN (1927), WHEELER (1952), ZOERNER (1971).

**Development:** CARPENTER (1911), CHITTENDEN (1902), FREY (1951), GODAN (1957), HENDEL (1928), HENNIG (1952), HERING (1927a), KJELLANDER (1948), KRAMER (1958), MÁCA (1972a), MAYER (1935), DE MELWERE (1911a), STEIN (1963). **Biology:** BASDEN (1954b, 1956, 1957a), BEUTHIN (1887), BEZZI (1918), BUHR (1933, 1937, 1941a, 1941b, 1954, 1960), CARSON (1971), CHITTENDEN (1902), COLLIN (1953), COQUELLET (1895), DUDA (1924), FREY (1951), FROST (1924), GRÖNLIN (1926), GREEKE (1882), GODAN (1957), GOURLAIS (1851), GÜNTHART (1949), HACKMAN (1955), HARDY (1849), HENGGER (1852), HENDEL (1928), HENNIG (1952), HERING (1926, 1927a, 1928, 1931, 1935/37, 1957), KJELLANDER (1945), KOZLOVSKÝ and RUNGES (1932), KRÄMER (1958), KRÖBER (1910, 1915, 1935), KÜHLHORN (1978), LEWIS (1966), LENNANIDI (1918), MÁCA (1972a), MAYER (1935), DE MELWERE (1911a, 1950), NUNBERG (1947, 1948), RICHARDS and HERFORD (1930), SCHINER (1864), SÉGUÉY (1934a, 1934b), STARÝ (1930), STEIN (1963), TIIRSUU (1951), WHEELER (1952), VAN DER WULP and DE MELWERE (1898), ZOERNER (1971), ZAVREL (1967).

#### Distribution:

**ALBANIA:** unpublished. — **AUSTRIA:** BASDEN (1961), HENGGER (1852), STROBL (1898b, 1901, 1910), THALER (1977). — **BULGARIA:** BUHR (1941a). — **CZECHOSLOVAKIA:** ARADI (1959), BASDEN (1961), CAŽEK (1910), DOSKOČIL (1962), MÁCA (1972a, 1975), MARTINEK (1974a), SÓOS (1945), STARÝ (1930), STROBL (1901), VIMMER (1913), ZAVREL (1967). — **DENMARK:** FRYDENBERG (1956a), HERING (1928), ZETTERSTEDT (1847). — **FINLAND:** BASDEN (1956), FREY (1929), HACKMAN (1955), TIIRSUU (1951), ZETTERSTEDT (1847). — **FRANCE:** BUHR (1941a, 1954), GOTREAU (1851). — **GERMAN DEMOCRATIC REPUBLIC:** BASDEN (1961), BUHR (1933, 1937, 1941b, 1954, 1960), GODAN (1957), KRAMER (1917), NEUHAUS (1886), OLDBERGER (1914), RADDAZ (1873), STEIN (1963), ZOERNER (1971). — **GERMAN FEDERAL REPUBLIC:** BEUTHIN (1887), BUHR (1954), DAHL (1906), FREY (1951), GREEKE (1882), GODAN (1957), HERING (1926), KRÄMER (1958), KRÖBER (1910, 1915), KÜHLHORN (1978), OLDBERGER (1914), STEIN (1963). — **GREAT BRITAIN:** AUDCRAFT (1950), BASDEN (1952, 1954b, 1957a), COLLIN (1953), CURTIS (1833), EDWARDS and COLLIN (1932), FONSECA (1965), GREENSHAW (1904, 1916), HENDERSON (1910), LEWIS (1966), RICHARDS and HERFORD (1930), WALKER (1849, 1853). — **HUNGARY:** ARADI (1959), PAPP (1978), SÓOS (1945, 1945). — **IRELAND:** DIS 27: 81. — **ITALY:** BEZZI (1925), ZANGHERI (1950, 1969). — **NETHERLANDS:** DE MELWERE (1911a, 1950). — **NORWAY:** GRÖNLIN (1926). — **POLAND:** KARL (1936), NUNBERG (1947, 1948). — **ROMANIA:** ARADI (1959), SÓOS (1945), THALHAMMER (1901). — **SPAIN:** ČERNÝ and STROBL (1960), HACKMAN (1969a). — **SWEDEN:** BASDEN (1956), BRINCK and WINGSTRAND (1951), DUDA (1921), FALLEHN (1828), KJELLANDER (1943), LYNEBOEG (1965), RINGDAHL (1941, 1951), WAHLGEEN (1927), ZETTERSTEDT (1847, 1849). — **SWITZERLAND:** BÄCHLI (1975a, 1975b, 1977), CALONI (1889), GÜNTHART (1849). — **USSR:** BOBEK (1897), HACKMAN (1965, 1957), SÓOS (1945), STAKELBERG (1930, 1970). — **YUGOSLAVIA:** BUHR (1941a), COE (1959), SÓOS (1945), STROBL (1893a, 1893b, 1900a). — **AZORES:** FREY (1945), HACKMAN (1969). — **MADEIRA:** BECKER (1908a), FREY (1949), HACKMAN (1960). — **CANARY IS.:** BECKER (1908b), FREY (1936), HACKMAN (1958). — **MOROCCO:** KOZLOVSKÝ and RUNGES (1932). — **AFGHANISTAN:** HACKMAN (1969b). — **MONGOLIA:** HACKMAN (1968b), OKADA (1973c).

Recorded mainly as holarctic species.

#### Comment:

Some records may refer to other *Scaptomyza* species.

### *Scaptomyza grahami* HACKMAN, 1959

General features of adults: HACKMAN (1959), OKADA (1973b).

Figures: HACKMAN (1959).

Key: HACKMAN (1959).

#### Distribution:

CHINA: HACKMAN (1959).

### *Scaptomyza graminum* FALLÉN, 1823

Other names used: *S. incana* MEIGEN (syn.), *S. rufipes* MEIGEN (syn.), *S. amoenus* MEIGEN (syn.), *S. flavigaster* ZETTERSTEDT (syn.), *S. sordida* ZETTERSTEDT (syn.), *S. tetrasticha* BECKER (syn.), *S. graminum* var. *semivitticornis* DUDA, *S. borealis* WHEELER (syn.), *S. morio* HACKMAN (syn.), *S. pallidus* ZETTERSTEDT (misident.).

General features of adults: BASDEN (1957b), BECKER (1908b), DE CASTRO (1955), COLLIN (1911), DUDA (1921, 1935), FALLEHN (1828), HACKMAN (1965, 1957), HENDEL (1928), KANG et al. (1965), KIM (1962), KUROKAWA and HIHARA (1976), LIN and TING (1971), MÁCA (1972a), MACQUART (1853), MALLOCHE (1915, 1923b), MEIGEN (1830, 1835), NÄTER (1950), NEUHAUS (1886), OKADA (1956, 1961a), OLDBERGER (1914), PARSHAD and DUGGAL (1966), SÉGUÉY (1834a, 1934b), STROBL (1892a, 1910), WALKER (1843), WHEELER (1952), WHEELER and THROCKMORTON (1960), ZETTERSTEDT (1838, 1847).

Figures: BEPPU et al. (1977), DUDA (1921, 1935), HACKMAN (1955), HENNIG (1958), KIM (1962), LASTOVKA and MÁCA (1977), MÁCA (1972a), MORI (1976a, 1976c), NÄTER (1950), OKADA (1956, 1968a), PAPP (1978), STAKELBERG (1970), WHEELER and TAKADA (1966).

Keys: BASDEN (1954b), BECKER (1908b), BEPPU et al. (1977), COLLIN (1953), DUDA (1926a, 1934, 1955), FONSECA (1965), FREY (1945), HACKMAN (1955, 1959), HENDEL (1928), LASTOVKA and MÁCA (1977), LEE (1964c), MÁCA (1972a), OKADA (1956), PAPP (1978), RICHARDS and HERFORD (1930), SCHINER (1864), SÉGUÉY (1934a, 1934b), STAKELBERG (1970), STURZ-YANT (1921), TAKADA (1971), WHEELER (1952).

Development: MÁCA (1972a), OKADA (1963a, 1968a), VIMMER (1931).

Biology: BÄCHLI (1977), BASDEN (1954b, 1956), BEZZI (1918), BRISCHKE (1881), BUHR (1933, 1937, 1941a, 1941b, 1954, 1960), BUNTON (1960), COLLIN (1953), COLVER and HAMMOND (1951), COQUELLET (1895), FALCÓN (1957), FREY (1936, 1954), FRIEND (1927), GRÖNLIN (1926), GÜNTHART (1949), HACKMAN (1955, 1969b), HADORN et al. (1952), HARDY (1849), HENDEL (1928), HENNIG (1952), HERING (1927a, 1927b, 1931, 1935/37, 1957), KANEKO and TOKUMITSU (1969), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), KÜHLHORN (1978), LEWIS and TAYLOR (1964), LINDBOTH (1931), LINDBOTH et al. (1973), MÁCA (1972a), MAYER (1935), MINAMI et al. (1979), NASWATY (1959), NUNBERG (1948), OKADA (1956, 1968a), OKADA and SASAKAWA (1956), PARSHAD and DUGGAL (1968), PUDWIN (1959), RICHARDS and HERFORD (1930), ROCHA PIÉ (1979), SAITO et al. (1962), SCHMID (1968), SÉGUÉY (1934a, 1934b, 1950), SEIDEL (1957), STARÝ (1950), TAKADA (1958), VIMMER (1931), WAKAHAMA (1962b, 1964), WALKER (1853), ZAVREL (1967), ŽUSKA and LASTOVKA (1969).

Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), HACKMAN (1955), STROBL (1886, 1894, 1901), THALER (1977), TIEP (1883). — CZECHOSLOVAKIA: ARADI (1959), BRANSIK (1910), CZÍZEK (1960), DALLA TORRE (1878), DOSKOČIL (1962), DOSKOČIL and HURKA (1962), LAŠTOVKA and MÁCA (1977), MÁCA (1972a, 1975), MARTINEK (1974a, 1974b), SIEBEL (1957), SKUCHRAVÝ et al. (1961), STARÝ (1930), STROBL (1901), VIMMER (1913, 1921), ZAVREL (1967), ŽUSKA and LAŠTOVKA (1966). — DENMARK: FRYDENBERG (1956a), ZETTERSTEDT (1847). — FINLAND: BASDEN (1956), FREY (1917, 1929, 1950), HACKMAN (1955), ZETTERSTEDT (1847, 1860). — FRANCE: BUHR (1854), FALCÓN (1957), HADORN et al. (1952), KUNTEY (1913). — GERMAN DEMOCRATIC REPUBLIC: BECHT (1968, 1969), STROBL (1901), VIMMER (1913), ZAVREL (1967), ZUSKA and LASTOVKA (1969).

DATZ (1873). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), FISCHER (1936), KRÖBER (1910, 1935), KÜHLHORN (1975), MEIGEN (1828), NASWATY (1959), VON ROSER (1840), ZETTERSTEDT (1847). — GREAT BRITAIN: ADOLSTEN (1950), BASDEN (1952, 1954), BUXTON (1960), COLLIN (1911, 1958), CURRY (1934), EDWARDS and COLLIN (1953), FONSECA (1965), FRIEND (1927), GEMSHAW (1905, 1906, 1907, 1916), HALDAY (1833), HENDERSON (1911), LEWIS and TAYLOR (1944), RICHARDS and HERPOUD (1930), WALKER (1849, 1858), WHEELER and TAKADA (1966), YERDLEY (1913). — HUNGARY: ARAD (1959), PAPP (1973), SÓSÉ (1943), TALMÁNCER (1899). — ICELAND: LINDBROTH (1931), LINDBROTH et al. (1973), NIELSEN et al. (1954). — IRELAND: DIS 27: 51. — ITALY: BEZZI (1891, 1892a, 1892b, 1925), BEZZI and DE STEFANO-PERIZZI (1897), KOCH (1972), OLDENBERG (1914), ZANCONI (1950, 1960). — NETHERLANDS: MCGILLAVRAY (1914), DE MELLEHEU (1916b, 1935). — NORWAY: BØBKE (1956), GLØNSLIK (1926), ZETTERSTEDT (1847). — POLAND: BÜCKER (1908b), BØBKE (1880), BRISCHKE (1881), KARL (1936), NUNBERG (1948). — PORTUGAL: ROCHA PINTO (1972, 1975b, 1979). — ROMANIA: ARAD (1959), DRAGHIA (1972), STROBL (1897), THALHAMMER (1899). — SPAIN: CZERNÝ and STROBL (1899), HACKMAN (1960a), STROBL (1900b, 1906). — SWEDEN: FÄLLEN (1823), LYNEBORG (1965), EINGDALH (1951), ZETTERSTEDT (1838, 1847). — SWITZERLAND: BACHLI (1972c, 1973a, 1973c, 1974c, 1975a, 1975b, 1977, 1979), GUTHARD (1949), SCHMID (1968). — USSR: ARAD (1959), BØBKE (1897), DUDA (1935), EVERSMAN (1854), HACKMAN (1955, 1957), STAKELBERG (1890, 1970). — YUGOSLAVIA: ARAD (1959), BUHE (1941a), COB (1959), STROBL (1898a, 1900a, 1904). — AZORES: FREY (1945). — MADEIRA: BECKER (1908c), FREY (1949). — CANARY IS.: BECKER (1905b), FREY (1946), HERING (1927b), MOSCINI (1976), SÉGUY (1934a, 1934b). — TUNISIA: BECKER (1907a). — LIBYA: BEZZI (1924b). — LEBANON: PIPRIN (1952). — IRAN: unpublished. — AFGHANISTAN: HACKMAN (1969b). — S. KOREA: CHUNG (1958), CHUNG and RHO (1960), KIM (1962, 1963), LEE (1964c, 1966b). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KAWANISHI (1978), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1957, 1965a), OKADA (1956, 1968a), SAITO et al. (1962), TAKADA (1958, 1968), WAKAHAMA (1962a, 1962b, 1965c, 1964), WAKAHAMA et al. (1963).

## Comment:

Some records may refer to other *Scaptomyza* species.

*Scaptomyza griseola* ZETTERSTEDT, 1847

Other names used: *S. griseocens* DUDA (syn.), *S. griseocens* DUDA (lapsus).

General features of adults: DUDA (1921, 1935), HACKMAN (1955), MÁCA (1972a), OLDENBERG (1914), ZETTERSTEDT (1847).

Figures: HACKMAN (1955), MÁCA (1972a), PAPP (1973), STAKELBERG (1970).

Keys: BASDEN (1954b), COLLIN (1958), DUDA (1924a, 1924c, 1934), FONSECA (1965), HACKMAN (1955, 1959), MÁCA (1972a), PAPP (1973), SCHINER (1864), ZETTERSTEDT (1847).

Development: MAYER (1935).

Biology: BEUTHIN (1887), HACKMAN (1955), KRÖBER (1910), MÁCA (1972a), MAYER (1935).

Distribution:

? AUSTRIA: STROBL (1880, 1894, 1901, 1910). — CZECHOSLOVAKIA: MÁCA (1972a), PAPP (1973), VÍDHNER (1913). — FINLAND: HACKMAN (1955). — ? GERMAN DEMOCRATIC REPUBLIC: KRAMER (1917), OLDENBERG (1914). — ? GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), KLOBER (1910). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1953), FONSECA (1965). — HUNGARY: THALHAMMER (1899). — NORWAY: unpublished. — ? POLAND: BØBKE (1890), KARL (1936). — ROMANIA: STROBL (1897), THALHAMMER (1899, 1901). — ? SPAIN: STROBL (1900b, 1906). — SWEDEN: ZETTERSTEDT (1847, 1860). — USSR: HACKMAN (1955, 1957), STAKELBERG (1970). — ? YUGOSLAVIA: STROBL (1894, 1898a, 1900a, 1904).

## Comment:

Some records may refer to other *Scaptomyza* species.

*Scaptomyza impunctata* FREY, 1945

Other names used: *S. gracilis* (misident.), *S. clavigera* FREY (syn.).

General features of adults: FREY (1945), HACKMAN (1955), SÉGUY (1934a, 1934b, 1936).

Figures: FREY (1954), HACKMAN (1955).

Keys: FREY (1945, 1954), HACKMAN (1959), SÉGUY (1934a, 1934b).

Distribution:

AZORES: FREY (1945, 1954), HACKMAN (1960), SÉGUY (1936).

*Scaptomyza okadai* HACKMAN, 1959

Other names used: *S. unipunctata* ZETTERSTEDT (misident.), *Scaptomyza* sp.

General features of adults: HACKMAN (1959), OKADA (1956, 1961a).

Figures: HACKMAN (1959), OKADA (1956).

Keys: BÉKÉSI et al. (1977), HACKMAN (1959), OKADA (1956), TAKADA (1971).

Biology: KANEKO and TOKUMITSU (1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1965b), SUZUKI (1955).

Distribution:

USSR: HACKMAN (1955, 1959). — JAPAN: KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1968, 1969), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MOMMA (1957, 1965b), OKADA (1956), SUZUKI (1955), TAKADA (1968), WAKAHAMA (1964), WAKAHAMA et al. (1963).

*Scaptomyza pallida* ZETTERSTEDT, 1847

Other names used: *S. disticha* DUDA (syn.), *S. gramineum* FALLÉN (misident.).

General features of adults: BASDEN (1957b), BOCK (1977a), DUDA (1921, 1934, 1940), FREY (1921), GUPTA (1970), HARRISON (1958), HERING (1927a), HSU (1949), KIM (1962), KUROKAWA and HIHARA (1976), LEE (1966a), MÁCA (1972a), NAYER (1953), NISHIHARA (1977), OKADA (1958, 1961a, 1963a), OKADA and KUROKAWA (1957), PADSHAD and DUGGLASS (1966), PATERSON (1943), SÉGUY (1934a, 1934b), STALKER (1943), TAKADA (1970), WAHLGEN (1937), WHEELER and TAKADA (1964), ZETTERSTEDT (1847).

Figures: BOCK (1977), DUDA (1921, 1934), FREY (1954), GUPTA (1970), HACKMAN (1955), HARRISON (1959), HERING (1927a), HSU (1949), KIM (1962), MÁCA (1972a), MALLON (1934a), NAYER (1953), NISHIHARA (1977), OKADA (1956, 1968a),

OKADA and KUROKAWA (1957), PAPP (1973), PATTERSON (1943), SEGUY (1934b), TAKADA (1970), THROCKMORTON (1962, 1966), WHEELER and TAKADA (1964, 1966).

**Keys:** BASDEN (1954b); BEPPU et al. (1977), BOCK (1977), COLLIN (1953), DUDA (1924a, 1924c, 1927, 1934), ENDERLEIN (1936), FONSECA (1965), HACKMAN (1958), HARRISON (1969), LAŠTÓVKA and MÁČA (1977), LEE (1964a), MÁČA (1972a), MALLOCH (1934a), MALLOCH and MCATER (1924), OKADA (1956, 1966a), PAPP (1973), SEGUY (1934a, 1934b), STAKELBERG (1970), TAKADA (1971), WHEELER (1940b), WHEELER and TAKADA (1964), ZETTERSTEDT (1947).

**Development:** HENNIG (1952), MÁČA (1972a), OKADA (1968a).

**Biology:** ARADI and MIHALYI (1971), BÄCHLI (1977, 1979), BASDEN (1954b), BICKLEY (1956), CARSON (1971), COLLIN (1953), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), HACKMAN (1955, 1959, 1971), HACKMAN and MEINANDER (1979), HEED (1968), HENNIG (1953), HERRING (1927a, 1957), KANEKO and TOKUMITSU (1969), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), KÖNIG (1945), KÜHLENBORN (1964, 1978, 1979), LARACH (1927), LEE (1902, 1954c), LEWIS and TAYLOR (1970), LINDBROTH et al. (1978), LUMME et al. (1979), MÁČA (1972a), MALLOCH and MCATER (1924), MINAMI et al. (1979), MOMMA (1965b), NAWATAY (1960), NISHIHARA (1977), OKADA (1956, 1962, 1968a), OKADA and KUROKAWA (1957), PAPP (1976, 1979), PARSHAD and DUGGAL (1966), POND (1956), ROCHA PITE (1970), SABATH (1974), SCHATTMANN (1977), SCHODT (1963), SEGUY (1934a, 1934b), SKURHRAYEV et al. (1959), STALKER (1945), TAKADA (1958), TAKADA and TOYOFUKU (1960), TODA (1976), WAKAHAMA (1957a, 1961, 1964, 1966), ZUSKA and LAŠTÓVKA (1969).

**Distribution:**

**AUSTRIA:** BASDEN (1961), THALER (1977). — **BELGIUM:** unpublished. — **CZECHOSLOVAKIA:** ARADI (1959), DOSKOČIL (1962), DOSKOČIL and HUEKA (1962), LAŠTÓVKA and MÁČA (1977), MÁČA (1972a, 1975), MARTINEK (1973, 1974b), SKURHRAYEV et al. (1959), ZUSKA and LAŠTÓVKA (1960). — **DENMARK:** FYVEDBENGEN (1960b). — **FINLAND:** BASDEN (1956), FREY (1921, 1929, 1950), HACKMAN (1955, 1971), HACKMAN and MEINANDER (1979), LUMME et al. (1978, 1979). — **FRANCE:** ROCHA PITE and TSACAS (1970). — **GERMAN DEMOCRATIC REPUBLIC:** HENNIG (1927a). — **GERMAN FEDERAL REPUBLIC:** KÖNIG (1965), KRÜGER (1955), KÜHLENBORN (1964, 1978, 1979), NAWATAY (1959). — **GREAT BRITAIN:** AUGMENT (1954), BASDEN (1952, 1953, 1954b), COLLIN (1953), EDWARDSON (1984), FONSECA (1965), LEWIS and TAYLOR (1964), SMITH (1969), YERUCHY (1913). — **GREECE:** DIS 37: 135–136. — **HUNGARY:** ARADI (1959), ARADI and MIHALYI (1971), BASDEN (1961), DELY-DRASKOVITS and BABOS (1976), DELY-DRASKOVITS and PAPP (1973), PAPP (1973, 1979). — **ICELAND:** LINDBROTH (1921), LINDBROTH et al. (1978), NESSNER (1954). — **IRELAND:** BASDEN (1966). — **ITALY:** BASDEN (1961), NIGRO (1979), STROBL (1910), ZANGHERI (1966). — **NETHERLANDS:** VAN DER MEIJER (1960). — **NORWAY:** BASDEN (1956). — **ROMANIA:** ARADI (1959). — **SPAIN:** BASDEN (1961), HACKMAN (1969a), ORTEGA (1968). — **SWEDEN:** BASDEN (1956). — **SWITZERLAND:** EBBEL (1910), BÄCHLI (1972a, 1972b, 1973a, 1973b, 1974a, 1974b, 1975a, 1975b, 1977, 1979), BURLA (1951a), NÄTER (1955), SCHÄTZMAYER (1977), SCHMID (1968). — **TURKEY:** unpublished. — **USSR:** ARADI (1969), HACKMAN (1955, 1957), PAPÉ (1945), HACKMAN (1960), SEGUY (1956), STALKER (1940, 1970). — **YUGOSLAVIA:** ARADI (1959), BASDEN (1961), COH (1959), AZORES: FREY (1945), HACKMAN (1968), SEGUY (1956). — **MADERIA:** FREY (1940). — **CANARY IS.:** BECKER (1908b). — **EGYPT:** (1904a, 1958). — **HACKMAN (1958), MONGOLIA:** (1976). — **TUNISIA:** BÄCHLI (1929). — **PAPUA:** (1978). — **ISRAEL:** unpublished. — **AFGHANISTAN:** HACKMAN (1969b). — **MONGOLIA:** HACKMAN (1965b), OKADA (1973c). — **N. KOREA:** OKADA (1974b). — **S. KOREA:** CHUNG (1958, 1960a), CHUNG and RHO (1959, 1960), KANG et al. (1958, 1959, 1964a), KIM (1992), LEE (1902, 1964a, 1966a, 1966b), PAIK (1958), TAKADA (1970). — **TAKADA and LEE (1958):** JAPAN: KANEKO (1960), KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1963, 1969), KANEKO et al. (1968, 1969), KAWANISHI (1978), KAWANISHI and WATAKANE (1977), KAWANISHI et al. (1975), KIMURA (1976a, 1976b), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1973), MORI (1957, 1965a, 1965b), NISHIHARA (1977), OKADA (1956, 1966b, 1968a), OKADA and KUROKAWA (1957), SATO et al. (1962), TAKADA (1957, 1958, 1968, 1970), TAKADA and OKADA (1960), TAKADA and TOYOFUKU (1960), TODA and KIMURA (1975), TOYOFUKU and KIMURA (1960, 1961), WAKAHAMA (1957a, 1961, 1962a, 1962b, 1962c, 1964, 1966), WAKAHAMA et al. (1963).

Recorded as virtually cosmopolitan species.

### *Scaptomyza polygonia* Okada, 1956

Other name used: *Scaptomyza* sp. VII

General features of adults: KIM (1962), OKADA (1956), TAKADA (1959).

Figures: KIM (1962), OKADA (1956), TAKADA (1959).

Keys: BEPPU et al. (1977), HACKMAN (1959), OKADA (1956), TAKADA (1971).

**Biology:** KANEKO and TOKUMITSU (1969), KANEKO et al. (1966), KIMURA (1976a), KIMURA and TODA (1976), MINAMI et al. (1979), MOMMA (1965b), OKADA (1956), SUZUKI (1955), TAKADA (1958).

**Distribution:**

**N. KOREA:** OKADA (1974b). — **S. KOREA:** CHUNG (1958), KIM (1962), LEE (1966b). — **JAPAN:** KANEKO and SHIMA (1962), KANEKO and TOKUMITSU (1969), KANEKO et al. (1966, 1968), KAWANISHI et al. (1975), KIMURA (1976a), KIMURA and TODA (1976), KIMURA et al. (1977), MINAMI (1979), MINAMI et al. (1973), MORI (1957, 1965, 1966), WAKAHAMA (1964, 1966). — **WAKAHAMA (1964, 1966):** also on the Ryukyu Islands.

### *Scaptomyza subsplendens* Duda, 1935

General features of adults: DUDA (1935), HACKMAN (1959), OKADA (1966a).

Keys: DUDA (1934), HACKMAN (1955, 1959).

**Distribution:**

USSR: DUDA (1935).

### *Scaptomyza teinoptera* Hackman, 1955

General features of adults: HACKMAN (1955), TAKADA et al. (1979).

Figures: STAKELBERG (1970), WHEELER and TAKADA (1960).

Keys: HACKMAN (1955, 1959), STAKELBERG (1970).

**Biology:** HACKMAN (1955).

**Distribution:**

FINLAND: HACKMAN (1955), LUMME et al. (1978). — USSR: HACKMAN (1955, 1957), STAKELBERG (1970).

Recorded also in North America.

***Scaptomyza trochanterata* COLLIN, 1953**

General features of adults: COLLIN (1953), HACKMAN (1959), OKADA (1973c), WHEELER and TAKADA (1966).

Figures: HACKMAN (1955, 1959), WHEELER and TAKADA (1966).

Keys: BASDEN (1954), COLLIN (1953), FONSECA (1965), HACKMAN (1955, 1959).

Distribution:

FINLAND: BASDEN (1968), HACKMAN (1955), LUMMI et al. (1978). — GREAT BRITAIN: BASDEN (1954b), COLLIN (1953), FONSECA (1965).

Recorded also in North America.

***Scaptomyza unipunctum* ZETTERSTEDT, 1847**

Other names used: *S. unipunctum bochartensis* HACKMAN, *Scaptomyza* sp.

General features of adults: BASDEN (1957b), CZEERNY (1903b), DUDA (1927, 1935), HACKMAN (1959), ZETTERSTEDT (1847).

Figures: DUDA (1935), HACKMAN (1955, 1959), OKADA (1973c), WHEELER and TAKADA (1966).

Keys: DUDA (1934), FREY (1945), HACKMAN (1955, 1959), STAKELBERG (1970).

Distribution:

FINLAND: DUDA (1935), FREY (1929), HACKMAN (1955). — SWEDEN: ZETTERSTEDT (1847). — USSR: DUDA (1955), HACKMAN (1957, 1959), STAKELBERG (1930, 1970). — MONGOLIA: HACKMAN (1968b), OKADA (1973c).

Recorded also in North America.

***Soederbomia* HENDEL, 1938*****Soederbomia flava* HENDEL, 1938**

General features of adults: HENDEL (1938).

Distribution:

CHINA: HENDEL (1938).

***Stegana* MEIGEN, 1830*****Stegana coleoptrata* SCOTOLI, 1763**

Other names used: *S. hypoleuca* MEIGEN (syn.), *S. annulata* HALIDAY (syn.), *S. coleoptrata* var. *nigrithorax* STROBL, *Stegana* sp.

General features of adults: BASDEN (1957b), DUDA (1934), HALIDAY (1833), HENNIG (1958), MACQUANT (1835), MALLOCH (1924d), MEIGEN (1830), MIK (1898), NEUHAUS (1886), OLDBERGER (1914), SCOPOLI (1763), SÉGUÉY (1934a, 1934b), STROBL (1898b, 1910), TAKADA (1968), WAHLGREEN (1927), WHEELER (1954), ZETTERSTEDT (1838, 1847, 1860).

Figures: DUDA (1934), HENNIG (1952), MORGE (1956), PAFF (1973), STAKELBERG (1970).

Keys: BEIFFI et al. (1977), DUDA (1924a, 1925, 1927, 1934), FONSECA (1965), LAŠTOVKA and MÁČA (1977), MALLOCH (1924c), MALLOCH and MCATER (1924), PAFF (1973), SCHENKE (1964), SÉGUÉY (1934a, 1934b), STAKELBERG (1970), STUVEYANT (1921), TAKADA (1971), WAHLGREEN (1927), WHEELER (1952).

Development: HENNIG (1952), MORGE (1956), OKADA (1968a).

Biology: KIMURA (1976b), MORGE (1956), PERKIS (1977), SCHNID (1968), SÉGUÉY (1934a, 1934b), STORI (1957), TESKEY (1976).

Distribution:

AUSTRIA: BASDEN (1961), DUDA (1934), OLDBERGER (1914), STROBL (1898b, 1910). — CZECHOSLOVAKIA: LÁŠTOVKA and MÁČA (1977). — DENMARK: unpublished. — FINLAND: STORI (1957). — FRANCE: PERKIS (1977), SÉGUÉY (1934a, 1934b). — GERMANY DEMOCRATIC REPUBLIC: MORGE (1956), NEUHAUS (1886), OLDBERGER (1914). — GERMANY FEDERAL REPUBLIC: DUDA (1934), MEIGEN (1830), OLDBERGER (1914), ZETTERSTEDT (1838). — GREAT BRITAIN: AUGUSTIN (1919), FONSECA (1965), HALIDAY (1833). — HUNGARY: ÁRAI (1959), PAFF (1973), SÓS (1943, 1945). — NETHERLANDS: VAN DER WYL and DE MEIJER (1908). — POLAND: DUDA (1934), KARL (1936). — ROMANIA: ÁRAI (1959), DUDA (1934). — SWEDEN: BASDEN (1966), RINGDAHL (1949, 1951), WAHLGREEN (1927), ZETTERSTEDT (1838, 1847, 1852, 1855, 1860). — SWITZERLAND: BACHLA (1972b, 1973a, 1973c, 1975b), SCHNID (1968). — USSR: STAKELBERG (1930, 1970). — YUGOSLAVIA: SCOPOLI (1763). — JAPAN: KIMURA (1976b).

Recorded also in North America.

Comment:

Some European records may refer to *S. mehadiae* DUDA or *S. stroblii* MIK.

***Stegana elenaria* NISHIHARU, 1979**

General features of adults: NISHIHARU (1979).

Figures: NISHIHARU (1979).

Distribution:

JAPAN: NISHIHARU (1979).

***Stegana excavata* OKADA, 1971**

= *S. nigrithorax* Strob / cf. Lásťovka dle Máča 1982: 47

General features of adults: OKADA (1971c).

Figures: OKADA (1971c).

Key: OKADA (1971c).

Distribution:

S. KOREA: OKADA (1971c). — JAPAN: OKADA (1971c).

*Stegana furta* LINNÉ, 1767

Other names used: *S. curvipennis* FALLÉN (syn.), *S. nigra* MEIGEN (syn.).

General features of adults: BASDEN (1956), DUDA (1934), FALLÉN (1823), FREY (1921), HENNIG (1958), LINNÉ (1767), LIOY (1895), MEIGEN (1830), NEUHAUS (1886), OKADA (1956, 1971c), OLDEMBERG (1914), SÉGUIN (1934b), WAHLBERG (1927), ZETTERSTEDT (1858, 1847).

Figures: DUDA (1924a, 1934), FREY (1921), LIOY (1895), MEIGEN (1830), PAPP (1973), SÉGUIN (1934b).

Keys: DUDA (1924b, 1927, 1934), ENDERLEIN (1936), FONSECA (1965), LÁŠTOVKA AND MÁČA (1977), MALLOCH (1924c), OKADA (1971c), PAPP (1973), SCHNER (1864), SÉGUIN (1934b), STAKELBERG (1970), WAHLBERG (1927).

Biology: BAER (1914), JUDÉHICH AND NIESCHEN (1955), ZETTERSTEDT (1947).

## Distribution:

AUSTRIA: ARADI (1959), BASDEN (1961), STROBL (1880, 1894, 1898b, 1910), TIEF (1888). — CZECHOSLOVAKIA: ARADI (1959), LÁŠTOVKA AND MÁČA (1977), MARTINEK (1973). — DENMARK: ZETTERSTEDT (1847). — FINLAND: FREY (1917, 1921), ZETTERSTEDT (1847, 1860). — FRANCE: MACQUART (1855), SÉGUIN (1934b). — GERMAN DEMOCRATIC REPUBLIC: BAER (1914), KRAMER (1917), NEUHAUS (1886), OLDEMBERG (1914), RADDATZ (1873), SÉGUIN (1934b), ZETTERSTEDT (1855). — GERMAN FEDERAL REPUBLIC: BEUTHIN (1887), KRÖBER (1910, 1935). — GREAT BRITAIN: COLLIN (1911), FONSECA (1965). — HUNGARY: ARADI (1959), PAPP (1973), SCÓS (1945), THALHAMMER (1895). — ITALY: LIOY (1895). — NETHERLANDS: DE MEIJERE (1916b, 1928, 1939b), VAN DER WULP AND DE MEIJERE (1898). — NORWAY: ZETTERSTEDT (1847). — POLAND: KARL (1936). — ROMANIA: ARADI (1959), THALHAMMER (1895). — SWEDEN: BASDEN (1956), FALLÉN (1823), LINNÉ (1767), POPPIUS et al. (1910), RINGDAHL (1951), WAHLBERG (1927), ZETTERSTEDT (1858, 1847, 1849, 1852, 1855, 1860). — SWITZERLAND: BÄCHLI (1974c). — USSR: DUDA (1934), STAKELBERG (1930, 1970). — YUGOSLAVIA: STROBL (1888a, 1900a, 1910).

*Stegana longifibula* TAKADA, 1968

Other name used: *S. coleoptrata* SCOPOLI (misident.).

General features of adults: OKADA (1971c), TAKADA (1968).

Figures: OKADA (1971c), TAKADA (1968).

Keys: BERPÚ et al. (1977), OKADA (1971c), TAKADA (1968, 1971).

## Distribution:

JAPAN: OKADA (1956, 1971c), TAKADA (1968).

*Stegana mehadiæ* DUDA, 1924

General features of adults: DUDA (1934), OKADA (1956).

Keys: DUDA (1924a, 1925, 1934), PAPP (1973).

## Distribution:

CZECHOSLOVAKIA: unpublished. — FINLAND: DUDA (1934). — ROMANIA: ARADI (1959), DUDA (1924), SCÓS (1945). — USSR: DUDA (1934).

*Stegana nigrifrons* DE MEIJERE, 1911

Other names used: *S. coleoptrata* SCOPOLI (misident.), *Stegana* sp.

General features of adults: DUDA (1926a, 1930), DE MEIJERE (1911b), OKADA (1953a, 1956, 1966a, 1971c).

Figures: DUDA (1924a), DE MEIJERE (1911b), OKADA (1956, 1966a, 1971c).

Keys: DUDA (1924a), DE MEIJERE (1911b), OKADA (1956, 1966a, 1971c).

Biology: DE MEIJERE (1911b).

## Distribution:

JAPAN: OKADA (1953a, 1956, 1971c).

Recorded mainly in South Asia.

*Stegana nigripennia* HENDEL, 1914

Other names used: *S. piceipennis* DUDA (syn.), *L. kanoi* OKADA (syn.).

General features of adults: DUDA (1926b), HENDEL (1914), OKADA (1956, 1971c).

Figures: OKADA (1956).

Keys: OKADA (1956, 1971c).

Biology: OKADA (1956).

## Distribution:

S. KOREA: KANG et al. (1959), LEE (1966b). — JAPAN: OKADA (1956, 1968c, 1971c).

Recorded also on the Ryukyu Islands and in Taiwan.

*Stegana sibirica* DUDA, 1934

General features of adults: DUDA (1934), OKADA (1956).

Key: DUDA (1934).

## Distribution:

USSR: DUDA (1934).

*Stegana stroblii* MIK, 1898

Other name used: *S. coleoptrata* SCOPOLI (misident.).

General features of adults: BASDEN (1954b), MIK (1898), OLDEMBERG (1914), RINGDAHL (1949), SÉGUIN (1934b), WAHLBERG (1927).

**Figures:** HENNIG (1958).

**Keys:** DUDA (1924a, 1925, 1934), PAPP (1973), SÉGUY (1934a, 1934b), WAHLGREN (1927).

**Biology:** BARDEN (1954b), RINGDAHL (1949).

**Distribution:**

AUSTRIA: unpublished. — CZECHOSLOVAKIA: unpublished. — DENMARK: MØLLER (1890), MIK (1898), ZETTERSTEDT (1847). — FINLAND: FREY (1929). — FRANCE: SÉGUY (1934b). — GERMAN FEDERAL REPUBLIC: DUDA (1954), OEDINGER (1922). — GREAT BRITAIN: BASDEN (1954b). — HUNGARY: ARAIDI (1959), PAPP (1973). — ROMANIA: ARAIDI (1959), BASDEN (1961), DUDA (1934), MIK (1898), OLDEMBERG (1914), PAPP (1973), SOOS (1945). — SWEDEN: RINGDAHL (1949), SÉGUY (1934b), WAHLGREN (1927). — USSR: STAKELBERG (1930).

### *Stegana taba* OKADA, 1971

Other name used: *Protostegana* sp. from Taba.

General features of adults: OKADA (1956, 1971c).

**Figures:** OKADA (1956, 1971c).

**Key:** OKADA (1971c).

**Distribution:**

S. KOREA: KANG et al. (1959). — JAPAN: OKADA (1956, 1971c).

### *Stegana unidentata* TAKADA, 1968

General features of adults: OKADA (1971c), TAKADA (1968).

**Figures:** OKADA (1971c), TAKADA (1968).

**Keys:** BEPPU et al. (1977), OKADA (1971c), TAKADA (1968, 1971).

**Biology:** KIMURA (1976b).

**Distribution:**

JAPAN: KIMURA (1976b), OKADA (1971c), TAKADA (1968).

### *Zaprionus* COQUILLETT, 1901

#### *Zaprionus* sp.

Other name used: *Z. vittiger* (misid.).

**Distribution:**

CANARY IS.: MONCLOS (1976).

#### Summary

The literature on the Palearctic species of Drosophilidae was critically analyzed. For each species quotations are given to the following subjects: descriptions, illustrations, keys, development, biology and distribution.

#### Zusammenfassung

Die Literatur über die paläarktischen Arten der Drosophilidae wurde kritisch analysiert. Für jede Art sind Zitate zu folgenden Stichworten gegeben: Beschreibungen, Abbildungen, Bestimmungsschlüssel, Entwicklung, Biologie und Verbreitung.

#### Резюме

Критически анализируется литература о палеарктических видах Drosophilidae. Для каждого вида приводятся цитаты по следующим ключевым словам: описание, рисунки, определительные таблицы, развитие, биология и распространение.

#### References

- ADAMS, F. C.  
1902 *Acetozenus syrphoides*, FRANFD., at LYNDHURST. Ent. month. Mag. 38, 110.
- ADAMS, F. C.  
1906 Notes on Diptera in the New Forest, 1905. Ent. month. Mag. 42, 116–117.
- ANDJELKOVIĆ, M., and SPERLICH, D.  
1973 Inversion polymorphism in a Pannonian population of *Drosophila subobscura*. Egypt. Journ. Genet. Cytol. 2, 144–147.
- ARADI, M. P.  
1959 Die Drosophiliden-Fauna des Karpatenbeckens. Rov. Közlem., Ser. nov., 12, 409–426.
- ARADI, M. P., and MIHALYI, F.  
1971 Seasonal investigations of flies visiting food markets in Budapest. Acta zool. Acad. Sci. hung. 17, 1–10.
- ASHBURNER, M., and LEMEUNIER, F.  
1976 Relationships within the *melanogaster* species subgroup of the genus *Drosophila* (*Sophophora*). I. Inversion polymorphisms in *Drosophila melanogaster* and *Drosophila simulans*. Proc. R. Soc. London 193 (B), 137–157.
- ASHBURNER, M., and NOVITSKI, E. (ed.)  
1976 The genetics and biology of *Drosophila*. Vol. 1a. Academic Press, London, 486 pp.
- ASTATROPHY, B. L.  
1929 Studien über die erbbliche Veränderung der Halteren bei *Drosophila melanogaster* SCHIN. WILH. ROUX' Arch. Entwicklungsmech. 115, 424–447.
- ATKINSON, W., and SHOOROCKS, B.  
1977 Breeding site specificity in the domestic species of *Drosophila*. Oecologia (Berl.) 29, 223–232.
- AUDCENT, H. L. F.  
1950 Bristol insect fauna. Diptera (cont.). Proc. Bristol Natural. Soc., Ser. 4, 28, 45–132.
- AUSTIN, E. E.  
1905 A dipterous enemy of English hothouse grapes. Ent. month. Mag. 41, 276–278; 1906.

- AUSTIN, M. D.  
 1933 The insect and allied fauna of cultivated mushrooms. Ent. month. Mag. 69, 16–17.
- АЗАРИН, А. Г.  
 1968 Суточный ритм вылета и яицекладки *Drosophila transversa* FIL. и *D. phalerata* MG. (Diptera, Drosophilidae), в различных фотопериодических условиях. Энт. Обозр. 47, 809–814.
- BÄHLER, E.  
 1910 Die wirbellose, terrestrische Fauna der nivalen Region. Ein Beitrag zur Zoogeographie der Wirbellosen. Rev. suisse Zool. 18, 761–915.
- BÄCHLI, G.  
 1969 Beitrag zur Kenntnis der Überwinterungsstadien von Insekten im Wald. Vierteljahrsschr. naturf. Ges. Zürich 114, 455–460.  
 1970 Der Waldboden als Entwicklungsumgebung von Dipteren. Vierteljahrsschr. naturf. Ges. Zürich 115, 255–259.  
 1971 *Leucophaena* und *Paraleucophaena* (Diptera Brachycera), Fam. Drosophilidae. Exploration du Parc National de l'Upemba. Mission G. F. DE WITTE, Fasc. 71, 192 pp., 38 plates. Bruxelles.
- 1972a Biometrische Studie zur Unterscheidung von *Drosophila (Hirtodrosophila) oldenbergi* DUDA und *D. (H.) hundstroemi* DUDA (Diptera, Drosophilidae). Mitt. schweiz. ent. Ges. 45, 43–48.
- 1972b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. I. Fangort Zürich. Mitt. schweiz. ent. Ges. 45, 49–53.
- 1972c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. II. Fangort Arzegno TI. Mitt. schweiz. ent. Ges. 45, 55–59.
- 1973a Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. III. Fangort Aigle VD. Mitt. schweiz. ent. Ges. 45, 255–259.
- 1973b Beitrag zur Kenntnis der Drosophiliden-Fauna (Diptera) des Kanha-Nationalparkes. Vierteljahrsschr. naturf. Ges. Zürich 118, 23–30.
- 1973c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. IV. Fangort Klöntal GL. Mitt. schweiz. ent. Ges. 46, 195–198.
- 1974a Revision der von DUDA beschriebenen südostasiatischen Arten des *Drosophila*-Subgenus *Hirtodrosophila* (Diptera: Drosophilidae). Mitt. zool. Mus. Berlin 49, 267–312.
- 1974b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. V. Fangorte Veyrier GE und Schafhausen. Mitt. schweiz. ent. Ges. 47, 29–32.
- 1974c Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VI. Fangort Würenlingen AG. Mitt. schweiz. ent. Ges. 47, 261–264.
- 1975a Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VII. Fangorte Marthalen SO und Biel BE. Mitt. schweiz. ent. Ges. 48, 377–381.
- 1975b Faunistische und ökologische Untersuchungen an Drosophiliden-Arten (Diptera) der Schweiz. VIII. Fangort Seelisberg UR. Mitt. schweiz. ent. Ges. 48, 383–386.
- 1977 Über Drosophiliden (Diptera) an der oberen Waldgrenze in der Schweiz. Mitt. schweiz. ent. Ges. 50, 47–55.
- 1979 Quantitative methods for population analysis applied to a *Drosophila* (Diptera, Drosophilidae) collection. Aquilo, Ser. zool. 20, 33–40.
- BÄCHLI, G., and ROCHA PITÉ, M. T.  
 1981 Drosophilidae of the Palearctic region. In: ASHBURNER, M., CARSON, H. L., and THOMPSON, J. N., (eds.), The genetics and biology of *Drosophila*, Vol. 3. Academic Press, London.
- In press Family Drosophilidae. In: Söder et al. (eds.), Catalogue of Palearctic Diptera. Budapest.
- BAER, W.  
 1914 Ueber *Stegana eurvipennis* FALL. Naturw. Ztschr. Forst-Landwirtsch. 12, 379.
- BAIRATI, A.  
 1967 Struttura ed ultrastruttura dell'apparato genitale maschile di *Drosophila melanogaster* MEIG. 1°. Il testicolo. Ztschr. Zellforsch. 76, 56–99.
- 1968 Structure and ultrastructure of the male reproductive system in *Drosophila melanogaster* MEIG. 2. The genital duct and accessory glands. Monit. zool. Ital., N. S., 2, 105–182.
- BALDUZZI, P.  
 1954 Variabilità di caratteri quantitativi in ceppi di *Drosophila subobscura*. Boll. Zool. 21, 313–319.
- BALKASCHINA, E. I., and ROMASCHOFF, D. D.  
 1955 Genetische Struktur der *Drosophila*-Populationen. I. Swerigoroder (Moskauer Geb.) Populationen von *D. phalerata* MEIG., *D. transversa* FALL., und *vibrans* DUDA. [In Russian with German summary]. Biol. Zhurn. 4, 81–106.
- BANKS, N.  
 1912 The structure of certain dipterous larvae with particular reference to those in human foods. U. S. Dept. Agric., Bur. Ent., Techn. Ser. 22, 1–44.
- BAERON, R. B.  
 1950 A new species of the genus, "Drosophila", with discussion about speciation in the "mercatorum" sub-group. Rev. brasili. Biol. 10, 265–278.
- BASDEN, E. B.  
 1952 Some Drosophilidae (Diptera) of the British Isles. Ent. month. Mag. 88, 200–201.
- 1953 The autumn flush of *Drosophila* (Diptera). Nature (London) 172, 1155.
- 1954a Diapause in *Drosophila* (Diptera: Drosophilidae). Proc. R. ent. Soc. London, (A), 29, 114–118.
- 1954b The distribution and biology of Drosophilidae (Diptera) in Scotland, including a new species of *Drosophila*. Trans. R. Soc. Edinburgh 62, 603–654.
- 1956 Drosophilidae (Diptera) within the Arctic Circle. I. General survey. Trans. R. ent. Soc. London 108, 1–20.
- 1957a Taxonomic and field studies. In: WADDINGTON, C. H., Research report 1955–1957 of the Institute of Animal Genetics, University of Edinburgh, pp. 25–26.
- 1957b Japanese Drosophilidae (Dipt.). A review. Ent. month. Mag. 93, 208–211.
- 1958 An examination of the evidence concerning the identity of *Drosophila tristis* FALLEN (Dipt., Drosophilidae). Ent. month. Mag. 94, 198–202.
- 1961 Type collections of Drosophilidae (Diptera). I. The STROHL collection. Beitr. Ent. 11, 160–224.
- 1966 Systematics of Drosophilidae. In: WADDINGTON, C. H., and MCLAREN, A., Research Report 1963–1965 of the Institute of Animal Genetics, University of Edinburgh, p. 85.
- BASDEN, E. B., and GOODLEY, J. B.  
 1955 A nematode parasite of *Drosophila*. Nature (London) 175, 431.
- BASDEN, E. B., and HARNDEN, D. G.  
 1956 Drosophilidae (Diptera) within the Arctic Circle. II. The Edinburgh University expedition to Sub-Arctic Norway, 1953. Trans. R. ent. Soc. London 108, 147–162.
- BAUMANN, E.  
 1977 Untersuchungen über die Dipterenfauna subterrane Gangsysteme und Nester von Wühlmäusen (*Microtus*, *Clethrionomys*) auf den Wiesen der montanen Region im Naturpark Hoher Vogelsberg. Zool. Jahrb. Syst. 104, 368–414.

- BEARDMORE, J. A.  
 1967 *Drosophila andalusiaca*, a polymorphic species new to Holland. Arch. néerl. Zool. 17, 273–277.  
 1973 Genetic studies of polymorphic esterasases in *Drosophila*. Atti Acad. Sci. Ist. Bologna, Cl. Sci. Fis., Anno 261, Memorie, Ser. III, 1, 53–62.
- BEEATTY, B. A., and SIDHU, N. S.  
 1969 Polymathy of spermatozoan length and its genetic control in *Drosophila* species. Proc. R. Soc. Edinburgh, (B), 71, 14–28.
- BECK, H.  
 1972 Genfrequenzschätzungen in zwei schweizerischen Populationen von *Drosophila subobscura* COLLIN. Arch. Genet. 45, 191–192.
- BECKER, T.  
 1900 Beiträge zur Dipteren-Fauna Sibiriens. Nordwest-Sibirische Dipteren. Acta Soc. Sci. fenn. 26 (9), 1–66.  
 1902 Die MEIGEN'schen Typen der sogen. Muscidae acalyptera (Muscina holometopa) in Paris und Wien. Ztschr. syst. Hymenopt. Dipteral. 2, 209–256, 289–320, 337–349.  
 1903a Die Typen der v. ROSENTHAL'schen Dipteren-Sammlung in Stuttgart. Diptera cyclorrhapha schizophora. *Muscina holometopa* (Muscidae acalyptera). Jahresh. Ver. vaterl. Naturk. Württemberg 59, 52–66.  
 1903b Aegyptische Dipteren. Mitt. zool. Mus. Berlin 2, 1–195.  
 1907a Die Ergebnisse meiner dipterologischen Frühjahrstrecke nach Algier und Tunis, 1906. Ztschr. syst. Hymenopt. Dipteral. 7, 369–407.  
 1907b Zur Kenntnis der Dipteren von Central-Asien. I. Ann. Mus. zool. Acad. imp. Sci. 12, 253–317.  
 1908a Diptera duo nova ex Hungaria. Ann. hist.-nat. Mus. dñin. hung. 6, 320.  
 1908b Dipteren der Kanarischen Inseln. Mitt. zool. Mus. Berlin 4, 1–180.  
 1908c Dipteren der Insel Madeira. Mitt. zool. Mus. Berlin 4, 181–206.
- DEGON, M.  
 1975 The relationships of *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN to naturally-occurring fruits. Oecologia (Berl.) 20, 255–277.  
 1976a Temporal variations in the reproductive condition of *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN. Oecologia (Berl.) 23, 31–47.  
 1976b Dispersal, density and microdistribution in *Drosophila subobscura* COLLIN. Journ. anim. Ecol. 45, 441–456.  
 1977 The effective size of a natural *Drosophila subobscura* population. Heredity 38, 18–18.
- 1978 Population densities in *Drosophila obscura* FALLÉN and *D. subobscura* COLLIN. Ecol. Ent. 3, 1–12.
- DEGON, M., MILBURN, O., and TEKNER, D.  
 1975 Density estimates of *Drosophila* in Southern England. Journ. nat. Hist. 9, 315–320.
- BEPPU, K.  
 1976 *Drosophila* Survey of Hokkaido, XXXI. Microdistribution of drosophilid flies in the vicinity of the stream. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 203–210.  
 1978 *Drosophila* survey of Hokkaido, XXXV. Further study on microdistribution of drosophilid flies in the vicinity of streams. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 21, 155–164.  
 1979 Habitat segregation of the drosophilid flies in the vicinity of streams. Kontyû 47, 443–455.  
 1980 Local variation of the habitat preference of the streamside drosophilid flies in Hokkaido. Kontyû 48, 59–70.
- BEPPU, K., and TODA, M. J.  
 1976 Some problems with respect to bait trap collections of drosophilid flies. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 299–312.
- BEPPU, K., KANEKO, A., TODA, M. J., and KIMURA, M. T.  
 1977 Methods in the studies of wild drosophilid flies in Hokkaido. 2. Key to species of Drosophilidae in Hokkaido, with a supplementary note on phylogeny. [In Japanese]. Selbutsu Kyozai 12, 1–40.
- BERGROTH, E.  
 1894 Über einige australische Dipteren. Stett. ent. Ztg. 55, 71–75.
- BERTANI, G.  
 1947 Artificial "breaking" of the diapause in *Drosophila nitens*. Nature (London) 159, 809.
- BEUTHIN, H.  
 1887 Erster Beitrag zur Kennnis der Dipteren der Umgegend von Hamburg. Verh. Ver. naturw. Unterh. Hamburg 6, 46–82.
- BEZZI, M.  
 1891 Contribuzione alla fauna ditterologica della provincia di Pavia. Parte prima. Boll. Soc. ent. Ital. 23, 21–91.  
 1892a Contribuzione alla fauna ditterologica della provincia di Pavia. Parte seconda. Boll. Soc. ent. Ital. 24, 64–80, 97–149.  
 1892b I ditteri del Trentino. Atti Soc. veneto-trent. Sci. nat., Ser. 2, 1, 209–253.
- 1895 Contribuzione alla fauna ditterologica Italiana. I. Ditteri della Calabria. Boll. Soc. ent. Ital. 27, 39–78.  
 1910 Zur Synonymie und systematischen Stellung einiger Dipteren. Sammelber. 25, 65–67.  
 1917 Studies in Philippine Diptera. II. Philipp. Journ. Sci. 12 (D), 107–161.  
 1918 Studi sulla ditterofauna rivale delle alpi italiane. Mem. Soc. Ital. Sci. nat. Milano 9, 1–164.  
 1922 Materiali per lo studio della fauna tunisina raccolti da G. E. L. DORIA. Ditteri. Ann. Mus. civ. Stor. nat. Genova, Ser. 3, 10, 97–139.  
 1924a A new species of the drosophilid genus *Gizonea* (Diptera), bred from figs in Cyprus. Ann. Mag. nat. Hist., Ser. 9, 14, 254–256.  
 1924b Missione del Dr. E. FESTA in Cirenaica. XI. Ditteri di Cirenaica. Boll. Mus. Zool. Anat. comp. R. Univ. Torino, 39 (n. ser. 18), 1–26.  
 1925 Materiali per una fauna dell'arcipelago toscano. XVII. Ditteri del Giglio. Ann. Mus. civ. Stor. nat. Genova 50, 291–354.
- BEZZI, M., and STEVANI-PEREZ, T. DR  
 1897 Enumerazione dei ditteri fino ad ora raccolti in Sicilia. Natural. sicil., N. S., 2, 1–72.
- BICKLEY, W. E.  
 1958 Flies associated with tomatoes in Maryland. Journ. econ. Ent. 49, 418–419.
- BIGOT, J. M. F.  
 1881 (no title). Ann. Soc. ent. France, Ser. 6, 1, XXIII–XXIV.
- 1891 Voyage de M. Ch. ALLUAUD aux îles Canaries. Diptères. Bull. Soc. zool. France 16, 275–279.
- BOBEK, K.  
 1890 Przyczynek do fauny muchówek tatrzańskich. Spraw. Komis. fizyogr. 25, 218–242.  
 1897 Przyczynek do fauny muchówek Podola galicyjskiego i okolicy Lwowa. Spraw. Komis. fizyogr. 32, 79–96.
- BOCK, I. R.  
 1976 Drosophilidae of Australia. I. *Drosophila* (Insecta: Diptera). Aust. Journ. Zool., Suppl. Ser., 40, 1–105.  
 1977a Drosophilidae of Australia. II. *Scaptomyza* (Insecta: Diptera). Aust. Journ. Zool. 25, 337–345.  
 1977b Notes on the Drosophilidae (Diptera) of Townsville, Queensland, including four new Australian species records. Journ. aust. ent. Soc. 16, 267–272.  
 1978 Drosophilidae of Australia. III. *Leucophaea* (Insecta: Diptera). Aust. Journ. Zool., Suppl. Ser., 71, 1–56.

- BOCK, I. R., and WHEELER, M. R.  
 1972 The *Drosophila melanogaster* species group. Univ. Texas Publ., no. 7213, 1–102.
- BOESIGER, E.  
 1974 Polymorphismes chez les Drosophilidae. Mém. Soc. zool. France 37, 167–204.
- BOHART, G. E., and GRASSMITH, J. L.  
 1951 Flith-inhabiting flies of Guam. Bull. B. P. Bishop Mus. 204, 1–152.
- BONNAMOUR, S.  
 1921 Note sur deux diptères parasites nouveaux de la pléiade du chou. Bull. Soc. ent. France 26, 217–219.
- 1926 Les insectes parasites des champignons. II. Elevages et nouvelle liste de diptères fongicoles. Ann. Soc. linn. Lyon, N. Sér., 72, 85–93.
- BORISOV, A. I.  
 1973a The adaptive role of chromosomal polymorphism. Communication IV. Prolonged observation of a population of *Drosophila fusca* in Moscow. Sov. Genet. 6, 357–363.
- 1973b Disturbances of panmixis in natural populations of *Drosophila fusca* polymorphic with respect to II-1 inversion. Sov. Genet. 6, 597–601.
- BRANICKI, K.  
 1910 Trenčsénvármegyében talált Dipterák felsorolása. Jahresh. naturw. Ver. Trencsén Comit. 31–33, 127–158.
- BRÄUER, F.  
 1883 Die Zweiflügler des Kaiserlichen Museums zu Wien. III. Systematische Studien auf Grundlage der Dipteren-Larven nebst einer Zusammenstellung von Beispielen aus der Literatur über dieselben und Beschreibung neuer Formen. Denkschr. math.-natur. Cl. 47, 1–100.
- BRÜEHL, M. E., and ROCHA, R. F.  
 1971 Genitalia masculina de algumas espécies do *Drosophilidae* dos grupos "repelita" e "tripunctata" (Diptera, Drosophilidae). Papéis avuls. Zool. S. Paulo 23, 121–137.
- BRINCK, P., and WINGSTRAND, K. G.  
 1951 The mountain fauna of the Virihauka area in Swedish Lapland. II. Special account. Lunds Univ. Årsskr., N. F., Avd. 2, 46 (2), 1–173.
- BRISCHKE, C. G. A.  
 1881 Die Blattminierer in Danzig's Umgebung. Schrift. naturf. Ges. Danzig 5, 233–290.
- BRENO, D.  
 1957 Las especies chilenas de Drosophilidae. Monogr. Biol. Univ. Chile, Santiago, 136 pp.
- BRENIG, D., and DOMEHANSKY, T.  
 1957 The southernmost Drosophilidae. Amer. Nat. 91, 127–128.
- BRUNETTE, E.  
 1923 A new Indian drosophilid fly. Rec. ind. Mus. Calcutta 25, 303–304.
- BRYAN, E. H.  
 1938 Key to the Hawaiian Drosophilidae and descriptions of new species. Proc. hawaii. ent. Soc. 10, 25–42.
- BURH, H.  
 1935 Mecklenburgische Minen. Stett. ent. Ztg. 94, 47–96.
- 1937 Parasitenbefall und Pflanzenverwandlung. Botan. Jahrb. Syst. 68, 142–198.
- 1941a Dipteren, insbesondere Agromyziden-Minen aus Südeuropa. Stett. ent. Ztg. 102, 73–110.
- 1941b Mecklenburgische Minen. IV. Nachtrag zu den Dipteren-Minen mit Einschluß der in den Rostocker Botanischen Gärten festgestellten. Arch. Ver. Freunde Naturgesch. Mecklenburg, N. F., 15, 21–101.
- 1954 Mecklenburgische Minen. V. Ueber neue und wenig bekannte Dipteren-Minen. Arch. Freunde Naturgesch. Mecklenburg, N. F., 1, 238–288.
- 1960 Bemerkenswerte oder neue Gallen und Minen aus Thüringen. Mitt. thüring. bot. Ges. 2, 56–150.
- BURIA, H.  
 1948 Die Gattung *Drosophila* in der Schweiz. Rev. suisse Zool. 55, 272–279.
- 1949 Ecology of the Swiss species of *Drosophila*. Ric. scienc. 19, 92–93.
- 1951a Systematik, Verbreitung und Ökologie der *Drosophila*-Arten der Schweiz. Rev. suisse Zool. 58, 23–175.
- 1951b Die Chromosomensezüchtungen der in der Schweiz vorkommenden *Drosophila*-Arten *D. helvetica*, *D. kunitzei*, *D. limbata*, *D. testacea*, *D. littoralis* und *D. nigrosparsa*. Arch. JULIUS KLAATS-Stiftg. 25, 496–504.
- 1951c *Drosophila prisciana* species nova, eine neue Art aus der Schweiz. Arch. JULIUS KLAATS-Stiftg. 25, 619–623.
- 1954a Zur Kenntnis der Drosophiliden der Elfenbeinküste. Rev. suisse Zool. 61 (Suppl.), 1–218.
- 1954b Distinction between four species of the "meleagroaster" group, "*Drosophila sejousi*", "*D. montium*", "*D. nikkawai*" sp. n. and "*D. awaria*" (Drosophilidae, Diptera). Rev. brasili. Biol. 14, 41–54.
- 1961 Jahreszeitliche Häufigkeitsänderungen bei einigen schweizerischen *Drosophila*-Arten. Rev. suisse Zool. 68, 73–182.
- BURIA, H., and SCHILL, G.  
 1966 Beitrag zur Kenntnis der schweizerischen Dipteren, insbesondere *Drosophila*-Arten, die sich in Fruchtkörpern von Humpeln entwickeln. Vierteljahrsschr. naturf. Ges. Zürich 113, 311–336.
- BURIA, H., and GLOOR, H.  
 1952 Zur Systematik der *Drosophila*-Arten Südwest-Europas. Ztschr. indukt. Abstamm.-Vererbungsl. 84, 164–169.
- BURIA, H., and GOËZ, W.  
 1965 Veränderlichkeit des chromosomal Polymorphismus bei *Drosophila subobscura*. Genetica 36, 83–104.
- BURIA, H., and GRÜTER, M.  
 1959a Einige Komponenten des Ausbreitungsvorganges bei *Drosophila*. Vierteljahrsschr. naturf. Ges. Zürich 104, 236–245.
- 1959b Vergleich des Migrationsverhaltens von *Drosophila subobscura* und *Drosophila obscura*. Rev. suisse Zool. 66, 272–279.
- 1961 Orientierungsversuche mit *Drosophila obscura* und *Drosophila subobscura* (Diptera). Verh. XI. Int. Kongr. Ent. Wien 1960, 1, 597–598.
- BURIA, H., and KÄLIN, A.  
 1957 Biometrischer Vergleich zweier Populationen von *Drosophila obscura*. Rev. suisse Zool. 64, 246–252.
- BURUGA, J. H.  
 1976 Breeding sites of some species of *Zaprionus* (Diptera) in Uganda. Journ. East Africa nat. Hist. Soc. natu. Mus. 31 (160), 1–6.
- BURUGA, J. H., and OLEMO, R. J.  
 1971 Plant food preferences of some sympatric drosophilids of Tropical Africa. Biotropica 3, 151–158.
- BUXTON, P. A.  
 1924 Applied entomology of Palestine, being a report to the Palestine government. Bull. ent. Res. 14, 289–340.
- 1954 British Diptera associated with fungi. 2. – Diptera bred from Myxomycetes. Proc. R. ent. Soc. London, (A), 29, 163–171.
- 1960 British Diptera associated with fungi. III. Flies of all families reared from about 150 species of fungi. Ent. monit. Mag. 96, 61–94.

- BUZZATI-TRAVESO, A.
- 1942a Genetica di popolazioni in *Drosophila*: I. Eterozigosi in *Drosophila subobscura* COLLINS. *Sci. genet.* 3, 190–223.
  - 1942b Genetica di popolazioni in *Drosophila*: II. I cromosomi di 5 specie del "gruppo obscura" e la incrociabilità di varie razze geografiche. *Sci. genet.* 2, 224–241.
  - 1943 Morfologia, citologia e biologia di due nuove specie di *Drosophila* (Diptera acalyptrae). *Rend. R. Ist. lomb. Sci. Lett. Cl. Sci.* 77, 37–49.
  - BUZZATI-TRAVESO, A., and SUCCHIROLI, R.
  - 1952 Interspecific crosses between *Drosophila* species living on different continents. *Trans. Ninth Int. Congr. Ent.* 1, 248–249.
  - 1955 The "obscura group" of the genus *Drosophila*. *Adv. Genet.* 7, 47–92.
  - BUZZATI-TRAVESO, A., JUCCI, C., and TIMOPODETTI-BESSOVSKY, N. W.
  - 1955 Genetica di popolazioni. *Eic. scient.*, Ser. 2, 9, 584–610.
  - CAIN, A. J., COLLIN, J. E., and DEMEDECZ, V. B.
  - 1952 Correct application of the name *Drosophila obscura* FALLEN and notes on the type of *D. triestis* FALLEN (Dipt., Drosophilidae). *Ent. monat. Mag.* 88, 193–196.
  - CALLOSI, S.
  - 1889 La fauna nivale, con particolare riguardo ai viventi delle alte Alpi. *Fusi*, Pavia, 478 pp.
  - CANZANELLI, A.
  - 1939 La fauna dei funghi freschi. I. Contributo: Elenco delle specie e notizie generali morfobiologiche. *Boll. Zool. agr. Bachic. R. Univ. Milano* 9, 85–107.
  - 1941 La fauna dei funghi freschi. II. Contributo: Le ditterofauna fungicola. *Comm. pontif. Acad. Sci.* 5, 211–283.
  - CARPENTER, G. H.
  - 1911 Injurious insects and other animals observed in Ireland during the year 1910. *Econ. Proc. R. Soc. Dublin* 2, 31–51.
  - CARSON, H. L.
  - 1965 Chromosomal morphism in geographically widespread species of *Drosophila*. In: BAKER, H. G., and STEPHENS, G. L. (eds.), *The genetics of colonizing species*, pp. 503–531. Academic Press, New York.
  - 1971 The ecology of *Drosophila* breeding sites. University of Hawaii, HAROLD L. LYON Arboretum Lecture, 2, 1–28.
  - CARSON, H. L., and WASHERMAN, M.
  - 1965 A widespread chromosomal polymorphism in a widespread species, *Drosophila buzzatii*. *Amer. Nat.* 99, 111–115.
  - CARSON, H. L., KNAPP, R. P., and PHAF, H. J.
  - 1956 Studies on the ecology of *Drosophila* in the Yosemite Region of California. III. The yeast flora of the natural breeding sites of some species of *Drosophila*. *Ecology* 37, 538–544.
  - CARTER, A. E. J.
  - 1914 Perthshire diptera — Aberfoyle district. *Trans. Perthsh. Soc. Nat. Sci.* 5, 176–181.
  - CARTER, W.
  - 1938 (title). *Proc. hawaii. ent. Soc.* 10, 5.
  - CASTRO, L. E. DE
  - 1953 Estudo comparativo das cerdas cimeliformes das pernas dos Drosophilídeos (Diptera). *Rev. brasili. Biol.* 13, 363–368.
  - CHARLESWORTH, P., and SHORROCKS, B.
  - 1980 The reproductive biology and diapause of the British fungal-breeding *Drosophila*. *Ecol. Ent.* 5, 315–326.
  - CHINO, M.
  - 1936 The genetics of *Drosophila virilis*. [In Japanese]. *Jap. Journ. Genet.* 12, 189–210.
  - CHITTENDEN, F. H.
  - 1902 Some insects injurious to vegetable crops. *Bull. U. S. Div. Ent.*, N. S., 33, 1–117.
  - CHOI, K. K., and NAKAMURA, K.
  - 1973 On a new species of *Drosophila* (Diptera). *Kontyû* 41, 305–306.
  - CHUNG, Y. J.
  - 1958 Drosophilid survey of ten localities, South Korea. *Kor. Journ. Zool.* 1, 33–37.
  - 1959 Drosophilid survey of Huk-San Island. *Ann. Rep. Kor. Cul. Res. Inst.* 1, 391–398.
  - 1960a Drosophilid survey of two islands in the South Sea of Korea. *Ann. Rep. Kor. Cul. Res. Inst.* 2, 369–383.
  - 1960b On a new species, "*Drosophila tritincta*" sp. nov. *Kor. Journ. Zool.* 3, 41–44.
  - CHUNG, Y. J., and RHO, B. J.
  - 1959 Drosophilid survey of Mt. Sui-Ak (Kang-Won Province). *Kor. Journ. Zool.* 2, 37–42.
  - 1960 Drosophilid survey at two mountains in Kyung-Pool Province. *Ann. Rep. Kor. Cul. Res. Inst.* 2, 395–398.
  - CLARKE, J. M., MAYNARD SMITH, J., and SONDBJ, K. C.
  - 1961 Asymmetrical response to selection for rate of development in *Drosophila subobscura*. *Genet. Res.* 2, 70–81.
  - CLAYTON, F. B., and WARD, C. L.
  - 1954 Chromosomal studies of several species of Drosophilidae. *Univ. Texas Publ.*, no. 5422, 98–105.
  - COCKERELL, T. D. A.
  - 1923 Insects in amber from South America. *Amer. Journ. Sci.* 205, 331–338.
  - COX, H. L.
  - 1943 *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae) new to Britain, with notes on the species and some account of its breeding-habits. *Ent. month. Mag.* 79, 204–207.
  - 1950 Diptera taken in Yugoslavia from May to July, 1953, with localities and notes. *Glasnik prirodn. Muz. Beogr.*, Ser. B, 12, 181–206.
  - COLLINE, J. R.
  - 1902a Note on *Aclatoxenus syrophoides*, FRAUNEFELD. *Ent. month. Mag.* 38, 1–3.
  - 1902b On the specific identity of *Aclatoxenus syrophoides*, FRAUNEF., and *Gitona formosa*, Lw. *Ent. month. Mag.* 38, 282.
  - 1911 Additions and corrections to the British list of Muscidae acalyptatae. *Ent. month. Mag.* 47, 229–234.
  - 1952 Notes on some Drosophilidae (Dipt.), including five additional British species, two of them new to science. *Ent. month. Mag.* 88, 197–199.
  - 1953 On the British species of *Scaptomyza* HARDY and *Parascaptomyza* DUDA (Dipt., Drosophilidae). *Entomologist* 86, 148–151.
  - COLLINS, W. B.
  - 1956 On the biology and control of *Drosophila* in tomatoes for processing. *Journ. econ. Ent.* 49, 607–610.
  - COLYER, C. N.
  - 1951 A note on *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae). *Ent. Rec.* 63, 306.
  - 1954 *Drosophila repleta* WOLLASTON (Dipt., Drosophilidae): A further British record and a correction. *Ent. month. Mag.* 96, 98.
  - COLYER, C. N., and HAMMOND, G. O.
  - 1951 Flies of the British Isles. WARNE, London, 383 pp.
  - COUILLETTE, D. W.
  - 1893 Two dipterous leaf-miners on garden vegetables. *Insect Life* 7, 381–384.

- 1898 Report on a collection of Japanese Diptera, presented to the U. S. National Museum by the Imperial University of Tokyo. Proc. U. S. natn. Mus. 21, 301–340.
- 1900 Papers from the HARRIMAN Alaska Expedition. IX. Diptera. Proc. Wash. Acad. Sci. 9, 380–464.
- 1901 Three new species of Diptera. Ent. News 12, 16–18.
- CORVI, E.  
1897 Aggiunte alla fauna ditterologica della provincia di Pavia. Terza centuria. Boll. Soc. ent. Ital. 29, 136–143.
- COTTIER, W.  
1933 A study of the insect fauna of swede turnips infected with dry-rot. N. Z. Journ. Sci. Techn. 14, 142–145.
- COVA GARCIA, P., and SUÁREZ, O. M.  
1962 Especies del género *Drosophila* encontradas hasta ahora en Venezuela. Rev. venez. San. Asist. soc. 27, 317–351.
- CURRAN, C. H.  
1932 Diptera (Excl. of Tipulidae and Culicidae) of the WOLLEBANK Galapagos expedition. Nyt. Mag. Naturvidensk. 71, 347–366.
- 1936 The THOMPSON CROCKER Expedition to Western Polynesian and Melanesian Islands, 1933, No. 30. Diptera. Proc. Calif. Acad. Sci., Ser. 4, 22, 1–66.
- CURTIS, J.  
1833 British entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland. Vol. 10, pp. 484–481; London.
- CZEMLAK, J.  
1908a Ueber *Drosophila costata* und *fuscinervia* Zett. (Dipt.). Ztschr. syst. Hymenopt. Dipteral. 3, 198–201.
- 1908b Bemerkungen zu den Arten der Gattung *Geomyza* Filb. (Dipt.). Wien. ent. Ztg. 22, 123–127.
- 1930 Dipteren auf Schnee und in Höhlen. Mitt. naturw. Inst. Sofia 3, 113–118.
- CZEMMIX, L., and STROBL, G.  
1909 Spanische Dipteren. III. Beitrag. Verh. zool.-bot. Ges. Wien 59, 121–301.
- CZÍKÉR, K.  
1906 Beiträge zu einer Dipterenfauna Mährens. Ztschr. mähr. Landesmus. 6, 182–234.
- 1910 Beiträge zur Dipterenfauna Mährens. (III. Nachtrag). Ztschr. mähr. Landesmus. 10, 87–112.
- DAHL, F.  
1896 Vergleichende Untersuchungen über die Lebensweise wirbelloser Ausfresser. Sitz.-Ber. K. preuss. Acad. Wiss. Berlin 1896, 17–30.
- DALLA TORKE, K. VON  
1878 Entomologische Notizen aus dem Egerlande. Lotos 27, 91–208.
- DAVID, J.  
1971 Recherche sur la composition des populations de Drosophilidae de la région de Makokon (Gabon). Activité nycthemérale, abondance et répartition des espèces. Biol. gabon. 7, 87–79.
- 1979 Utilization of morphological traits for the analysis of genetic variability in wild populations. Aquilo, Ser. zool., 29, 49–61.
- DAVID, J., and BOQUET, CH.  
1972 Parallélisme évolutif chez deux espèces jumelles de *Drosophila*: Les races géographiques de France et d'Afrique équatoriale de *D. melanogaster* et de *D. simulans*. Arch. Zool. exp. gén. 113, 451–463.
- DAVID, J.; LEMEUNIER, F.; TSACAS, L., and BOQUET, C.  
1974 Hybridisation d'une nouvelle espèce, *Drosophila mauritiana* avec *D. melanogaster* et *D. simulans*. Ann. Génét. 17, 235–241.
- DECOURT, R. M.  
1925 A practical control for the pomace fly. Journ. econ. Ent. 18, 626–629.
- DELCOUET, A.  
1909 Sur l'apparition brusque et l'hérédité d'une variation chez *Drosophila confusa*. C. R. Soc. Biol. 66, 709–711.
- DELY-DRASKOVITS, A.  
1976 Gemeinschaftsverhältnisse pilzbewohnender Fliegenarten (Diptera). Ann. hist.-nat. Mus. nain. hung. 68, 191–194.
- DELY-DRASKOVITS, A., and BABCS, M.  
1976 Fenologische Zusammenhänge zwischen Fliegen und Hutpilzen I. Folia ent. hung., Ser. nov., 29, 23–39.
- DELY-DRASKOVITS, A., and PAFF, L.  
1973 Systematical and ecological investigations of fly pests of mushrooms in Hungary. V. Drosophilidae (Diptera). Folia ent. hung., Ser. nov., 26, 21–29.
- DIS = *Drosophila* Information Service, quoted by volume and page number.
- DOEZHANSKY, T.  
1966 "Wild" and "domestic" species of *Drosophila*. In: BAKER, H. G. and STEBBINS, G. L. (eds.), The genetics of colonizing species, pp. 533–551. Academic Press, New York.
- DOEZHANSKY, T., and CUNHA, A. B. DA  
1955 Differentiation of nutritional preferences in Brazilian species of *Drosophila*. Ecology 36, 34–39.
- DOEZHANSKY, T., and PAVAN, C.  
1948 Studies on Brazilian species of *Drosophila*. Bol. Facult. Fil. Ciênc. Letr. Univ. S. Paulo 36, 7–72.
- 1950 Local and seasonal variations in relative frequencies of species of *Drosophila* in Brazil. Journ. anim. Ecol. 19, 1–14.
- DOLEJŠHAL, C. L.  
1858 Derde bijdrage tot de kennis der dipteren fauna van Nederlandsch Indie. Natuurk. Tijdschr. nederl. Indië 17, 73–128.
- DOSKOČIL, J.  
1962 Dvojuklidí (skupiny Acalyptrata) Rychlebských hor. Zweiflügler (Gruppe Acalyptrata) des Gebirges Rychlebské hory. Prř. Cas. Složský 23, 249–272.
- DOSKOČIL, J., and HŮRKA, K.  
1962 Entomofauna louky (Svaz Arrhenatherion elatioris) a její vývoj. Rozpravy česk. Akad. Věd 72 (7), 1–99.
- DRAGOMÍT, J.  
1972 Insects mineurs (L'entomofaune du "grind" de Carnaroman, delta du Danube). Trav. Mus. Hist. nat. ("Gr. Antitpa") 12, 221–228.
- DUBININ, N. P.  
1946 On lethal mutations in natural populations. Genetics 31, 21–38.
- DUBININ, N. P., and RAMASCHOFF, D. D.  
1932 Die genetische Struktur der Art und ihre Evolution. [In Russian with German summary]. Biol. Zhurn. 1, 52–95.
- DUBININ, N. P., and TIMAROV, G. G.  
1945 Seasonal cycles and the concentration of inversions in populations of *Drosophila fuscinervia*. Amer. Nat. 79, 570–572.
- 1946a Inversion gradients and natural selection in ecological races of *Drosophila fuscinervia*. Genetics 31, 537–545.

- 1946b Structural chromosome variability in urban and rural populations of *Drosophila funebris*. Amer. Nat. 80, 393–396.
- 1947 Inversion gradients and selection in ecological races of *Drosophila funebris*. Amer. Nat. 81, 148–153.
- DUBININ, N. P.; HEPNER, M. A.; BESSMERTNAYA, S. J.; GOLDAZ, S. J.; PANINA, K. A.; POGOSSIAN, E.; SAPKIRINA, S. W.; SIDOROV, B. N., FERERY, L. W., and TSURINA, M. G.
- 1954 Experimental study of the ecogenotypes of *Drosophila melanogaster*. First part. [In Russian with English summary]. Biol. Zhurn. 3, 166–206.
- DUBININ, N. P.; ROMASHOV, D. D.; HEPNER, M. A., and DEMELOVA, Z. A.
- 1957a Aberrant polymorphism in *Drosophila fasciata* MEIG. (Syn. *melanogaster* MEIG.). [In Russian with English summary]. Biol. Zhurn. 6, 311–314.
- DUBININ, N. P., SOKOLOV, N. N., and TINYAKOV, G. G.
- 1957b Intraspecific chromosome variability. [In Russian with English summary]. Biol. Zhurn. 6, 1007–1054.
- DUDA, O.
- 1921 Kritische Bemerkungen zur Gattung *Scaptomyza* HARDY (Dipteren). Jahresh. Ver. schles. Ins. Breslau 13, 57–69.
- 1922 *Lacistema* und *Sphaerocostella*, zwei neue, zu den Drosophiliden und nicht zu den Cnemidilliden gehörige Dipteren-Gattungen aus Südostasien. Arch. Naturgesch. 88 (A), 4, 150–160.
- 1923 Die orientalischen und australischen Drosophiliden-Arten (Dipteren) des Ungarischen National-Museums zu Budapest. Ann. hist.-nat. Mus. natn. hung. 29, 24–59.
- 1924a Beitrag zur Systematik der Drosophiliden unter besonderer Berücksichtigung der paläarktischen u. orientalischen Arten (Dipteren). Arch. Naturgesch. 90 (A), 3, 172–234.
- 1924b Die Drosophiliden (Dipteren) des Deutschen Entomologischen Institutes d. Kaiser Wilhelm-Gesellschaft (früher Deutsches Entomologisches Museum) aus H. SAUTER's Formosa-Ausbeute. Arch. Naturgesch. 90 (A), 3, 235–259.
- 1924c Revision der europäischen Arten der Gattung *Drosophila* FALLEN (Dipt.). Ent. Medd. 14, 246–313.
- 1925 Die costarikanischen Drosophiliden des Ungarischen National-Museums zu Budapest. Ann. hist.-nat. Mus. natn. hung. 22, 149–229.
- 1926a Fauna sumatrana (Beitrag Nr. 26). Drosophilidae (Dipt.). Suppl. ent. 14, 42–116.
- 1926b Die orientalischen und australischen Drosophiliden-Arten (Dipteren) des Ungarischen National-Museums zu Budapest. I. Nachtrag. Ann. hist.-nat. Mus. natn. hung. 23, 241–250.
- 1927 Die südamerikanischen Drosophiliden (Dipteren) unter Berücksichtigung auch der anderen neotropischen sowie der nearktischen Arten. Arch. Naturgesch. 91 (A), 11/12, 1–228 (1925).
- 1928 Beitrag zur Kenntnis der südostasiatischen Drosophilengattung *Hypselothryx* DE MEIJERE (Dipt.). Ann. hist.-nat. Mus. natn. hung. 25, 79–90.
- 1931 Chloropidae, Drosophilidae. Dipterologischer Beitrag zu der von H. J. FEUERBORN, F. RUTTNER und A. THIEMANN im Jahre 1928 und 1929 nach Java, Sumatra und Bali unternommenen limnologischen Forschungsreise. Arch. Hydrobiol., Suppl. 9, 192–198.
- 1934 Drosophilidae. In: LINDBERG, B. (ed.), Die Fliegen der paläarktischen Region. 58 g. SCHWEIZERHART, Stuttgart, pp. 1–64 (1934). 65–118 (1935).
- 1939 Revision der afrikanischen Drosophiliden (Diptera). I. Ann. hist.-nat. Mus. natn. hung. 32, 1–57.
- 1940 Revision der afrikanischen Drosophiliden (Diptera). II. Ann. hist.-nat. Mus. natn. hung. 33, 19–53.
- DUPONT, L.
- 1859 Mémoire sur les métamorphoses de plusieurs larves fungivores appartenant à des Diptères. Ann. Sci. nat., Sér. 2 (Zool.), 12, 5–60.
- 1840 Second mémoire sur les métamorphoses de plusieurs larves fungivores appartenant à des Diptères. Ann. Sci. nat., Sér. 2 (Zool.), 13, 148–163.
- 1845 Histoire critique des métamorphoses de la *Drosophila reuteri*, et description de la larve de la *Drosophila melanoleuca*. Mém. Soc. Sci. Agric. Arts Lille 1845, 201–208.
- 1846 Histoire des métamorphoses de la *Drosophila pallipes*. Ann. Soc. ent. France, Sér. 2, 4, 321–326.
- DYSON-HEDDSON, V. R.
- 1954 Key to the British species of *Drosophila* of the *obscure* species-group. Journ. Genet. 52, 555–561.
- 1956 The daily activity rhythm of *D. subobscura* and *D. obscure*. Ecology 37, 562–567.
- DYSON-HEDDSON, V. R., and VOEKEROOT, J. R.
- 1956 Some natural habitats of larvae of *Drosophila subobscura* COLLIN and *D. maculalis* VILLENEUVE (Dipt., Drosophilidae). Ent. month. Mag. 91, 247–246.
- EDWARDS, F. W.
- 1934 Diptera on Grassholm Island, Pembrokeshire. Journ. Soc. brit. Ent. 1, 33–34.
- 1936 *Amictis abrogatula* WALKER, in Dorset (Diptera, Drosophilidae). Entomologist 69, 218.
- EDWARDS, F. W., and COLLIN, J. R.
- 1932 A revised list of the Diptera of St. Kilda. Ent. month. Mag. 68, 263–266.
- EGGER, J.
- 1862 Dipterologische Beiträge. Verh. k. k. zool.-bot. Ges. Wien 12, 777–784.
- EISWELDER, I.
- 1957 Noch einmal pilzbewohnende Dipteren (Zweiflügler). Ztschr. Pilzk. 23, 1–5.
- EISSEN, K. T., VAN DIJK, H., and VAN DELDEN, W.
- 1979 Genetic differentiation within the *melanogaster* species group of the genus *Drosophila* (Diptera). Evolution 33, 1068–1068.
- ENDERLEIN, G.
- 1927 Dipterologische Studien. XIX. Stett. ent. Zieg. 88, 102–109.
- 1936 Zweiflügler, Diptera. In: BROHMER, F., EHRMANN, P., and ULMER, G. (eds.), Die Tierwelt Mitteleuropas. Vol. 6, Part 2, 259 pp. QUELLE und MAYER, Leipzig.
- EVERSMANN, E.
- 1834 Diptera Wolgan fluvium inter et montes Uralens obseruata. Bull. Soc. imp. Natural. Moscou 7, 420–432.
- FAERICIUS, J. C.
- 1787 Mantinea inscotorum sistens species nuper detectas adiecta synonymis, observationibus, descriptionibus, emendationibus. Tom. II. PROFT, Hafniae [= Copenhagen], 381 pp.
- 1794 Entomologische systematische emendata et aucta, Tom. IV. PROFT, Hafniae [= Copenhagen], 472 pp.
- 1805 Systoma articulatorum secundum ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. LEICHARDT, Brunsigiae [= Braunschweig], 373 pp.
- FALCÓ, L.
- 1921 Notes sur divers insectes fungicoles. Misc. ent. 25, 57–62.
- 1924 Observations biologiques sur divers insectes des environs de Vienne en Dauphiné. Bull. Soc. ent. France 1924, 221–224.
- 1927 Observations biologiques sur divers insectes des environs de Vienne en Dauphiné. Bull. Soc. ent. France 32, 226–232.

- FALLÉN, C. F.  
 1823 Diptera Sveciae Geomyzides. 8 pp., BERLING, Lundae [= Lund].
- FASCHEN, H.  
 1936 Die Lebensgemeinschaft des Domänenclades bei Mertingen (Schwaben). Abh. naturw. Ver. Schwaben, Augsburg, 1, 1-98.
- FONSECA, E. C. M. D'A.  
 1965 A short key to the British Drosophilidae (Diptera) including a new species of *Amictia*. Trans. Soc. brit. Ent. 16, 233-244.
- FRAPPA, C.  
 1931 La mouche des fruits à Madagascar, *Drosophila repleta* WOLL. Bull. Acad. malg., N. S., 13 (1930), 117-124.
- FRÄUENFELD, G. R. VON  
 1867 Zoologische Miscellen. XI. Verh. zool.-bot. Ges. Wien 17, 425-502.  
 1868a Zoologische Miscellen. XIV. Verh. zool.-bot. Ges. Wien 18, 147-166.  
 1868b Zoologische Miscellen. XV. Verh. zool.-bot. Ges. Wien 18, 885-902.
- FRAUSCHER, K.  
 1898 Die THEF'schen Dipteren-Sammlungen. Carinthia II, 88, 30-40, 83-100, 126-139, 153-171.
- FREIRE-MALTA, N.  
 1949 Variação do número de dentes dos pentes tarsais de „*Drosophila montium*“. Rev. bras. Biol. 9, 389-396.
- FRÉRY, H.  
 1917 Entomologiska anteckningar från norra Savolaks. Medd. Soc. Fauna Flora fenn. 43, 84-97.  
 1918 Bananflugan (*Drosophila ampelophila* LOEW) anträffad i Finland. Medd. Soc. Fauna Flora fenn. 44, 120-122, 210, 233.
- 1921 Studien über den Bau des Mundes der niederen Diptera Schizophora nebst Bemerkungen über die Systematik dieser Dipterengruppe. Acta Soc. Fauna Flora fenn. 48 (3), 1-245.
- 1929 (no title). Notul. ent. 9, 126-127.
- 1932 Neue Diptera brachycera aus Finnland und angrenzenden Ländern. II. Notul. ent. 12, 81-85.
- 1936 Die Dipterenfauna der Kanarischen Inseln und ihre Probleme. Soc. Sci. fenn. Comment. biol. 6 (1), 1-237.
- 1945 Targeographische Studien über die Dipterenfauna der Azoren. I. Verzeichnis der bisher von den Azoren bekannten Dipteren. Soc. Sci. fenn. Comment. biol. 8 (10), 1-114.
- 1949 Die Dipterenfauna der Insel Madeira. Soc. Sci. fenn. Comment. biol. 8 (10), 1-47.
- 1950 Dipterafauna vid Tana älv i Utsjoki sommaren 1949. Notul. ent. 30, 5-18.
- 1954 Diptera brachycera und Sciaridae von TRISTAN DA CUNHA. Resultats norv. sci. Exped. TRISTAN DA CUNHA 1937 to 1938, 26, 1-55.
- 1958 Kanarische Diptera brachycera p.p., von HÅKON LINDEBERG gesammelt. Soc. Sci. fenn. Comment. biol. 17 (4), 1-63.
- FRÉY, R., TIENSUU, L., and STÖR, R.  
 1941 Enumeratio Insectorum Fenniae. Diptera. 6, 1-63. Helsingfors Entomologiaka Bytesförening.
- FRÉY, W.  
 1951 Ueber das Auftreten der Minierfliege *Phytomyza rufipes* Mg. an Raps. Ztschr. Pflanzen-Krankh. 68, 10-20.
- FRIEND, H.  
 1927 A new raspberry pest. Garden. Chron., Ser. 3, 82, 331-332.
- FURTSCH, K.  
 1875 Jährliche Periode der Insektenfauna von Oesterreich-Ungarn. J. Die Fliegen (Diptera). Denkschr. k. Akad. Wiss., math.-naturw. Cl., 34, 33-114.
- FURTH, G.  
 1950 I cromosomi delle ghiandole salivari di *Drosophila subobscura* COLLIN. Sci. Genet. 3, 205-214.
- FROLOWA, S. L.  
 1926 Normale und polyploide Chromosomengarnituren bei einigen *Drosophila*-Arten. Ztschr. Zellforsch. 3, 682-694.
- FROLOWA, S. L., and ASTABROW, B. L.  
 1929 Die Chromosomengarnituren als systematisches Merkmal. (Eine vergleichende Untersuchung der russischen und amerikanischen *Drosophila obscura* FALL.) Ztschr. Zellforsch. 10, 201-213.
- FROST, S. W.  
 1924 A study of the leaf-mining Diptera of North America. Mem. Cornell Univ. agric. Exp. Sta. 78, 1-228.
- FRUTOS, R. DE  
 1972 Contribution to the study of chromosomal polymorphism in the Spanish population of *Drosophila subobscura*. Genet. Iber. 24, 123-140.
- FREYDENBERG, O.  
 1955 On the types of *Drosophila picta* ZETT. and *D. spurca* ZETT. (Drosophilidae, Dipt.) and a new description of the former. Ent. Medd. 27, 104-112.
- 1956a The Danish species of *Drosophila* (Dipt.). Ent. Medd. 27, 249-294.
- 1956b The synonymy, relationship, and distribution of *Drosophila confusa* STANGEI 1844 (Dipt.). Ent. Medd. 27, 295-308.
- FUKATAMI, A.  
 1975 Chromosomal variations in *Drosophila lutescens*. Japan. Journ. Genet. 50, 433-442.
- FUTCH, D. G.  
 1966 A study of speciation in South Pacific populations of *Drosophila melanogaster*. Univ. Texas Publ., no. 6615, 79-120.
- GALLO, A. J.  
 1973 Morphological distinction between female *Drosophila melanogaster* and female *D. simulans*. Ciéncia Cultura 25, 341-345.
- GARDNER, A. E., and CLASSEY, E. W.  
 1960 Report on the insects collected by the E. W. CLASSEY and A. E. GARDNER expedition to Madeira in December 1957. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1959, 184-206.
- GAUVIER, C.  
 1923 Un Aleurode parasite du poirier et du frêne, *Trialeurodes inaequalis*, n. sp. (Hém. Aleurodidae). Annls. Soc. ent. Fr. 91, 337-350.
- GERCKE, G.  
 1882 Ueber die Metamorphose einiger Dipteren. Verh. Ver. naturw. Unterl. Hamburg 6, 68-80.
- GERSHENSON, S.  
 1928 A new sex-ratio abnormality in *Drosophila obscura*. Genetics 13, 488-507.
- 1934 Mutant genes in a wild population of *Drosophila obscura* FALL. Amer. Nat. 68, 569-571.
- GEYSPTS, K. F., and SIMONENKO, N. P.  
 1970 An experimental analysis of seasonal changes in the photoperiodic reaction of *Drosophila phalerata* Meix. (Diptera, Drosophilidae). Ent. Rev. Washington 49, 46-54.

- GIMMERTHAL, B. A.  
 1843 Acht neue, von Herrn Pastor KAWALL in Kurland aufgefundene Dipteren-Arten. Correspondenzbl. naturf. Ver. Riga 1, 102–106.
- 1847 Vierter Beitrag zur Dipterologie Russlands. Bull. Soc. imp. Natural. Moscow 20, 140–208.
- GIRARD, J.  
 1861 Fragments entomologiques. Verh. k. zool.-bot. Ges. Wien 11, 447–484.
- GLEICHHAUF, H.  
 1936 Anatomie und Variabilität des Geschlechtsapparates von *Drosophila melanogaster* (MEIGEN). Ztschr. wiss. Zool. 148, 1–66.
- GODAN, D.  
 1957 Zur Kenntnis der Minierfliegen an Raps und Rübsen. Mitt. dtsch. ent. Ges. 16, 12, 20–23.
- GÖTZ, W.  
 1965 Beitrag zur Kenntnis der Inversionen, Duplikationen und Strukturtypen von *Drosophila subobscura* COLL. Ztschr. Vererbungs. 96, 285–296.
- 1965b Chromosomal Polymorphismus in einem Muster von *Drosophila subobscura* aus Marokko, mit Darstellung der Heterozygotieverhältnisse als Heterozygotendiagramm. Ztschr. Vererbungs. 97, 40–45.
- 1967 Untersuchungen über den chromosomalen Strukturpolymorphismus in kleinasiatischen und persischen Populationen von *Drosophila subobscura* COLL. Mol. gen. Genet. 100, 1–33.
- GOLDSCHMIDT, E.  
 1951 Deleterious genes in wild *Drosophila melanogaster* from Israel. Amer. Nat. 85, 201–205.
- 1956a Structural polymorphism in the Israeli race of *Drosophila subobscura*. Bull. Res. Council Israel 5 (b), 316–317.
- 1956b Chromosomal polymorphism in a population of *Drosophila subobscura* from Israel. Journ. Genet. 54, 474–496.
- 1968 Polymorphism and coadaptation in natural populations of *Drosophila subobscura*. Proc. X. Int. Congr. Ent. 2, 821–828.
- GOLDSCHMIDT, E.; WAHNER, J., LEDERMANN-KLEIN, A., and WEISS, R.  
 1955 A two years' survey population dynamics in *Drosophila melanogaster*. Evolution 9, 353–366.
- GONZALEZ-DUARTE, R., GONZALEZ-IZQUIERDO, M. C., and PREVOSTI, A.  
 1972 Polymorphism for esterases and alcohol dehydrogenases in natural populations of *Drosophila subobscura*. Atti Acad. Sci. Ist. Bologna, Cl. Sci. Fis., Anno 261, Memorie, Ser. III, 1, 63–70.
- GORDON, C.  
 1936 The frequency of heterozygosis in free-living populations of *Drosophila melanogaster* and *Drosophila subobscura*. Journ. Genet. 33, 25–36.
- 1942 Natural breeding sites for *Drosophila obscura*. Nature (London) 149, 490–500.
- GORDON, C., SPURWAY, H., and STREET, P. A. R.  
 1959 An analysis of three wild populations of *Drosophila subobscura*. Journ. Genet. 38, 37–90.
- GOURIAU, C. C.  
 1951 Mémoire pour servir à l'histoire des diptères dont les larves minent les feuilles des plantes, et à celle de leurs parasites. Ann. Soc. ent. France, Sér. 2, 9, 181–176.
- 1955 Les insectes nuisibles aux arbres fruitiers, aux plantes potagères, industrielles et économiques, aux céréales et aux plantes fourragères. Bull. Soc. Sci. Hist. nat. Yonne 19, 3–147.
- GEORG, F.  
 1961 Kříž k určování synantropních dvoukřídlých pro praktickou potřebu zdravotníku. Zool. Listy 10, 193–202.
- GREUTER, M. W.  
 1963 Vergleich der Ausbreitungsaktivitäten von *Drosophila subobscura* und *Drosophila obscura*. Rev. suisse Zool. 70, 759–856.
- GRIMSHAW, P. H.  
 1901 Diptera. In: SHARP, D. (ed.), Fauna Hawaïensis, 3 (1), 1–77. Cambridge.
- 1904 Diptera Scotica: III – The Forth district (cont.). Ann. scott. nat. Hist. 49, 26–33, 50, 98–102.
- 1905 On the Diptera of the Flannan Islands. Ann. scott. nat. Hist. 56, 218–220.
- 1909 The Diptera of Fair Isle. Ann. scott. nat. Hist. 60, 207–209.
- 1907 On the Diptera of St. Kilda. Ann. scott. nat. Hist. 63, 150–158.
- 1916 Diptera Scotica: VI – The Western Isles. Scott. Nat. 1916, 184–188.
- GRISWOLD, C. H.  
 1956 Interval between oak wilt fungus inoculation by *Drosophila melanogaster* and appearance of foliar symptoms. Journ. econ. Ent. 49, 429.
- 1958 Transmission of the oak wilt fungus by certain woodland-inhabiting Drosophilidae. Journ. econ. Ent. 51, 733–735.
- GRØNLUND, N.  
 1926 Bladminstere fra VOSS og INDRÉ-HARDANGER. I. Norsk ent. Tidsskr. 2, 89–108.
- GROSSMAN, A. I., and KORENKA, L. G.  
 1970 Correlation between alleles alcohol dehydrogenase and  $\alpha$ -glycerophosphate dehydrogenase in natural populations of *Drosophila melanogaster*. [In Russian with English summary]. Genetika 6, 95–101.
- GÜNZELHART, E.  
 1949 Beiträge zur Lebensweise und Bekämpfung von *Ceuthorrhynchus quadridens* PANZ. und *Ceuthorrhynchus napi* GYLLEN. mit Beobachtungen an weiteren Kohl- und Rapschädlings. Mitt. schweiz. ent. Ges. 22, 441–591.
- GUGGENHEIM, B., WALT, H., and THOMER, H.  
 1975 Plasterelektronenmikroskopische Untersuchungen am männlichen Vorderbein von *Drosophila melanogaster*. Naturw. Rundsch. 23, 288–299.
- GUPTA, J. P.  
 1970 Description of a new species of *Phorticella Zapriponus* (Drosophilidae) from India. Proc. Ind. natn. Sci. Acad. 36 (B), 69–70.
- 1974a The family Drosophilidae in India. Ind. Biol. 5, 7–30.
- 1974b Indian species of Drosophilidae, exclusive of the genus *Drosophila*. Journ. Ent. (B) 43, 209–215.
- GUPTA, J. P., and RAY-CHAUDHURI, S. P.  
 1970 Some new and unrecorded species of *Drosophila* (Diptera; Drosophilidae) from India. Proc. R. ent. Soc. London, (B), 39, 57–72.
- GURNEY, W. B.  
 1912 Fruit-flies and other insects attacking cultivated and wild fruits in New South Wales. Agric. Gaz. N. S. Wales 23, 75–80.
- GUYSER, G. E.; KING, H. L., FISCHER, R. L., and DREW, W. A.  
 1956 The emergence of flies reared from grass silage in Michigan. Journ. econ. Ent. 49, 619–622.
- HACHIYA, T.  
 1954 The diurnal rhythm of activity in *Drosophila*. [In Japanese with English summary]. Ecol. Rev. 13, 107–110.
- HACKMAN, W.  
 1964 Die *Drosophila*-Arten Finnlands. Notul. ent. 34, 130–139.

- 1955 On the genera *Scaptomyza* HARDY and *Parascaptomyza* DUDA (Dipt., Drosophilidae). Notul. ent. 35, 74–91.
- 1957 Beiträge zur Kenntnis der Drosophiliden des Leningradgebietes. Notul. ent. 37, 17–29.
- 1958 Drosophilidae. In: FREY, R., Kazarko Diptera brachycera p. p., von HILDEBRAND LINDBERG gesammelt. Soc. Sci. fenn. Comment. biol. 17(4), 47–48.
- 1959 On the genus *Scaptomyza* HARDY (Dipt., Drosophilidae) with descriptions of new species from various parts of the world. Acta zool. fenn. 97, 1–73.
- 1960 Cyclopidae, Drosophilidae, Sphaeroceridae and Scatophagidae (Diptera, Cyclorrhapha) from the Azores and Madeira. Bol. Mus. muníc. Funchal 13, 101–107.
- 1963 Studies on the dipterous fauna in burrows of voles (*Microtus*, *Clethrionomys*) in Finland. Acta zool. fenn. 102, 1–63.
- 1965a On *Drosophila (Hirtodrosophila)* lundstroemi DUDA and *D. (H.) oldenbergi* DUDA (Dipt., Drosophilidae). Notul. ent. 45, 61–64.
- 1965b (no title). Notul. ent. 45, 99.
- 1968a II. Diptera. Empididae, Acalyptratae families and Scatophagidae. Ann. ent. fenn. 34, 93–98.
- 1968b 87. Drosophilidae. Ergebnisse der zoologischen Forschungen von Dr. Z. KASZAB in der Mongolei (Diptera). Reichenbachia 11, 65–67.
- 1969a Some Heleomyzidae, Opomyzidae, Sphaeroceridae, Diastatidae, Drosophilidae, Scatophagidae and Hippoboscidae (Diptera) collected in Southern Spain, with description of a new species of *Acantholice*. Ent. Medd. 37, 161–181.
- 1969b Beiträge zur Kenntnis der Fauna Afghanistans. Sphaeroceridae und Drosophilidae, Diptera. Casop. morav. pos. 54, 197–304.
- 1969c A new *Drosophila* species from Northern Fennoscandia (Diptera). Notul. ent. 49, 69–72.
- 1971 Studies on Drosophilidae by a Finnish team. Acta ent. fenn. 28, 30–32.
- 1972 *Drosophila lummei* sp. n., a new species close to *D. littoralis* MEIGEN (Diptera, Drosophilidae). Notul. ent. 52, 89–92.
- HACKMAN, W., and MEINANDER, M.
- 1979 Diptera feeding as larvae on macrofungi in Finland. Ann. zool. fenn. 16, 50–83.
- HACKMAN, W., LAKOVAARA, S., SAURA, A., SOKKA, M., and VEPSÄLÄINEN, K.
- 1970 On the biology and karyology of *Chymomyza costata* ZIEGLERSTRÖDT, with reference to the taxonomy and distribution of various species of *Chymomyza* (Dipt., Drosophilidae). Ann. ent. fenn. 36, 1–9.
- HADBORN, M.; BURKE, H., GLOOR, H., and ERNST, F.
- 1952 Beitrag zur Kenntnis der Drosophilidae-Fauna von Südwest-Europa. Ztschr. indukt. Abstamm.-Vererbungsl. 84, 153–163.
- HALIDAY, A. H.
- 1833 Catalogue of Diptera occurring about Holywood in Downshire. Ent. Mag. 1, 147–180.
- HANNAH-ALAVA, A.
- 1958 Morphology and chaetotaxy of the legs of *Drosophila melanogaster*. Journ. Morph. 103, 281–310.
- HARDY, D. E.
- 1965 Family Drosophilidae. In: Insects of Hawaii, Vol. 12, Diptera: Cyclorrhapha II, Series Schizophora, Section Acalyptratae I. Univ. Hawaii Press, Honolulu, 814 pp.
- HARDY, D. E., and WHEELER, M. R.
- 1960 *Panorcyphus*, new genus, with notes on *Caccaxenus indagator* LOEW (Diptera: Drosophilidae). Ann. ent. Soc. Amer. 53, 356–359.
- HARDY, J.
- 1949 Note on remedies for the turnip-fly amongst the ancients, and on the turnip-fly of New Holland, with notice of a new genus and species of Diptera. Hist. Berwickshire Naturalists Club 2, 359–362.
- HARRISON, F. P., DITTMAR, L. P., and BICKLEY, W. E.
- 1954 Habits of *Drosophila* with reference to animal excrement. Journ. econ. Ent. 47, 935.
- HARRISON, R. A.
- 1952 New Zealand Drosophilidae (Diptera). I. Introduction and descriptions of domestic species of the genus *Drosophila* FALLÉN. Trans. R. Soc. N. Z. 79, 505–517.
- 1954 Some notes on and additions to the Drosophilidae (Diptera) of Samoa and Fiji. Trans. R. ent. Soc. London 105, 97–116.
- 1959 Acalyptratae Diptera of New Zealand. Bull. Dep. sci. Industr. Res. N. Z. 128, 1–382.
- HARVYMAN-GOLDBEIN, I., and SPEERLING, D.
- 1963 The viability of structural heterozygotes of *Drosophila subobscura* at different temperatures. Genetics 48, 863–869.
- HEED, W. B.
- 1956 Aptenes sobre la ecología y la dispersión de los Drosophilidae (Diptera) de El Salvador. Comun. Inst. trop. El Salvador 5, 59–74.
- 1957 Ecological and distributional notes on the Drosophilidae (Diptera) of El Salvador. Univ. Texas Publ., no. 5721, 62–78.
- 1968 Ecology of the Hawaiian Drosophilidae. Univ. Texas Publ., no. 6818, 387–419.
- HEIDER, E.
- 1852 Beiträge zur Naturgeschichte der Insekten. Sitzungsber. math.-naturw. Cl. k. Akad. Wiss. 9, 774–781.
- 1858 Neue Metamorphosen einiger Dipteren. Sitzungsber. k. k. Akad. Wiss. Wien 31, 295–309.
- HEMING, F.
- 1956 Opinion 396. Use of the Plenary Power to permit of the addition to the Official List of Specific Names in Zoology of the specific name *invadens* STUTTEVANT, 1921, as published in the combination *Drosophila invadens* (Class Insecta, Order Diptera). Opin. Declar. 12, 347–362.
- HENDEL, F.
- 1914 Acalyptratae Muscidae (Dipt.), III. Suppl. ent. 3, 90–117.
- 1928 Über die mindersten europäischen *Scaptomyza*-Arten und ihre Biologie (Diptera). Zool. Anz. 76, 289–302.
- 1933 Neue acalyptratae Muscidae aus der paläarktischen Region (Dipt.). Dtsch. ent. Ztschr. 1933, 39–56.
- 1938 *Muscaria holometopa* (Dipt.) aus China im Naturhistorischen Reichsmuseum zu Stockholm. Ark. Zool. 30(A) 3, 1–13.
- HENDERSON, R.
- 1911 The Diptera of Clyde (Third list). Trans. nat. Hist. Soc. Glasgow, Ser. 2, 8 (1905–1908), 156–173.
- HENNIG, W.
- 1950 Entomologische Beobachtungen an kleinen Wirbeltierjochen. Ztschr. hyg. Zool. 38, 33–88.
- 1952 Die Larvenformen der Dipteren, eine Übersicht über die bisher bekannten Jugendstadien der zweiflügeligen Insekten. Tell 3. Akademie-Verlag, Berlin, 628 pp.
- 1953 Diptera, Zweiflügler. In: BLUNCK, H. (ed.), Handbuch der Pflanzenkrankheiten. Vol. 5, Part 2, 166 pp., PARHY, Berlin.
- 1958 Die Familien der Diptera Schizophora und ihre phylogenetischen Verwandtschaftsbeziehungen. Beitr. Ent. S. 505–688.

- HERING, [E.] M.  
 1926 Die Ökologie der blattminierenden Insektenlarven. Zoologische Bausteine, Vol. 1 (3). BORNTRÄGER, Berlin, 253 pp.  
 1927a Beiträge zur Kenntnis der Ökologie und Systematik blattminierender Insekten (Minenstudien VIII.). Ztschr. angew. Ent. 13, 156–198.  
 1927b Die Minenfauna der Cauarischen Inseln. Zool. Jahrb. Syst. 53, 405–486.  
 1928 Beiträge zur Kenntnis der Ökologie und Systematik blattminierender Insekten (Minenstudien IX.). Zool. Jahrb. Syst. 55, 535–588.  
 1931 Minenstudien 11. Ztschr. wiss. Insektenbiol. 26, 93–108.  
 1935– Die Blattminen Mittel- und Nord-Europas, einschließlich Englands. Bestimmungstabellen aller von Insektenlarven der verschiedenen Ordnungen erzeugten Minen. FELLER, Neubrandenburg, 631 pp.  
 1940 Nematocalyptera aus Manchukuo (Diptera: Pyrgotidae, Drosophilidae, Otitidae). Arb. morph. taxon. Ent. 7, 288–296.  
 1957 Bestimmungstabellen der Blattminen von Europa einschließlich des Mittelmeerebeckens und der Kanarischen Inseln. JUNK, S-Gravenhage, 1185 pp.
- HERFT, E.  
 1963 Revision zweier europäischer *Drosophila*-Arten. Beitr. Ent. 3, 166–168.  
 1965 Untersuchungen über die Ökologie der wildlebenden *Drosophila*-Arten Westfalens. Ztschr. Morphol. Ökol. Tiere 44, 1–42.
- HEIJMEL, H.  
 1961 Studies on the chromosomal polymorphism in natural populations of *Drosophila immigrans* in southern-central districts of Japan. [In Japanese with English summary]. Jap. Journ. Genet. 36, 297–305.
- HORNINGBERG, H. F., and LIN, F. J.  
 1977 Population genetics in the American Tropics. XIV. *Drosophila melanogaster* MEIGEN in Colombian and Chinese natural habitats. Mitt. schweiz. ent. Ges. 56, 57–58.
- HOLLINGSWORTH, M. J.  
 1960 The morphology of intersexes in *D. subobscura*. Journ. exp. Zool. 143, 123–151.
- HOWARD, L. O.  
 1909 A contribution to the study of the insect fauna of human excrement. Proc. Wash. Acad. Sci. 2, 541–604.
- HSU, T. C.  
 1949 The external genital apparatus of male Drosophilidae in relation to systematics. Univ. Texas Publ., no. 4920, 80–142.
- HUFF, C. G.  
 1925 The "sun-ray" structure in the posterior larval spiracles of some muscoid flies (Diptera). Ent. News 36, 239–243.
- HUMMEL, H. K., VAN DELDEN, W., and DEENT, R. H.  
 1979 Estimation of some population parameters of *Drosophila limbata* V. ROSEN in a greenhouse. Oecologia (Berl.) 41, 135–143.
- HUNTER, A.  
 1966 High-Altitude *Drosophila* of Colombia (Diptera: Drosophilidae). Ann. ent. Soc. Amer. 59, 413–423.
- HUNTER, F. A., TALLOUGH, J. B. M., and LAMBOURNE, M. G.  
 1973 Insects and mites of maltings in the East Midlands of England. Journ. stored Prod. Res. 9, 119–141.
- HUTTON, F. W.  
 1961 Synopsis of the Diptera Brachycera of New Zealand. Trans. Proc. N. Z. Inst. 33, 1–95.
- IKEDA, H.  
 1970 The cytoplasmically-inherited "sex-ratio" condition in natural and experimental populations of *Drosophila bifasciata*. Genetics 65, 311–333.
- IKEDA, H., and MORIWAKI, D.  
 1968 Genetical analysis of "sex-ratio" in population of *D. bifasciata*. Proc. XII. Int. Congr. Genet. 2, 86–87.
- ISHIIHARA, T.  
 1955a A preliminary study on diurnal activity of *Drosophila* in Hokkaido. [In Japanese with English summary]. Zool. Mag. 64, 84–89.  
 1955b Some aspects on the diurnal feeding behavior of *Drosophila* observed on Mt. Asahi (Hokkaido). [In Japanese with English summary]. Zool. Mag. 64, 90–95.
- IWAO, Y., KIMURA, M. T., MINAMI, N., and WATABE, H.  
 1980 Biogeography of Drosophilidae (Diptera) in Hokkaido. III. *Drosophila auraria* and *D. bimaculata*. Kontyu 48, 160–168.
- JENKINSON, F.  
 1901 *Aclerizes*, *syrphoides*, FRAUENF., at Cambridge. Ent. month. Mag. 37, 300.
- JOHNSON, E. M.; CANAD, C. G.; RICHARDSON, R. H.; WHEELER, M. R., and STONE, W. S.  
 1966 An operational classification of *Drosophila esterases* for species comparison. Univ. Texas Publ., no. 6615, 517–532.
- JUDICH, J. F., and NITSCHKE, H.  
 1895 Lehrbuch der Mitteleuropäischen Forstsektionskunde. Vol. II. PAREY, Berlin, pp. 737–1421.
- JULLIARD, CH.  
 1947 *Cacozenus indagator* LOW. (Dipt. Drosophilidae). Contribution à la biologie d'un parasite d'*Osmia rufa* L. Mitt. schweiz. ent. Ges. 20, 587–593.  
 1948 Le comportement des larves de *Cacozenus indagator* dans les nids de *Osmia rufa*. Mitt. schweiz. ent. Ges. 21, 547–554.
- JUNGEN, H.  
 1963a Inversionspolymorphismus in tunesischen Populationen von *Drosophila subobscura* COLLIN. Arch. JULIUS-KLAUS-Stiftg. 43, 3–54.  
 1963b "Sex ratio" in natürlichen Populationen von *Drosophila subobscura*. Arch. JULIUS-KLAUS-Stiftg. 43, (52)–(57).  
 1970 Tageszeitliche Verschiebung von Strukturtypfrequenzen bei *Drosophila subobscura*. Arch. JULIUS-KLAUS-Stiftg. 45, 43–44.
- KALTENBACH, J. H.  
 1874 Die Pflanzenfeinde aus der Klasse der Insekten. Stuttgart, 848 pp.
- KAMBYSELLIS, M. P.  
 1968 Comparative studies of oogenesis and egg morphology among species of the genus *Drosophila*. Univ. Texas Publ., no. 6818, 71–92.
- KAKEKO, A.  
 1960 *Drosophila* survey of Hokkaido, XVI. Some ecological notes on the attractiveness of different yeasts to drosophilid flies. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 493–498.  
 1968 *Drosophila* survey of Hokkaido, XXV. Some observations on summer diurnal activity of drosophilid flies in two localities of Southwestern Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 16, 537–541.

- KANEKO, A., and SHIMA, T.
- 1962 *Drosophila* survey of Hokkaido, XVIII. Drosophilidae from four localities of Hokkaido. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 15, 74–79.
- 1965 Variation in triangularly black spot-patterns on the abdominal tergite in natural populations of *Drosophila nigronotata*, with preliminary cross-tests. [In Japanese with English summary]. *Jap. Journ. Genet.* 40, 233–239.
- KANEKO, A., and TAKADA, H.
- 1966 *Drosophila* survey of Hokkaido, XXI. Description of a new species, *Drosophila neokodai* sp. nov. (Diptera, Drosophilidae). *Annot. zool. japon.* 39, 55–59.
- KANEKO, A., and TOKUMITSU, T.
- 1963 Seasonal fluctuations of *Drosophila* populations in two adjacent localities of Hokkaido. [In Japanese with English summary]. *Zool. Mag.* 72, 123–127.
- 1969 *Drosophila* survey of Hokkaido, XXVII. On drosophilid flies from seven localities of Hidaka district in southern Hokkaido. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 17, 244–256.
- KANEKO, A., TOKUMITSU, T., and TAKADA, H.
- 1964 *Drosophila* survey of Hokkaido, XX. Description of a new species, *Drosophila pseudosordidula* sp. nov. (Diptera, Drosophilidae). *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 15, 374–377.
- KANEKO, A., KAWAKAMI, M., and TAKADA, H.
- 1966 *Drosophila* survey of Hokkaido, XXII. Drosophilid flies collected in breweries. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 16, 31–37.
- KANEKO, A., TOKUMITSU, T., and SHIMA, T.
- 1968 *Drosophila* survey of Hokkaido, XXIV. On *Drosophila* collections of six localities in the Southwestern part of Hokkaido. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 16, 531–536.
- KANEKO, A., MOMMA, E., and TOKUMITSU, T.
- 1969 *Drosophila* survey of Hokkaido, XXVIII. Drosophilid flies from six localities of Northern Hokkaido. *Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool.*, 17, 381–385.
- KANG, Y. S., and LEE, H. Y.
- 1961 On a new species, *Drosophila macromaculata* sp. nov. [In Korean with English summary]. *Kor. Journ. Zool.* 4, 29–31.
- 1964 Notes on the subgenus *Hirtodrosophila* (Diptera: Drosophilidae). *Proc. R. ent. Soc. London, (B)*, 33, 37–38.
- KANG, Y. S., CHUNG, O. K., and LEE, H. Y.
- 1958 Drosophilidae species of Seoul and adjacent localities. *Kor. Journ. Zool.* 1, 57–58.
- 1959 Studies on the classification and the living conditions of Drosophilidae in Korea (II). On the unrecorded species of *Drosophila* flies in Korea. [In Korean with English summary]. *Kor. Journ. Zool.* 2, 61–65.
- 1960 Studies on the classification and the living conditions of Drosophilidae in Korea (3). "Seasonal changes and difference in distribution by altitude in *Drosophila* population". [In Korean with English summary]. *Kor. Journ. Zool.* 3, 5–8.
- KANG, Y. S., KIM, Y. J., and BAHNG, K. W.
- 1964 A chromosome study on several wild species of Drosophilidae. [In Korean with English summary]. *Kor. Journ. Zool.* 7, 88–98.
- KANG, Y. S.; KIM, Y. J.; LEE, C. C., and CHOI, C. C.
- 1964b Chromosome studies of *Drosophila* population. 1. On the frequencies of sex-linked recessive lethal mutation in *D. melanogaster* irradiated with X-rays. [In Korean with English summary]. *Zoologica* 3, 1–6.
- KANG, Y. S., LEE, T. J., and BAHNG, K. W.
- 1965a Two new species of the *Yirosophilinae* from Korea. *Annat. zool. japon.* 38, 97–100.
- 1965b Three new species and two unrecorded species of Drosophilidae from Korea. *Kor. Journ. Zool.* 8, 51–54.
- 1966 Two new species of the genus *Mycetodrosophila* (Diptera, Drosophilidae) from Korea. *Kor. Journ. Zool.* 9, 26–28.
- 1967 On *Drosophila quelptensis* sp. nov. with supplementary notes on the female of *Drosophila pseudonokogiri* KANG, LEE and BAHNG. *Kor. Journ. Zool.* 10, 71–72.
- KARL, G.
- 1936 Die Fliegenfauna Fommerns. Diptera Brachycera. *Stett. ent. Ztg.* 97, 108–136.
- KARELK, A., and SPERLICH, D.
- 1962 Frequenz und Allelelengthenatrosomaler Latafaktoren einer Inselepopulation von *Drosophila melanogaster*. *Ztschr. indukt. Abstamm.-Vererbungsl.* 93, 228–236.
- KATO, M.
- 1954 The structure of the comparatively stable or balanced natural population. *Sci. Rep. Tōhoku Univ., Ser. 4 (Biology)*, 29, 265–273.
- KATO, M., and HORI, K.
- 1952 Studies on the associative ecology of insects. V. Synecoecological analysis of *Drosophila* association in Sendai, Japan. *Sci. Rep. Tōhoku Univ., Ser. 4 (Biology)*, 19, 231–237.
- 1954 Synecoecological analysis of *Drosophila* association in Sendai, Japan. [In Japanese]. *Kontyū* 20, 92.
- KAWANISHI, M.
- 1978 An ecological note on *Drosophila shimai*. *Jap. Journ. Ecol.* 28, 97–99.
- KAWANISHI, M., and WATANABE, T. K.
- 1977 Ecological factors controlling the coexistence of the sibling species *Drosophila simulans* and *D. melanogaster*. *Jap. Journ. Ecol.* 27, 279–283.
- KAWANISHI, N., CHOO, J.-K., and NAKAMURA, K.
- 1975 Altitudinal and seasonal variations of the family Drosophilidae (Diptera) on the southern slope of Mt. Fuji. [In Japanese with English summary]. *Kontyū* 43, 106–116.
- KEILIN, D.
- 1915 Recherches sur les larves de diptères cyclorrhaphes. *Bull. scient. France Belg.* 49, 143–198.
- KEKIĆ, V., and MAKINTONIĆ, D.
- 1974 Multiple-choice selection for light preference in *Drosophila subobscura*. *Eth. Genet.* 4, 285–300.
- 1978 Vrste roda *Drosophila* FALL. (Diptera, Drosophilidae) u Jugoslaviji. *Biosistematička* 4, 315–317.
- 1979 Ecological and behavioral adaptations of *Drosophila* in field and laboratory conditions. *Aquilo, Ser. zool.*, 20, 115–128.
- KEKIĆ, V., TAYLOR, C. E., and ANDJELKOVIĆ, M.
- 1980 Habitat choice and resource specialization by *Drosophila subobscura*. *Genetica, Beograd*, 12, 219–225.
- KHEDRIN, A. P.
- 1961 Geometrical studies on some Egyptian natural populations of *Drosophila melanogaster*. *Alexandria Journ. agric. Res.* 9, 23–38.
- KIKKAWA, H.
- 1936 Two races of *Drosophila montium* (a preliminary note). *Jap. Journ. Genet.* 12, 137–142.
- KIKKAWA, H., and PENG, F. T.
- 1938 *Drosophila* species of Japan and adjacent localities. *Jap. Journ. Zool.* 7, 507–552.

- KIM, K. W.
- 1962 Studies on the external male genitalia of Drosophilidae in Korea. Theses Chonnam Univ. 7, 117–137.
  - 1963 Survey of Drosophilidae in Tol-San Island. Theses Chonnam Univ. 9, 243–248.
- KIMURA, M. T.
- 1976a Drosophila survey of Hokkaido, XXX. Microdistribution and seasonal fluctuations of drosophilid flies dwelling among the undergrowth plants. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 29, 192–202.
  - 1976b Drosophila survey of Hokkaido, XXXII. A field survey of fungus preferences of drosophilid flies in Sapporo. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 29, 288–299.
  - 1980a Biomonics of Drosophilidae (Diptera) in Hokkaido. IV. *Drosophila sexnotata*, *D. trivittata*, and *D. alborotata*. Zool. Mag. 89, 206–209.
  - 1980b Evolution of food preferences in fungus-feeding Drosophila: An ecological study. Evolution 34, 1009–1018.
- KIMURA, M. T., and TODA, M. J.
- 1976 Drosophilid fauna in Nakagawa experiment forest, Hokkaido University. [In Japanese with English summary]. Res. Bull. Coll. Exper. Forests, Coll. Agr. Hokkaido Univ., 33, 449–456.
- KIMURA, M. T., TODA, M. J., BEPPU, K., and WATABE, H.
- 1977 Breeding sites of drosophilid flies in and near Sapporo Northern Japan, with supplementary notes in adult feeding habits. Kontyû 45, 571–582.
- KIMURA, M. T., BEPPU, K., ICHijo, N., and TODA, M. J.
- 1978 Biomonics of Drosophilidae (Diptera) in Hokkaido. II. *Drosophila testacea*. Kontyû 46, 583–595.
- KIRCHHOFFER, E.
- 1960 Beiträge zur Fliegenfauna Berlins und seiner Umgebung. III. Mitt. dtsch. ent. Ges. 19, 30–33.
- KJELLANDER, E.
- 1943 Naget- skadeflyktor på oljeväxter. Växtskyddsnöticer 7(6), 1–6.
- KLUG, W. S., CAMPBELL, D., and CUMMINGS, M. R.
- 1974 External morphology of the egg of *Drosophila melanogaster* MEIGEN (Diptera: Drosophilidae). Int. Journ. Ins. Morph. Embryol. 3, 33–40.
- KNAB, F.
- 1912 *Drosophila repleta* WOLLASTON. Psyche (Boston) 19, 106–108.
  - 1914 Drosophilidae with parasitic larvae. Insector Inscitiae Menstr. 2, 165–169.
- NIGHT, G. R.
- 1956 Chromosome number and morphology of *Drosophila silvestris* BASDEN — with a descriptive note on the internal genitalia of the adults. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 439–442.
  - 1961 Structural polymorphism in *Drosophila subobscura* COLL from various localities in Scotland. Genet. Res. 2, 1–9.
- KOCH, C.
- 1872 Beitrag zur Dipterenfauna Tirols. Ztschr. Ferdinandum Innsbruck 17, 329–344.
- KOCH, C.
- 1867 Tagesperiode der Aktivität und der Orientierung nach Wald und Feld von *Drosophila subobscura* und *Drosophila obscura*. Ztschr. vergl. Physiol. 54, 353–394.
- KÖNIG, J.
- 1965 Über die Verbreitung der Fruchtfüllen aus der Gattung *Drosophila* im Kaiserstuhl und Breisgau. Wein-Wissenschaft 20, 452–471.
- KOSKE, T.
- 1953 Artkreuzungsversuche in der *obscura*-Gruppe der Gattung *Drosophila*. Ztschr. indukt. Abstamm.-Vererbungsl. 85, 373–381.
- KOZLOWSKY, S., and RUNGS, C.
- 1932 Sur quelques insectes ennemis des plantes maraîchères au Maroc. Bull. Soc. Sci. nat. Maroc. 12, 66–68.
- KRAMER, K.
- 1955 *Drosophila (Scaptomyza) flora* FALLÉN als Blattminierer an Treibkohlrabi. Anz. Schädlingesk. 31, 171–172.
- KRAMER, H.
- 1917 Die Musciden der Oberlausitz. Abh. naturf. Ges. Görlitz 28, 257–352.
- KRIMBAS, C. B.
- 1964a The genetics of *Drosophila subobscura* populations. I. Inversion polymorphism in populations of Southern Greece. Evolution 18, 541–559.
  - 1964b The genetics of *Drosophila subobscura* populations. II. Inversion polymorphism in a population from Holland. Ztschr. Vererbungsl. 95, 125–128.
  - 1967 The genetics of *Drosophila subobscura* populations. III. Inversion polymorphism and climatic factors. Molec. gen. Genet. 99, 133–150.
- KRIMBAS, C. B., and ALEVIZOS, V.
- 1973 The genetics of *Drosophila subobscura* populations. IV. Further data on inversion polymorphism in Greece — Evidence of microdifferentiation. Egypt. Journ. Genet. Cytol. 2, 121–132.
- KRIVUSHENKO, J. D.
- 1952 A cytogenetic study of the Y chromosome in *Drosophila busckii*. Genetics 37, 500–518.
  - 1963 The chromosomal polymorphism of *Drosophila busckii* in natural populations. Genetics 48, 1239–1258.
- KRÖNER, O.
- 1919 Fauna Hamburgensis. Versetzung der in der Umgegend von Hamburg gefundenen Dipteren. Verh. Ver. naturw. Unterh. Hamburg 14, 3–113.
  - 1912 Beitrag zur Biologie der Drosophilidae. Ztschr. wiss. Insektenbiol. 8, 235–236.
  - 1885 Dipterenfauna von Schleswig-Holstein und den benachbarten westlichen Nordseegebieten. Verh. Ver. naturw. Heimat. Hamburg 24, 45–61.
- KÜHLHORN, F.
- 1964 Über die Dipterenfauna des Stallbiotops. Beitr. Ent. 14, 85–118.
  - 1968 Über Substratkontakte und Raumbeziehungen einiger heimischer Dipterenarten von medizinisch-hygienischer Bedeutung. (Untersuchungen über die Insektenfauna von Räumen; 19). Ztschr. angew. Zool. 55, 257–293.
  - 1978 Substratfallakketten Lebens- und Futtermittel aufsuchender heimischer Dipterenarten unter Berücksichtigung medizinisch-hygienischer Gesichtspunkte. Ztschr. angew. Zool. 65, 257–291.
  - 1979 Dipterenfauna zoologischer Präparatorien und veterinär-medizinischer Sektionsräume. Angew. Parasitol. 20, 17–34.
- KUNTZE, A.
- 1913 Dipterologische Sammelreise in Korsika des Herrn W. SCHNURE in Dresden im Juni und Juli 1899. Dtsch. ent. Ztschr. 1913, 544–552.
- KUNZE-MÜHL, F., and SPERLICH, D.
- 1955 Inversionen und chromosomale Strukturtypen bei *Drosophila subobscura* COLL. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 65–84.
  - 1962 Vergleichende Untersuchungen über den chromosomal Strukturpolymorphismus in Insel- und Festlandpopulationen von *Drosophila subobscura*. Ztschr. Vererbungsl. 93, 237–248.

- KUNZE-MÜHL, E., MÜLLEK, E., and SPERLICH, D.  
 1958 Qualitative, quantitative und jahreszeitliche Untersuchungen über den chromosomal Polymorphismus natürlicher Populationen von *Drosophila subobscura* COLE in der Umgebung von Wien. Zool. Verhandl. 96, 606–646.
- KUROKAWA, H.  
 1956 Comparative studies on some characteristics of three races of *Drosophila auraria*. Annal. zool. japon. 29, 225–233.  
 1958 On the three races of *Drosophila auraria* PENG. (In Japanese). Bull. biogeogr. Soc. Japan. 29, 1–3.  
 1959 Experiments on sexual isolation between races A and B of *Drosophila auraria*. Annal. zool. japon. 32, 220–224.  
 1960 Sexual isolation among the three races, A, B and C of *Drosophila auraria*. Jap. Journ. Genet. 35, 161–166.  
 1963 Population genetics on three races of *Drosophila auraria* PENG. I. Bristle number of sixth sternite in male. Jap. Journ. Genet. 37, 510–517.  
 1963 Population genetics on three races of *Drosophila auraria* PENG. II. Sexual isolation among strains within a race C. Jap. Journ. Genet. 38, 1–5.  
 1967a Population genetics on three races of *Drosophila auraria* PENG. III. Geographical and ecological distribution of the races, A, B and C, with special regard to its speciation. Jap. Journ. Genet. 42, 109–119.  
 1967b Variation in male genitalia of *Drosophila auraria* collected in nature. Annal. zool. japon. 40, 154–160.  
 1972 On the spermatheca of *Drosophila ezoana* TAKADA and OKADA. Annal. zool. japon. 45, 60–62.
- KUROKAWA, H., and HIHARA, F.  
 1976 Number of first spermatocytes in relation to phylogeny of *Drosophila* (Diptera: Drosophilidae). Int. Journ. Insect. Morphol. Embryol. 5, 51–63.
- LACHAISE, D.  
 1971 Répartition des espèces de Drosophiles du sous-genre Sophestora group *melanogaster* dans une mosaïque savane & palmiers Rônier-galerie forestière (Côte-d'Ivoire). C. R. Acad. Sc. Paris 273, 1527–1530.  
 1974a Les Drosophilidae des Savanes préforestières de la région tropicale de Lamto (Côte-d'Ivoire). I. Isolation écologique des espèces affines et sympatiques; rythmes d'activité saisonnière et circadienne; rôle des feux de brousse. Ann. Univ. Abidjan, Sér. E (Ecol.) 7, 1–152.  
 1974b Les Drosophilidae des Savanes préforestières de la région tropicale de Lamto (Côte-d'Ivoire). V. Les régimes alimentaires. Ann. Soc. ent. Fr. (N. S.) 10, 3–50.  
 1975 Les Drosophilidae des Savanes préforestières de Lamto (Côte-d'Ivoire). III. Le peuplement du Palmier Rônier. Ann. Univ. Abidjan, Sér. E (Ecol.) 8, 223–280.  
 1976 Les Drosophilidae des Savanes préforestières de Lamto (Côte-d'Ivoire). IV. b. Synécologie fonctionnelle du peuplement de *Ficus capensis*. Bull. Ecol. 7, 79–104.
- LAKOVAARA, S., and HACKMAN, W.  
 1973 *Drosophila oryzivorum* sp. n., a new species of the *Drosophila virilis* group (Diptera, Drosophilidae). Notul. ent. 53, 167–169.
- LAKOVAARA, S., and HOIKKALA, A.  
 1979 Analysis of the male courtship sounds of certain species of the *Drosophila virilis* group. Aquilo, Ser. zool. 29, 94–99.
- LAKOVAARA, S., and LANEKINEN, P.  
 1974 *Drosophila esköi* sp. n., a new species of the *Drosophila obscura* group (Diptera, Drosophilidae). Notul. ent. 54, 121–124.
- LAKOVAARA, S., and SAURA, A.  
 1971a Genetic variation in natural populations of *Drosophila obscura*. Genetics 69, 377–384.  
 1971b Genetic variation in marginal populations of *Drosophila subobscura*. Hereditas 69, 77–82.
- LAKOVAARA, S., SAURA, A., and FAULK, C.T.  
 1972a Genetic distance and evolutionary relationships in the *Drosophila obscura* group. Evolution 26, 177–184.
- LAKOVAARA, S., SAURA, A., KORPI-SANTARÉZ, S., and ENRÍQUEZ, L.  
 1972b Aspect of diapause and its genetics in northern drosophilids. Hereditas 70, 89–96.
- LAKOVAARA, S., SAURA, A., LANEKINEN, P., and LOKKI, J.  
 1972c Evolution of ecotypes and genetic distance in *Drosophila obscura* and *affinis* subgroups. XVII. Congr. Int. Zool. Monte Carlo, Thème No. 5, 1–18.
- LAKOVAARA, S., LUMPE, J., and OIKARINEN, A.  
 1973 Genetics and evolution of diapause in European species of the *Drosophila virilis* group (Abstr.). Genetics 74 (Suppl.), 149.
- LAKOVAARA, S.; SAURA, A.; LANEKINEN, P.; POJOLLA, L., and LOKKI, J.  
 1976a The use of isoenzymes in tracing evolution and in classifying Drosophilidae. Zool. Scripta 5, 173–179.
- LAKOVAARA, S.; SAURA, A.; LOKKI, J., and LANEKINEN, P.  
 1976b Genic polymorphism in marginal populations of *Drosophila*. Notul. ent. 56, 65–72.
- LAME, C. G.  
 1914 The PERCY SLADE TRUST Expedition to the Indian Ocean in 1906. XV. Diptera: Heteroneuridae, Ortaliidae, Trypetidae, Sepsidae, Microperizidae, Drosophilidae, Geomyzidae, Miltichidae. Trans. Linn. Soc. London, Ser. 2, Zool., 16, 307–372.
- LANDBOCK, K.  
 1908 Beitrag zur Dipterenfauna Mährens. Ztschr. mähr. Landesmus. 8, 161–180.  
 1910 Neuer Beitrag zu einer Dipterenfauna Mährens. Ztschr. mähr. Landesmus. 10, 126–147.
- LANGHOFFER, A.  
 1897 Légytaj tőmegen előfordulása. Rovart. Lapok 4, 101–102.
- LASTOVKA, F., and MÁCA, J.  
 1977 92. říjedí Octomilovití – Drosophilidae. In: DOSKOČIL, J. (ed.), Klíč živořivý ČSSR V, pp. 272–275, Academia, Praha.
- 1978 European species of the *Drosophila* subgenus *Lordiphosa* (Diptera, Drosophilidae). Acta ent. bohemoslov. 75, 404–420.
- LAURENCE, B. R.  
 1953 Some Diptera bred from cow dung. Ent. month. Mag. 89, 281–283.
- LRACH, J. G.  
 1957 The relation of insects and weather to the development of heart rot of celery. Phytopathology 47, 663–667.
- LRICERQ, M.  
 1946a Observations écologiques sur les mouches de nos habitations. Rev. fr. Ent. 13, 76–79.  
 1946b Some predaceous flies and their prey. Ent. month. Mag. 82, 177.  
 1955 Diptères prédateurs et leur proies. Bull. Ann. Soc. ent. Belgique 91, 341.
- LEE, T. J.  
 1959 On a new species, *Drosophila clarafinii* sp. nov. Kor. Journ. Zool. 2, 48–45.  
 1962 Ecological studies of *Drosophila* populations in Korea. Kor. Journ. Zool. 5, 13–20.  
 1964a New and unrecorded species of Drosophilidae in Korea. Kor. Journ. Zool. 7, 107–110.  
 1964b Genetic analysis of the polymorphism of color pattern in *Drosophila auraria*. (In Korean with English summary). Kor. Journ. Zool. 7, 111–117.

- 1964c Taxonomy, and geographical distribution of Drosophilidae (Diptera) in Korea. Chungang Univ. Theses Coll. 9, 423–459.
- 1965 Sex-ratio in wild *Drosophila suzukii* and *Drosophila auraria*. [In Korean with English summary]. Chungang Univ. Theses Coll. 10, 431–445.
- 1966a On the polymorphism of color pattern in *Scaptomyza pallida* in natural populations of Korea. [In Korean with English summary]. Chungang Univ. Theses Coll. 11, 427–436.
- 1966b A list of drosophilid fauna in Korea. Rev. Sci. Engin. Chungang Univ. 2, 7–20.
- LEE, T. J., and LEE, D. W.
- 1967 Two unrecorded species of *Microdrosophila* (Diptera, Drosophilidae) from Korea. Rev. Sci. Engin. Chungang Univ. 3, 26–28.
- LEE, T. J., and TAKADA, H.
- 1959 On *Mycodrosophila koreana* sp. nov. from South Korea. Ann. zool. japon. 32, 94–96.
- LEMONS, H.
- 1949 Forurending af Mælkehækster ved Fluor. Nord. hygien. Tidskr. 30, 364–393.
- LESNE, P.
- 1923 Faune entomologique des fosses d'aisances et des excréments humains. Bull. Mus. natn. Hist. nat. Paris 29, 161–167.
- LEVIER, J., and SOBELS, F. H.
- 1951 Some remarks on the occurrence of the genus *Drosophila* in the Netherlands. Proc. kon. ned. Akad. Wetensch., Ser. C, 54, 84–88.
- LEWIS, T.
- 1966 Artificial windbreaks and the distribution of turnip mild yellows virus and *Scaptomyza apicalis* (Diptera) in a turnip crop. Ann. appl. Biol. 58, 371–376.
- LEWIS, T., and TAYLOR, L. R.
- 1964a Diurnal periodicity of flight by insects. Trans. R. ent. Soc. Lond. 116, 393–469.
- LIN, F. J., and TING, J. I.
- 1971 Several additions to the fauna of Taiwan Drosophilidae (Diptera). Bull. Inst. Zool., Acad. sin., 10, 17–35.
- LIN, F. J., and TSENG, H. C.
- 1971 A new species of *polycheta* species group of subgenus *Drosophila* from Taiwan (*Drosophila*, Drosophilidae, Diptera). Bull. Inst. Zool., Acad. sin., 10, 69–72.
- 1973 The *Drosophila immigrans* species group in Taiwan with descriptions of five new species. Bull. Inst. Zool., Acad. sin., 12, 13–26.
- LIN, F. J., and WHEELER, M. R.
- 1972 The Drosophilidae of Taiwan. I. Genera *Leucophenga* and *Paraleucophenga*. Univ. Texas Publ., no. 7213, 237–256.
- LIN, F. J., WANG, T. C., and TSENG, H. C.
- 1973 Allometric analyses in wing length and wing indices of *Drosophila* species. Bull. Inst. Zool., Acad. sin., 12, 59–69.
- LINDBERG, K.
- 1962 Notes sur quelques grottes et aperçu de leur faune. Voyage au Portugal du Dr. K. LINDBERG. Résultats zoologiques 3. Bol. Soc. port. Ciénc. nat. (Ser. 2), 9, 49–89.
- LINDBERG, E.
- 1923 Die Fliegen der Milchzentrale. Mitt. Ges. Vorratsschutz 4, 42–43.
- LINDROTH, C. H.
- 1931 Die Insektenfauna Islands und ihre Probleme. Zool. Bidr. Uppsala 13, 105–599.
- LINDROTH, C. H., ANDERSSON, H., BÖGDÅSSON, H., and RICHTER, S. H.
- 1973 Surtsey, Iceland. The development of a new fauna, 1963–1970. Terrestrial Invertebrates. Ent. scand., Suppl. 5, 1–280.
- LINNANHEIM, W. M.
- 1913 Zur Kenntnis der Blattminierer speziell derjenigen Finnlands, I. Acta Soc. Fauna Flora fenn. 37 (4), 1–137.
- LINNE, C.
- 1760—Systema Naturae. Tomus I. Ed. 12. SALVIUS, Holmiae [= Stockholm], 1827 pp.
- 1767
- LINTNER, J. A.
- 1882 First annual report on the injurious and other insects of the State of New York. WEBB, PARSONS and COMPANY, Albany, N.Y.
- LLOYD, P.
- 1896 Ditteri italiani, con 227 incisioni. HOEPLI, Milano, 356 pp.
- LOW, H.
- 1888 Ueber *Cavarienus indagator* nov. sp. und seine Verwandten. Wien. ent. Monatsschr. 2, 213–222.
- 1862 Diptera Americae septentrionalis Indigena. Centuria secunda. Berl. ent. Ztschr. 6, 185–232.
- 1864 *Glossa formosa*, eine neue deutsche Art. Wien. ent. Monatsschr. 8, 366–368.
- 1873 Diptera nov., in Panonia interiori et in continental Dacie regionibus a FERD. KOWARZIO capta. Berl. ent. Ztschr. 17, 33–52.
- 1874 Diptera nov. a HUG. THEOD. CHRISTOPHO collecta. Ztschr. ges. Naturw. 43, 413–420.
- LUMME, J., and OIKARINEN, A.
- 1977 The genetic basis of the geographically variable photoperiodic diapause in *Drosophila littoralis*. Hereditas 86, 129–141.
- LUMME, J., LAKOVAARA, S., and SAURA, A.
- 1972 The influence of daylength and temperature on the testis pterin content of *Drosophila littoralis*. Journ. Insect Physiol. 18, 2043–2052.
- LUMME, J., OIKARINEN, A., LAKOVAARA, S., and ALATAKO, R.
- 1974 The environmental regulation of adult diapause in *Drosophila littoralis*. Journ. Insect Physiol. 20, 2023–2033.
- LUMME, J., LAKOVAARA, S., OIKARINEN, A., and LOKEI, J.
- 1975 Genetics of the photoperiodic diapause in *Drosophila littoralis*. Hereditas 79, 143–148.
- LUMME, J., MUONA, O., and OELL, M.
- 1978 Phenology of boreal drosophilids (Diptera). Ann. ent. fenn. 44, 73–85.
- LUMME, J., LAKOVAARA, S., MUONA, O., and JÄRVINEN, O.
- 1979 Structure of a boreal community of drosophilids (Diptera). Aquilo, Ser. zool. 20, 65–73.
- LYNNEBERG, L.
- 1945 Hanstd-Reservatets Entomologi. 9. Diptera: Brachycera & Cyclorrhapha — Fluor. Ent. Medd. 30, 201–262.
- MÁČA, J.
- 1972a Czechoslovak species of the genus *Scaptomyza HARDY* (Diptera, Drosophilidae) and their bionomics. Acta ent. bohemolens. 69, 119–132.
- 1972b Present situation in faunistic research of the family Drosophilidae (Diptera) in Czechoslovakia. Sborník jihoč. Muz. Česk. Buděj., Přír. vědy, 12 (Suppl. 2), 49–50.

- 1975 Drosophilidae (Diptera) of the subalpine and upper mountain zones in the Central Europe. *Opera corront.* 12, 155–158.
- 1977 Revision of Palearctic species of *Amicta* subg. *Phorticis* (Diptera, Drosophilidae). *Acta ent. bohemoslov.* 74, 115–130.
- 1978 Czechoslovak species of the family Odiniidae (Diptera). Diptero. bohemoslov. (Bratislava) 1, 147–153.
- 1980 European species of the subgenus *Amicta* s. str. (Diptera, Drosophilidae). *Acta ent. bohemoslov.* 77, 328–346.
- MCAFARIE, J. F.  
1968 An annotated key to drosophilid genera with bare or micropubescent aristae and a revision of *Paracacoxenus* (Diptera: Drosophilidae). *Can. Ent.* 100, 514–532.
- MCCOY, C. E.  
1962 Population ecology of the common species of *Drosophila* in Indiana. *Journ. econ. Ent.* 55, 978–985.
- McFADEES, E. T.  
1914 A fruit fly from fungi. *Journ. Ent. Zool. Claremont* 6, 50.
- MFARQUHAR, A. M., and ROBERTSON, F. B.  
1963 The lack of evidence for co-adaptation in crosses between geographical races of *Drosophila subobscura* Coll. *Genet. Res.* 4, 164–181.
- MCGILAVRY, D.  
1914 De entomologische fauna van het eiland Terschelling voor zoover zil tot nu toe bekend is. *Tijdschr. Ent.* 37, 89–106.
- MCKENZIE, J. A., and PARSONS, P. A.  
1974 Numerical changes and environmental utilization in natural populations of *Drosophila*. *Aust. Journ. Zool.* 22, 175–187.
- MACQUART, J.  
1835 Histoire naturelle des Insectes. II. DE BORET, Paris, 703 pp.
- 1843 Diptères exotiques nouveaux ou peu connus. *Mém. Soc. Sci. Agric. Arts Lille* 1842, 162–460.
- MAGNI, G. E.  
1952 Sex ratio in *Drosophila bifasciata*. *Rend. Ist. lomb. Sci. Lett. Cl. Sci. mat. nat.* 85, 391–411.
- 1953 "sex ratio": A non-mendelian character in *Drosophila bifasciata*. *Nature (London)* 172, 81.
- 1959 Il carattere sex-ratio in popolazioni naturali ed artificiali di *Drosophila bifasciata*. *Bend. Ist. lomb. Sci. Lett. Cl. Sci. biol. med.* (B) 93, 163–116.
- MAINX, F.  
1949 Das kleine *Drosophila*-Praktikum. SPRINGER, Wien, 49 pp.
- 1950 Die Bedeutung der Chromosomen-Aberrationen in natürlichen Populationen. *Portug. Acta Biol. Ser. A (R. B. GOLDSCHEIDT Vol.)* 1950, 543–592.
- 1958 Populationsgenetische Untersuchungen an *Drosophila*-Arten auf den Liparischen Inseln. *Verh. dtach. zool. Ges. Graz, Zool. Anz.*, Suppl. 21, 430–431.
- MAINX, F., KOSKE, T., and SMITAL, E.  
1953 Untersuchungen über die chromosomal Struktur europäischer Vertreter der *Drosophila obscura*-Gruppe. *Ztschr. indukt. Abstamm.-Vererbungsdl.* 83, 354–372.
- MALLOCHE, J. R.  
1915 Some additional records of Chironomidae for Illinois and notes on other Illinois Diptera. *Bull. Ill. State Lab. nat. Hist.* 11, 305–343.
- 1923a Notes on Australian Diptera with descriptions. *Proc. linn. Soc. N. S. Wales* 48, 601–622.
- 1923b A biological survey of the Pribilof Islands, Alaska. Part II. Diptera (except Tipulidae, Rhypidae, and Calliphoridae). *N. Amer. Fauna* 46, 170–227.
- 1924a Two Drosophilidae from Colombia. *Mem. Dept. Agr. India, Ent. Ser.*, 8, 63–65.
- 1924b Notes on Australian Diptera. IV. *Proc. linn. Soc. N. S. Wales* 49, 348–359.
- 1924c The American species of the drosophilid genus *Stegane* (Diptera). *Ent. News* 35, 96–100.
- 1924d Descriptions of Neotropical two-winged flies of the family Drosophilidae. *Proc. U. S. natn. Mus.* 66, 1–11.
- 1927 Notes on Australian Diptera. X. *Proc. linn. Soc. N. S. Wales* 52, 1–16.
- 1929 Exotic Muscidae (Diptera). XXVII. *Ann. Mag. nat. Hist.*, Ser. 10, 4, 249–257.
- 1933 Some acalyptate Diptera from the Marquesas Islands. *Bull. B. P. Bishop Mus.* 114, 3–31.
- 1924a Diptera of Patagonia and South Chile. Part 6, Fasc. 5: Acalyptrata (concluded), pp. 393–489. *Brit. Mus. N. H.*, London.
- 1924b Diptera. Drosophilidae. In: *Insects of Samoa* 6 (8), 267–312.
- 1934c Additional new species and other records of acalyptate Diptera (Sapromyzidae, Asteiidae, Drosophilidae, Ephydriidae and Trypetidae) from the Marquesan Islands. *Bull. B. P. Bishop Mus.* 114, 179–200.
- MALLONCH, J. R., and MCATEE, W. L.  
1924 Flies of the family Drosophilidae of the District of Columbia region, with keys to genera, and other notes, of broader application. *Proc. Biol. Soc. Wash.* 37, 25–41.
- MALOGOLWIKIN, C.  
1948 Sobre a genitalia dos Drosophilídeos (Diptera): II. *Drosophila ananasica*. *Sum. brasili. Biol.* 1, 429–457.
- 1953 Sobre a genitalia dos Drosophilídeos. IV. A genitalia masculina no subgenero „*Drosophila*“ (Diptera, Drosophilidae). *Rev. brasili. Biol.* 13, 245–264.
- MARINKOVÍC, D., TUČÍK, N., and KERKÍČ, V.  
1980 Genetic variation and ecological adaptations. *Genetica* 52/53, 249–262.
- MARTELLI, G.  
1910 Notizie sulla *Drosophila ampelophila* Lw. *Boll. Lab. Zool. gen. Agr. Portici* 4, 163–174.
- MARTINEK, V.  
1973 Nálezy zajímavějších druhů dvoukřídlých (Diptera) v okolí Dobrušky a v pásmu Orlických hor. *Orlické hory, Podorlicko*, 5, 33–58.
- 1974a Nový nálezy druhů skupiny Acalyptrata (Diptera) v severních a severovýchodních čechách. *Sb. severočesk. Mus., Ser. Nat., Liberec*, 6, 151–175. \*
- 1974b Rozšíření a frekvence některých druhů dvoukřídlých (Diptera – Acalyptrata), především vlesních porostech severní části Krkonoš hor a nížinatých oblastí. *Práce Výzk. úst. les. hosp. mysl.* 45, 5–26.
- MARTINEZ, P. M., MALDONADO, C., and LEVINS, R.  
1965 Ecology and genetics of Puerto Rican *Drosophila*: I. Food preferences of sympatric species. *Carib. Journ. Sci.* 5, 29–37.
- MASING, R.  
1927 Über die quantitativen Unterschiede zwischen den Rassen und Arten von *Drosophila*. [In Russian with English summary]. *Trav. Soc. Natur. Leningrade* 57, 35–56.
- MASON, H. C.  
1956 Tests with bait sprays for the control of *Drosophila*. *Journ. econ. Ent.* 49, 708–709.
- MATHER, W. B.  
1955 The genus *Drosophila* (Diptera) in Eastern Queensland. I. Taxonomy. *Aust. Journ. Zool.* 3, 545–582.

- 1956 The genus *Drosophila* (Diptera) in Eastern Queensland. II. Seasonal changes in a natural population 1952–1953. Aust. Journ. Zool. 4, 65–75.
- 1957 Genetic relationships of four *Drosophila* species from Australia (Diptera: Drosophilidae). Univ. Texas Publ., no. 5721, 221–225.
- MATSUNURA, S.  
1931 6600 illustrated insects of Japan-Empire. [In Japanese]. Tokyo, 1497 pp.
- MAYER, K.  
1935 Die Metamorphose einiger Drosophiliden aus Niederländisch-Indien (Dipt.). Arch. Hydrobiol., Suppl., 13, 469–476.
- MAYNARD SMITH, J., and SONDEHL, K. C.  
1961 The arrangement of bristles in *Drosophila*. Journ. Embryol. exp. Morphol. 9, 661–672.
- MAYNARD SMITH, J., CLARKER, J. M., and HOLLINGSWORTH, M. J.  
1955 The expression of hybrid vigor in *Drosophila subobscura*. Proc. R. Soc. London, (B), 144, 159–171.
- MERGEN, J. W.  
1830 Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Sechster Theil. SCHULZ, Hamm, 401 pp.
- 1833 Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Siebenter Theil oder Supplementband. SCHULZ, Hamm, 433 pp.
- MEEUWER, J. C. H. J.  
1907 Eerste Supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 50, 151–195.
- 1908 Studien über südostasiatische Dipteren. II. Tijdschr. Ent. 51, 106–180.
- 1911a Ueber zwölf-schlächtige Cecidomyiiden *Contarinia rivi* KIRBY und *priscula* n. sp. und über die Erbse bewohnende Dipteren. Tijdschr. Ent. 54, 180–194.
- 1911b Studien über südostasiatische Dipteren. VI. Tijdschr. Ent. 54, 258–482.
- 1914 Studien über südostasiatische Dipteren. IX. Tijdschr. Ent. 57, 137–275.
- 1915a Beiträge zur Kenntnis der Dipteren-Larven und -Puppen. Zool. Jahrb. Syst. 40, 177–322.
- 1915b Tweede supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 59, 293–317.
- 1918 Studien über südostasiatische Dipteren. XIV. Tijdschr. Ent. 60, 275–369.
- 1920 Derde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 62, 161–195.
- 1923 Vierde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 71, 11–83.
- 1925 Vijfde supplement op de nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 78, 188–230.
- 1939a Diptera, uit paddenstoelen gekweekt. Ent. Bericht. 10, 188–191.
- 1939b Naamlijst van nederlandse Diptera, afgelopen 1 April 1899. Tijdschr. Ent. 82, 137–174.
- 1941 Over de metamorphose van *Metopia teneocephala* ROSSI, *Cucoxenus indagator* LÖW, *Palloptera saltuum* L., *Paranthochaeta nitida* MG. en *Hydrellia nigritarsis* ZETT. (Dipt.). Tijdschr. Ent. 86, 57–61.
- 1946 Zevende supplement op de nieuwe naamlijst van nederlandse Diptera van 1898. (Eerste supplement op mijne naamlijst van 1939). Tijdschr. Ent. 87, 1–25.
- 1947 Over enige Dipterenlarven, waaronder een galvum, die mijngangen maakt, en twee Dipteren, die gallen op paddenstoelen veroorzaken. Tijdschr. Ent. 88, 49–62.
- 1950 Achtste supplement op de nieuwe naamlijst van nederlandse Diptera van 1898 (Tweede supplement op mijne naamlijst van 1939). Tijdschr. Ent. 92, 1–14.
- MELICHAR, J.  
1901 Ueber das massenhafte Vorkommen von *Drosophila ampelophila* LÖW. Wien. ent. Ztg. 20, 7–8.
- MERRILL, L. G., and HUTSON, R.  
1953 Maggots attacking Michigan onions. Journ. econ. Ent. 46, 678–680.
- MICHELBACHER, A. E., and MIDDLEKAUFF, W. W.  
1954 Vinegar fly investigations in Northern California. Journ. econ. Ent. 47, 917–922.
- MIK, J.  
1883 Dipterologische Bemerkungen. Verh. zool.-bot. Ges. Wien 33, 181–192.
- 1896a Dipterologische Miscellen. III. Wien. ent. Ztg. 5, 317–318.
- 1896b Eine neue *Drosophila* aus Nieder-Oesterreich und den Aschanti-Ländern. (Ein dipterologischer Beitrag). Wien. ent. Ztg. 5, 328–331.
- 1892 Dipterologische Miscellen. (2. Serie). II. Wien. ent. Ztg. 11, 181–186.
- 1894 Dipterologische Miscellen. (2. Serie). III. Wien. ent. Ztg. 13, 22–27.
- 1896 Altes und Neues über Dipteren. Wien. ent. Ztg. 17, 196–219.
- MILANI, R.  
1953 Variabilità di alcuni aspetti del comportamento sessuale in *Drosophila subobscura*. Symp. Genet. Biol. Ital. Par. 3, 338–380.
- MILNE, P. M.  
1950 *Drosophila busckii* COQ. (Dipt., Drosophilidae) in Wales. Ent. month. Mag. 86, 141.
- MILLER, D.  
1921 A new species of drosophilid fly. N. Z. Journ. Sci. Technol. 3, 302–303.
- MINAMI, N.  
1979 Niche analysis of three closely related species of the genus *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 22, 33–41.
- MINAMI, N., and KIMURA, M. T.  
1980 Geographical variation of photoperiodic adult diapause in *Drosophila auraria*. Jap. Journ. Genet. 55, 319–324.
- MINAMI, N., TODA, M. J., and BEPPU, K.  
1979 Ecological structure of drosophilid assemblage in Tomakomai Experiment Forest, Hokkaido University. Appendix: Some discussions on the calculation of niche parameters. [In Japanese with English summary]. Res. Bull. College Exp. For., College Agric., Hokkaido Univ., 36, 479–508.
- MINAMORI, S., and AZUMA, M.  
1962 A study of deleterious genes in some natural populations of *Drosophila melanogaster* in Japan. Jap. Journ. Genet. 37, 38–41.
- MISRA, R. K.  
1966 Vectorial analysis for genetic clines in body dimensions in populations of *Drosophila subobscura* COLL. and a comparison with those of *D. robusta* STETT. Biometrika 53, 469–487.
- MISRA, R. K., and REEVE, E. C. II.  
1964 Clines in body dimensions in populations of *Drosophila subobscura*. Genet. Res. 5, 140–256.
- MIZUNO, T.  
1952 A note on the genetical survey of *Drosophila* in Hokkaido. [In Japanese with English summary]. Papers coord. Comit. Res. Genet. 3, 51–55.
- MOMMA, E.  
1954 *Drosophila* survey of Hokkaido, II. Chromosomes of seven wild species. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 12, 200–208.

- 1956 *Drosophila* survey of Hokkaido, IV. On a new member of "robusta" group" common in woodlands. *Annot. zool. japon.* 29, 171–175.
- 1957 *Drosophila* de Japón y de Hokkaido. V. Distribution and habitats of drosophilid flies. *Journ. Fac. Sci. Hokkaido Univ., Ser. 3, Zool.* 13, 95–98.
- 1964 The dynamic aspects of *Drosophila* populations in seminatural areas. II. Seasonal variations in activity and sex-ratio of *Drosophila curaria* var. A. *Jap. Journ. Genet.* 39, 304–312.
- 1965a The dynamic aspects of *Drosophila* populations in seminatural areas. I. Associations and relative numbers of species. Part 1. Results of trapping. *Jap. Journ. Genet.* 40, 275–290.
- 1965b The dynamic aspects of *Drosophila* populations in seminatural areas. I. Associations and relative numbers of species. Part 2. Results of sweeping. *Jap. Journ. Genet.* 40, 297–305.
- MOMMA, E., and TAKADA, H.
- 1954 *Drosophila* survey of Hokkaido, I. Description of a new species, *Drosophila alboralis* sp. nov. (Subgenus *Hirtodrosophila*). *Annot. zool. japon.* 27, 97–101.
- MONCLÚS, M.
- 1953 Variación geográfica de las palmas tarsales de los machos de „D. subobsoeta“. *Genet. Iber.* 5, 101–114.
- 1964 Distribución y ecología de Drosophilidae en España. I. Especies de *Drosophila* de la región Catalana. *Genet. Iber.* 16, 143–163.
- 1976 Distribución y ecología de Drosophilidae en España. II. Especies de *Drosophila* de las Islas Canarias, con la descripción de una nueva especie. *Bol. R. Soc. Española Hist. nat., Biol.* 74, 107–313.
- MORGÜ, G.
- 1956 Über Morphologie und Lebensweise der bisher unbekannten Larven von *Palloptera seta* MEIGEN, *Palloptera ustulata* FÄLLNER und *Stegana coleoptrata* SCOROLLA (Diptera). *Beitr. Ent.* 6, 124–137.
- 1963 Die Lonchaeidae und Palloptoridae Österreichs und der angrenzenden Gebiete. Eine Revision auf der Grundlage der Linzer Sammlungen und anderer österreichischer Kollektionen. I. Teil: Die Lonchaeidae. *Naturk. Jahrb. Linz* 1963, 123–312.
- 1976a Dipteren-Farbstäben nach den bisher nicht veröffentlichten Original-Handzeichnungen MEIGENS. JOHANN WILHELM MEIGEN: Abbildung der europäischen zweiflügeligen Insekten, nach der Natur. Pars II. *Beitr. Ent.* 26, 441, plates LXXXI–CLX.
- 1976b Beiträge zur Kenntnis von Typen-Exemplaren und wenig bekannten Dipteren-Arten — II. *Beitr. Ent.* 26, 489–530.
- 1976c Dipteren-Farbstäben nach den bisher nicht veröffentlichten Original-Handzeichnungen MEIGENS. JOHANN WILHELM MEIGEN: Abbildung der europäischen zweiflügeligen Insekten, nach der Natur. Pars III. *Beitr. Ent.* 26, 543, plates CLXI–CCCV.
- MORIWAKI, D.
- 1934 Mutant characters in a species of *Drosophila*. [In Japanese with English summary]. *Jap. Journ. Genet.* 9, 164–165.
- 1935 Some mutant characters in *Drosophila melanogaster*. *Genetica* 17, 32–46.
- 1938 Genetic studies in *Drosophila melanogaster*. [In Japanese with English summary]. *Jap. Journ. Genet.* 33, 364–377.
- MORIWAKI, D., and KITAGAWA, O.
- 1955 Salivary gland chromosomes of *Drosophila bifasciata*. *Cytologia* 20, 247–257.
- 1957 "Sex-ratio-J" in *Drosophila bifasciata*. I. A preliminary note. *Jap. Journ. Genet.* 32, 208–210.
- 1963 "yellowish" in *Drosophila bifasciata*, conceivable as an incipient species. *Proc. XI. Int. Congr. Genet. The Hague*, Genetics Today, 1, 182.
- MORIWAKI, D., and OKADA, T.
- 1952 Variations of peg-like bristles on egg-guide in *Drosophila melanogaster*. *Annot. zool. japon.* 25, 212–217.
- MORIWAKI, D., OKADA, T., OHBA, S., and KUROKAWA, H.
- 1952 *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese with English summary]. *Zool. Mag.* 61, 283–287.
- 1953 On *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese]. *Zool. Mag.* 62, 79–80.
- 1954 On *Drosophila* species belonging to the "obscura" group found in Japan. [In Japanese]. *Zool. Mag.* 63, 108–109.
- MORIWAKI, D., KITAGAWA, O., and OKADA, T.
- 1967 *Drosophila imai*, a new sibling species related to *Drosophila bifasciata*. *Evolution* 21, 109–116.
- MOURAD, A. M., and MALLAH, G. S.
- 1960 Chromosomal polymorphism in Egyptian populations of *Drosophila melanogaster*. *Evolution* 14, 166–170.
- NAGATA, Y.
- 1960 The discovery of eye-worm, *Thelobia callipeda* RAILLIET et HENRY 1910. *Jap. Journ. vet. Sci.* 22 (Suppl.), 475.
- NARODITSKAYA, M. B.
- 1941 Visible mutations in a natural population of *Drosophila fasciata*. *C. R. (Doklady) Acad. Sci. URSS, N. S.*, 30, 169–171.
- NAWAWAYI, R.
- 1959 Beiträge zur Ökologie und Systematik der Sepsidae und Drosophilidae Frankens. *Sitz. Ber. phys.-med. Soc. Erlangen* 80, 74–120.
- NATUR, H.
- 1950 Der Samenpuppen-Sklerit von *Drosophila* als taxonomisches Merkmal. *Arch. JULIUS-KLAUS-Stiftg.* 25, 623–625.
- 1953 Vergleichend-morphologische Untersuchung des äußeren Geschlechtsapparates innerhalb der Gattung *Drosophila*. *Zool. Jahrb. Syst.* 81, 487–496.
- NELSON, R. H.
- 1938 Observations on Diptera breeding in tomatoes. *Journ. econ. Ent.* 31, 128–129.
- NEUHAUS, G. H.
- 1886 Diptera Marchien. Systematisches Verzeichniß der Zweiflügler (Mücken und Fliegen) der Mark Brandenburg. Mit kurzer Beschreibung und analytischen Bestimmungs-Tafeln. NICOLAI, Berlin, 371 pp., 6 Tafeln.
- NIELSEN, P., RINGDAHL, O., and TUXEN, S. L.
- 1954 Diptera 1 (exclusive of Ceratopogonidae and Chironomidae). In: *The Zoology of Iceland*, Vol. III. Part 48a, 189 pp. MUNKSGAARD, Copenhagen and Reykjavík.
- NIGRO, P.
- 1979 Preliminary data on the distribution of drosophilids population in Veneto (Italy). *Boll. Zool.* 46, 109–111.
- NISHIHARA, S.
- 1977 Morphological differences between egg-guides of *Scaptomyza (Parascaptomyza) pallida* and *S. (P.) elmoi*. *Proc. Jap. Soc. syst. Zool.* 13, 85–87.
- 1979 Three new species of Drosophilidae from Japan. (Diptera). *Kontyû* 47, 38–43.
- NISWONGER, H. R.
- 1911 Two species of Diptera of the genus *Drosophila*. *Ohio Nat.* 11, 374–377.
- NOZAWA, K.
- 1956 A statistical study on the natural population of genus *Drosophila*. [In Japanese with English summary]. *Jap. Journ. Ecol.* 6, 1–6.

- NUNERG, M.
- 1947 Pierwszy przyczynek do znajomości krajowej fauny owadów minujących lise. Fragm. faunist. Mus. zool. pol. 5, 95–121.
  - 1948 Drugi przyczynek do znajomości krajowej fauny owadów minujących lise. Fragm. faunist. Mus. Zool. pol. 5, 185–197.
- OHMORI, Y., SATO, S., and MATSU, S.
- 1959 A great occurrence of *Drosophila virilis* in the neighborhood of a lumberyard in Niigata City. [In Japanese with English summary]. Jap. Journ. Sanit. Zool. 11, 191–192.
  - OHNISHI, M., and MORIWAKI, D.
  - 1958 Analysis of "yellowish mutant" of *Drosophila bifasciata* found in natural populations (A preliminary note). [In Japanese]. Jap. Journ. Genet. 33, 319.
- OKADA, T.
- 1953a Comparative morphology of the drosophilid flies, III. The "phalloseminal index" and its relation with systematics. [In Japanese with English summary]. Zool. Mag. 62, 278–289.
  - 1953b Comparative morphology of the drosophilid flies, IV. The "phalloseminal index" of the closely allied species, in relation to their geographical distribution and the adult food-habits. [In Japanese with English summary]. Zool. Mag. 62, 284–297.
  - 1954a Comparative morphology of the drosophilid flies, V. Convolution of the proximal intestine in adult flies. [In Japanese with English summary]. Zool. Mag. 63, 237–241.
  - 1954b Comparative morphology of the drosophilid flies, VI. Rectal papillae, their number, arrangement and shape. [In Japanese with English summary]. Zool. Mag. 63, 262–266.
  - 1954c Comparative morphology of the drosophilid flies, I. Phallic organs of the *melanopteroid* group. Kontyū 22, 36–46.
  - 1954d Fungus-eating drosophilid flies in Japan. [In Japanese with English summary]. Japan. Journ. appl. Zool. 19, 78–82.
  - 1955a Comparative morphology of the drosophilid flies, II. Phallic organs of the subgenus *Drosophila*. Kontyū 23, 97–104.
  - 1955b Comparative morphology of the drosophilid flies, VII. The malpighian tubes of the adult flies. [In Japanese with English summary]. Zool. Mag. 64, 108–112.
  - 1955c *Drosophila*, II: KIRIYA, H. (ed.), Fauna and Flora of Nepal Himalaya. Scientific results of the Japanese expeditions to N-pal Himalaya, 1952–1953. Vol. 1, pp. 357–399. Kyoto.
  - 1956a Systematic study of Drosophilidae and allied families of Japan. Gihodo, Tokyo, 183 pp.
  - 1956b Comparative morphology of the drosophilid flies, VIII. Ejaculatory caeca of the adult flies. [In Japanese with English summary]. Zool. Mag. 67, 264–271.
  - 1956c Interspecific and intraspecific variations of the wing-indices in the genus *Drosophila*, in relation to the wing-lengths (Diptera). Kontyū 27, 21–34.
  - 1960a On the Japanese species of the genus *Amiota* LOEW (Diptera, Drosophilidae). Mushi 34, 89–102.
  - 1960b The genus *Microdrosophila* MALLOCH from Japan (Diptera, Drosophilidae). Kontyū 28, 211–223.
  - 1961a Comparative morphology of the drosophilid flies, IX. Differentiation of the ejaculatory apodeme in view of systematic relationships. [In Japanese with English summary]. Zool. Mag. 70, 258–266.
  - 1961b Comparative morphology of the drosophilid flies, X. Differentiation of the ejaculatory apodeme in the genus *Drosophila*. [In Japanese with English summary]. Zool. Mag. 70, 259–266.
  - 1962 Bleeding sap preference of the drosophilid flies. Japan. Journ. appl. Ent. Zool. 6, 216–229.
  - 1963a Caeogenetic differentiation of front hooks in drosophilid larvae. Evolution 17, 84–98.
  - 1963b Chelogonid differentiation of Drosophilidae in relation to material compensation. Mushi 37, 79–100.
  - 1964 New and unrecorded species of Drosophilidae in the Amami Islands, Japan. Kontyū 32, 105–115.
  - 1965a Drosophilidae of the Okinawa Islands. Kontyū 33, 327–350.
  - 1966a Diptera from Nepal. Cryptochaetidae, Diastatidae, and Drosophilidae. Bull. Brit. Mus. nat. Hist., Ent., Suppl., 6, 1–129.
  - 1966b A list of Drosophilidae collected at the National Park for Nature Study, Tokyo, in 1953–5 and 1963–4. Ecol. Stud. Biol. Commun. natn. Park Nat. Stud. 1, 131–132.
  - 1967 A revision of the subgenus *Hirtodrosophila* of the Old World, with descriptions of some new species and sub-species (Diptera, Drosophilidae, *Drosophila*). Mushi 41, 1–36.
  - 1968a Systematic study of the early stages of Drosophilidae. Bunka Zugelsa, Tokyo, 188 pp.
  - 1968b Taxonomic treatment of the correlative characters in the genus *Microdrosophila* (Diptera, Drosophilidae). Proc. Jap. Soc. syst. Zool. 4, 1–7.
  - 1968c Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). I. Genera *Stegana*, *Amiota*, *Leucophenga* and *Microdrosophila*, with discussion on the homology of phallic organs. Kontyū 36, 303–323.
  - 1968d Addition to the fauna of the family Drosophilidae of Japan and adjacent countries (Diptera). II. Genera *Paracyclopsophila*, *Mycodrosophila*, *Liodrosophila*, and *Drosophila*, including a new subgenus *Pedderha*. Kontyū 36, 324–340.
  - 1970 Preliminary classification of the *signiferinus*-complex of the genus *Leucophenga* MRK, having sexually dimorphic palp (Diptera, Drosophilidae). Proc. Jap. Soc. syst. Zool. 6, 16–22.
  - 1971a A revision and taxometric analysis of the genus *Amiota* LOEW of Japan and adjacent countries (Diptera, Drosophilidae). Kontyū 39, 82–98.
  - 1971b Morphological and biogeographical relationships of closely related species of the genus *Amiota* (Diptera, Drosophilidae). Kontyū 39, 327–332.
  - 1971c A revision and taxometric analysis of the genus *Stegana* MEIGEN of Japan and adjacent countries (Diptera, Drosophilidae). Mushi 45, 81–99.
  - 1971d Systematic and biogeographical analyses of the *dewitae* group, with description of two new species (Diptera, Drosophilidae). Bull. biogeogr. Soc. Jap. 26, 29–38.
  - 1971e Taxonomic and ecological notes on the Drosophilidae of the Bonin Islands (Diptera). Proc. Jap. Soc. syst. Zool. 7, 67–73.
  - 1973a Descriptions of four new species of Drosophilidae of the Bonins, with taxometrical analyses of the *Soroptomyza* species (Diptera). Kontyū 41, 83–90.
  - 1973b Four new species of Drosophilidae from Japan (Diptera). Kontyū 41, 434–439.
  - 1973c Drosophilidae and Diastatidae from Mongolia (Diptera). Ann. hist.-nat. Mus. natn. hung. 66, 271–279.
  - 1974a A revision and taxometric analysis of the genera *Sphaerogasterella* DUDA and *Liodrosophila* DUDA of the world. Mushi 48, 29–63.
  - 1974b Drosophilidae (Diptera) from Korea. Ann. hist.-nat. Mus. natn. hung. 66, 269–275.
  - 1975 The Oriental drosophilids breeding in flowers. Kontyū 43, 336–363.
  - 1976 Subdivision of the genus *Chrysomyza* CZEERNY (Diptera, Drosophilidae), with description of three new species. Kontyū 44, 496–511.
  - 1977a The subgenus *Phortzia* SCHINER of the genus *Amiota* LOEW of Japan and the Oriental region, with reference to anti-BULLA's rule (Diptera, Drosophilidae). Bull. biogeogr. Soc. Jap. 32, 17–31.

- 1977 Family Drosophilidae. In: DELFINADO, M. D., and HARDY, D. E., (eds.), A catalog of the Diptera of the Oriental region, Vol. III. Suborder Cyclorrhapha (excluding Division Aschiza), pp. 342–387. University Press of Hawaii, Honolulu, 854 pp.
- OKADA, T., and CHUNG, Y. J.  
1960 Three species of Drosophilidae from South Korea. Akitu 9, 25–30.
- OKADA, T., and KUROKAWA, H.  
1957 New or little known species of Drosophilidae of Japan (Diptera). Kontyū 25, 2–12.
- OKADA, T., and LEE, H. Y.  
1961 A new species of *Hirtodrosophila* from South Korea (Diptera, Drosophilidae). Akitu 10, 20–22.
- OKADA, T., and SASAKAWA, M.  
1956 Leaf-mining species of Drosophilidae (Diptera). Akitu 5, 25–28.
- OLDENBERG, L.  
1914 Beitrag zur Kenntnis der europäischen Drosophiliden (Dipt.). Arch. Naturgesch. 80 (A) 2, 1–42.
- 1922 Bemerkungen über die ehemaligen Drosophiliden (Dipt.). Dtsch. ent. Ztschr. 1922, 214–215.
- OLDROYD, H.  
1985 The natural history of flies. NORTON, New York, 324 pp.
- ORTIZ, E.  
1968 Drosophilas de la Reserva de Doñana. Bol. R. Soc. española Hist. nat. (Biol.) 66, 11–16.
- OSTERN SACKEN, C. R.  
1892 On the chaetotaxy of *Cacoxenus indagator* Lw. Berl. ent. Ztg. 36 (1891), 411–413.
- PAIK, Y. K.  
1958 Seasonal changes in *Drosophila* populations at the two adjacent areas in Korea. Comm. Thesis 60th Birthd. Dr. CHANG CHOO WOO, pp. 209–227.
- PALM, J.  
1960 Genetic variability in Korean populations of *Drosophila melanogaster*. Evolution 14, 293–303.
- 1869 Beitrag zur Dipterenfauna Tirols. Verh. zool.-bot. Ges. Wien 19, 395–454.
- PAPP, J. J. L.  
1971 A new species of *Drosophila* from Hungary (Dipt., Drosophilidae). Fol. ent. hung., Ser. nov., 24, 333–338.
- \* 1973 Tragyalegyek – Harmatlegyek – Sphaeroceridae – Drosophilidae. Fauna Hung. 112, 1–148.
- 1975 Micropopulations of two cosmopolitan *Drosophila* species. Folia ent. hung., Ser. nov., 28, 237–238.
- 1976 Some tericolous sphaeroceridae and drosophilidae from Hungary (Diptera, Sphaeroceridae and Drosophilidae). Folia ent. hung., Ser. nov., 29, 75–85.
- 1978 Species of nine Acalyptratae fly families from Tunisia (Diptera). Folia ent. hung., Ser. nov., 31, 211–217.
- 1979 Some fungivorous species of Sphaeroceridae and Drosophilidae (Diptera) from Karelia, USSR. Folia ent. hung., Ser. nov., 32, 189–193.
- PARSHAD, R., and DUGGAL, K. K.  
1966 Drosophilid survey of India. III. The Drosophilidae of Kashmir Valley. Res. Bull. Panjab Univ., N.S., 17, 277–290.
- PARSHAD, R., and PAIKA, I. J.  
1964 Drosophilid survey of India. II. Taxonomy and cytology of the subgenus *Sophophora* (*Drosophila*). Res. Bull. Panjab Univ., N.S., 15, 225–252.
- PARSHAD, R., NAEDA, R. D., and PAIKA, I. J.  
1964 Drosophilid survey of India. I. Variations in the five strains of *Drosophila melanogaster* MEIGEN and their relationship with *Drosophila emulata* RAY-CHAUDHURY & MUKHERJEE. Res. Bull. Panjab Univ., N.S., 15, 7–17.
- PARSONS, P. A.  
1978 Boundary conditions for *Drosophila* resource utilization in temperate regions, especially at low temperatures. Amer. Nat. 112, 1063–1074.
- PATTERSON, J. T.  
1942 Distribution of the *virilis* group in the United States. Univ. Texas Publ., no. 4228, 153–161.
- 1943 The Drosophilidae of the Southwest. Univ. Texas Publ., no. 4313, 7–216.
- 1952 The genetic relationships of *Drosophila littoralis* MEIGEN to the other members of the *virilis* group. Univ. Texas Publ., no. 5224, 7–19.
- PATTERSON, J. T., and GELFEN, A. B.  
1944 Relationship of *Drosophila montana* and *D. lacicola* to other members of the *virilis* group. Univ. Texas Publ., no. 4445, 194–211.
- PATTERSON, J. T., and MAINLAND, G. B.  
1944 The Drosophilidae of Mexico. Univ. Texas Publ., no. 4445, 9–101.
- PATTERSON, J. T., and STONE, W. S.  
1952 Evolution in the genus *Drosophila*. MACMILLAN, New York, 610 pp.
- PATTERSON, J. T., and WHEELER, M. R.  
1942 Description of new species of the subgenera *Hirtodrosophila* and *Drosophila*. Univ. Texas Publ., no. 4219, 67–100.
- PAYAN, C., and CUNHA, A. B. DA  
1947 Espécies brasileiras da *Drosophila*. Bol. Facul. Fil. Cien. Letr. Univ. S. Paulo 86, 3–46.
- PAYAN, C., DÖRBECKSKY, T., and BURLA, H.  
1950 Diurnal behavior of some Neotropical species of *Drosophila*. Ecology 31, 36–43.
- PENG, F. T.  
1937 On some species of *Drosophila* from China. Annot. zool. japon. 16, 20–27.
- PENTZOS-DAPONT, A.  
1964 Quantitative und quantitative Untersuchungen über den chromosomal Polymorphismus natürlicher Population von *Drosophila subobscura* in der Umgebung von Thessaloniki/Griechenland. Ztschr. Vererbungsl. 95, 129–144.
- PENTZOS-DAPONT, A., BOESINGER, E., and KANELIS, A.  
1967 Fréquences de gènes mutants dans plusieurs populations naturelles de *Drosophila subobscura* de Grèce. Epistémologie Epiteria Physikomathematics Scholes 10, 133–159.
- PERIQUEIX, G.  
1976 Influence de quelques facteurs physiques d'un biontopo sur la biologie préimaginaire et imaginaire d'une population naturelle de *Drosophila melanogaster*. Bull. Soc. zool. France 101, 387–399.
- PEREIRA, A. M.  
1954 Genetic and cytological studies of *Drosophila funebris* FER. Mutations, salivary gland chromosomes and variation in sex ratios in natural and laboratory strains. Acta zool. 35, 259–288.
- PERRIS, E.  
1876 Nouvelles promenades entomologiques. Ann. Soc. ent. France, Sér. 5, 6, 171–244.
- 1877 Rectifications et additions à mes promenades entomologiques. Ann. Soc. ent. France, Sér. 5, 7, 379–386.
- PERTTUNEN, V.  
1955 The blood circulation and the accessory pulsatile organs in the wings of *Drosophila funebris* and *D. melanogaster* (Dipt., Drosophilidae). Ann. ent. fenn. 21, 78–88.

- PETERSEN, J. A.
- 1960 Studies on the ecology of the genus "*Drosophila*". I. Collections in two different life zones and seasonal variations in Rio Grande do Sul, Brazil. Rev. brasili. Biol. 20, 8–16.
- Петрова, Б. Н.
- 1968 Фаунистico-экологический обзор синантропных двукрылых (Diptera) юга приморского края. Зоот. Обозр. 47, 95–105.
- PHILIP, U., RENDALL, J. M., SPURWAY, H., and HALDANE, J. B. S.
- 1944 Genetics and karyology of *Drosophila subobscura*. Nature (London) 154, 260–265.
- PICARD, E.
- 1919 Contribution à l'étude du peuplement d'un végétal. La faune entomologique du Figuier. Ann. Service Epiphyties 6 (1918), 34–174.
- PINSEEK, W., and SPEERLICH, D.
- 1979 Allozyme variation in natural populations of *Drosophila subobscura* along a North-South gradient. Genetics 90, 207–219.
- PINSEEK, W., LANKINEN, P., and SPEERLICH, D.
- 1978 Allozyme and inversion polymorphism in a Central European population of *Drosophila subobscura*. Genetica 48, 207–214.
- PIPER, S. B.
- 1952 Seasonal fluctuations in *Drosophila* populations at different altitudes in the Lebanon Mountains. Ztschr. indukt. Abstamm.-Vererbungs. 84, 270–305.
  - 1956 Two new species of the *Drosophila* subgenus *Phaladoris* and a redescription of *Drosophila hypocoasta* Osten SACKER (Diptera, Drosophilidae). Proc. ent. Soc. Wash. 58, 251–258.
  - 1961 Taxonomic relationships within the *Drosophila vicaria* species group, subgenus *Phaladoris* (Diptera: Drosophilidae). Proc. ent. Soc. Wash. 63, 145–161.
  - 1962 Mesonotal color polymorphism in *Drosophila l. lebanonensis*. Genetics 47, 1275–1290.
  - 1964 New flower breeding species of *Drosophila* (Diptera, Drosophilidae). Proc. ent. Soc. Wash. 66, 217–245.
  - 1965 The influence of adult and larval food habits on population size of neotropical ground-feeding *Drosophila*. Amer. Mid. Nat. 74, 1–27.
- PIPER, S. B., RODRIGUEZ, R. L., and LEON, J.
- 1966 Plant host specificity among flower-feeding neotropical *Drosophila* (Diptera: Drosophilidae). Amer. Nat. 100, 135–156.
- PLATZ, N., CROZIER, G., JOUSET, F. X., and DAVID, J.
- 1979 Picornaviruses of laboratory and wild *Drosophila melanogaster*: Geographical distribution and serotypic composition. Ann. Microbiol. (Inst. Pasteur), 126 (A), 107–117.
- POKORNÝ, E.
- 1887 Beitrag zur Dipterenfauna Tirols. Verh. zool.-bot. Ges. Wien 37, 381–420.
  - 1896 Eine neue *Drosophila*. Mitt. naturw. Vereins Trippina 2, 63–64.
- POMINI, F. P.
- 1940 Contributi alla conoscenza delle *Drosophila* (Diptera Acalypptera) europee. I. Descrizione di alcune specie riferibili al gruppo obscurus. Boll. Ist. Ent. Bologna 12, 145–164.
- POND, D. D.
- 1956 Annotated list of insects found in or near roots of cultivated crucifers in New Brunswick. Journ. econ. Ent. 49, 336–338.
- POPFUS, E., LINSTRÖM, C., and FREY, R.
- 1916 Dipteren aus dem Saaregebiet. Naturw. Untersuch. Saaregeb. 4 (Zool.), 665–696.
- PREVOSTI, A.
- 1951 Datos sobre los caracteres VII y VIII en una población natural de *Drosophila subobscura* COLLIN. Genet. iber. 3, 37–46.
  - 1952 Variabilidad genética en una población natural de *Drosophila subobscura*. Genet. iber. 4, 95–128.
  - 1954 Variación geográfica de varios caracteres cuantitativos en poblaciones catalanas de *Drosophila subobscura*. Genet. iber. 6, 33–68.
  - 1955a Geographical variability in quantitative traits in populations of *Drosophila subobscura*. Cold Spring Harbor Symp. quant. Biol. 10, 294–299.
  - 1955b Variación geográfica de caracteres cuantitativos en poblaciones británicas de *Drosophila subobscura*. Genet. iber. 7, 3–43.
  - 1957 Viabilidad en cruces entre poblaciones de *Drosophila subobscura* de distinta procedencia geográfica. Publ. Inst. Biol. apl. 26, 53–60.
  - 1960 Cambios en la heterocigosis por inversión cromosómica al variar por selección la longitud del ala en "*Drosophila subobscura*". Genet. iber. 12, 27–41.
  - 1961 Variación con la altitud en caracteres cuantitativos de *Drosophila subobscura*. Bol. R. Soc. española Hist. nat. (Biol.) 59, 29–34.
  - 1964a Tipos cromosómicos de *Drosophila subobscura* en una población de Lagrasse (Francia). Genet. iber. 16, 1–19.
  - 1964b Chromosomal polymorphism in *Drosophila subobscura* populations from Barcelona (Spain). Genet. Res. 5, 27–38.
  - 1966a Inversion heterozygosity and size in a natural population of *Drosophila subobscura*. Proc. Sym. Mutational Process, Prag. Mutation in population, 49–53.
  - 1966b Chromosomal polymorphism in western Mediterranean populations of *Drosophila subobscura*. Genet. Res. 7, 149–158.
  - 1967 Inversion heterozygosity and selection for wing length in *Drosophila subobscura*. Genet. Res. 10, 81–93.
  - 1968 Efecto de la Cordillera Pirinenca sobre la distribución geográfica de las ordenaciones cromosómicas de *Drosophila subobscura*. Pirineos 79–80, 221–228.
  - 1971 Chromosomal polymorphism in *Drosophila subobscura* Coll. populations from the Canary Islands. Genet. iber. 23, 49–84.
  - 1972 Chromosomal polymorphism in *Drosophila subobscura* populations from the Madeira Island. Genet. iber. 24, 11–21.
  - 1974 Chromosomal Inversion polymorphism in the southwestern range of *Drosophila subobscura* distribution area. Genetics 85, 111–124.
  - 1976 Cariotipo de *Drosophila guanche* MONCLOS y *Drosophila nigrovittata* MALLOCH. Bol. R. Soc. española Hist. nat. (Biol.) 74, 215–217.
- PREVOSTI, A., OCASA, J., and ALONSO, G.
- 1975 Distances between populations of *Drosophila subobscura*, based on chromosome arrangement frequencies. Theor. appl. Genet. 45, 231–241.
- RADBARTH, A.
- 1878 Übersicht der in Mecklenburg bis jetzt beobachteten Fliegen (Diptera). Arch. Ver. Freunde Naturg. Mecklenburg 27, 22–131.
- 25 Beitr. Ent. 32, H. 2

- RAY-CHAUDHURI, S. P., and MUEHLBEEF, D. P.  
 1941 Genetic and systematic studies on Indian *Drosophila*. I. Description of two new species of *Drosophila*: Life-history and preliminary studies on the genetic constitution of *Drosophila emulata*, sp. nov. Ind. Journ. Ent. 3, 215-224.
- REED, S., and REED, P.  
 1949 Sur le rapport des Drosophiles vis-à-vis du vinaigre. Bull. Soc. ent. France 54, 26-30.
- REED, S. C. and REED, E. W.  
 1948 Morphological differences and problems of speciation in *Drosophila*. Evolution 2, 40-48.
- RICHARDS, O. W., and HERFORD, G. V. B.  
 1930 Insects found associated with cacao, spices and dried fruits in London warehouses. Ann. appl. Biol. 17, 367-395.
- RICHTER, H., and HUNDLER, M.  
 1955 Die geographische Verbreitung der chromosomalen Strukturtypen von *Drosophila subobscura* COLL. Ztschr. indukt. Abstamm.-Vererbungsl. 87, 85-92.
- RIEDZEL, M. P.  
 1930 Die subalpine Fliegenfauna von Reinerz (Glatzer Gebirge, Schlesien). Ztschr. wiss. Insektenbiol. 25, 71-81.
- RIEL, P.  
 1921 Les insectes parasites des champignons. I. Elevages et première liste de diptères fongicoles. Ann. Soc. linn. Lyon, N.S., 67, 87-44.
- RILEY, W. A.  
 1919 Fly pupae in bottled milk. Journ. Dairy Sci. 2, 183-188.
- RINGDAHL, Ö.  
 1931 Flugor-Diptera brachycera. In: Y. SJÖSTEDT, Insektafaunan inom Abisko Nationalpark. III. K. svenska Vetensk. Akad. Skr. Nat. 18, 1-32.
- 1941 Bidrag till klassificeringen om flugfaunan (Diptera Brachycera) på Hallands Väderö. Ent. Tidskr. 62, 1-23.
- 1949 Nya fynd af holometropa flugor. Ent. Tidskr. 69, 1-4.
- 1951 Flugor från Lapplands, Jämtlands och Härjedalens fjällstrakter (Diptera Brachycera). Opusc. ent. 16, 113-186.
- 1957 Fliegenfunde aus den Alpen. Ent. Tidskr. 78, 115-134.
- 1959 Nagra tillägg till flugfaunan på Hallands Väderö. Ent. Tidskr. 79, 120-122.
- RISCH, P.  
 1971 Die Überwinterung als adaptive Leistung, geprüft an verschiedenen Karyotypen der inversionspolymorphen Art *Drosophila subobscura*. Genetica 42, 79-103.
- ROBERTSON, F. W.  
 1965 The analysis and interpretation of population differences. Proc. I. Int. Union Biol. Sci. Symp. Genet. Biol., pp. 95-115.
- ROCHA PITÉ, M. T.  
 1972 An introduction to the study of Portuguese Drosophilidae. Arq. Mus. Boc., Sér. 2, 3, 367-384.
- 1975a Notas sobre a captura, conservação e identificação das Drosófilas de Portugal. Arq. Mus. Boc., Sér. ECE, 10, 1-19.
- 1975b Collection notes on Drosophilidae. Arq. Mus. Boc., Sér. 2, 5, I-X.
- 1977a Analyse statistique de l'influence des facteurs climatiques sur les rythmes d'activité des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal). Arq. Mus. Boc., Sér. 2, 6, 153-151.
- 1977b Rythmes d'activité saisonnière des populations naturelles des Drosophilidae dans la région Sintra-Colares (Portugal). Bull. Mus. natn. Hist. nat., Paris, Sér. 3, No. 463, Ecologie générale, 38, 109-160.
- 1978 Rythmes d'activité journalière des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal). Bohm. Soc. port. Cienc. nat. 18, 69-90.
- 1979 A note on Drosophilidae collected in different provinces of Portugal. Arq. Mus. Boemage, (2) Sér., 7, 97-80.
- ROCHA PITÉ, M. T., and COSTA NICOLAU, M. H. DA  
 1978 Etude des rythmes d'activité des populations naturelles des Drosophilidae dans la région de Sintra-Colares (Portugal) par analyse factorielle des correspondances. Arq. Mus. Boc., Sér. 2, 6, 261-278.
- ROCHA PITÉ, M. T., and TSACAS, L.  
 1979 Nouvelles données sur la répartition des Drosophiles en France (Diptera Drosophilidae). Rev. fr. Ent., N.S., 1, 135-140.
- 1980 Catalogue of the European species of the genus *Drosophila*. Bohm. Soc. port. Cienc. nat. 19, 37-47.
- ROHLFEN, K., and EWALD, B.  
 1972 Katalog der in den Sammlungen des ehemaligen Deutschen Entomologischen Institutes aufbewahrten Typen - VIII. (Diptera: Cyclorrhapha: Schizophora: Acalyptratae). Beitr. Ent. 22, 407-469.
- RONDANI, C.  
 1875 Notizie sul moscerino dell'uva. Boll. Comit. agr. parm. 8, 145-149.
- 1876 Diagnosi di tre vespari microsomi insetticidi. Boll. Soc. ent. ital. 8, 83-86.
- ROSEN, C. von  
 1840 Erster Nachtrag zu dem im Jahre 1834 bekannt gemachten Verzeichnisse in Württemberg vorkommender zweiflügiger Insekten. Correspondenzbl. K. württ. landw. Ver. Stuttgart 1840, 49-64.
- RUDEKER, E.  
 1959 Über den Auslesewert chromosomaler Strukturtypen von *Drosophila subobscura* unter experimentellen Bedingungen. Experientia 15, 9-12.
- SABATE, M. D.  
 1964 Niche breadth and genetic variability in sympatric natural populations of drosophilid flies. Amer. Nat. 108, 533-540.
- SACK, P.  
 1904 Die Dipteren Rumäniens. Gesammelt von Dr. ED. FLECK (Azuga). Bul. Soc. Sciintă 13, 92-116.
- SATO, S., OHMORI, Y., MATSUI, S., and KOMATSUBARA, T.  
 1962 Seasonal observation of *Drosophila* in Niigata City. [In Japanese with English summary]. Jap. Journ. Sanit. Zool. 13, 229-232.
- SAKIMURA, K., and LINPOND, M. B.  
 1940 An annotated list of insects from Lanai. Proc. hawaii. ent. Soc. 10, 451-454.
- SALLAS, H.  
 1948 Sobre a genitalia dos Drosophilidos (Diptera): I. *Drosophila melanogaster* e *D. simulans*. Sum. Brasil. Biol. 1, 311-383.
- SAURA, A.  
 1974 Genic variation in Scandinavian populations of *Drosophila bifasciata*. Hereditas 76, 161-172.
- SAURA, A., LAKOVARA, S., LOKKI, J., and LANKINEN, P.  
 1978 Genic variation in central and marginal populations of *Drosophila subobscura*. Hereditas 75, 33-46.
- SCHATZMANN, E.  
 1977 Früchte als natürliche Entwicklungssubstrate von Drosophiliden. Mitt. schweiz. ent. Ges. 50, 135-148.
- SCHINER, J. R.  
 1864 Fauna austriaca. (Diptera). II. Teil. GEBOLD's Sohn, Wien, 662 pp.

- SCHMID, V.  
1968 Die Flugaktivität von Drosophiliden am Waldrand. Mitt. schweiz. ent. Ges. 41, 266–274.
- SCHOLTZ, H.  
1848– Ueber den Aufenthalt der Dipteren während ihrer ersten Stände. Ztschr. Ent. Breslau 8 (1848), 1–8, 9 (1849), 1850 9–20, 10 (1849), 21–24, 15 (1850), 25–34.
- SCHULZE, P.  
1912 Entwicklung von *Drosophila rubrostrata* BECKER in Formalin: ein Beitrag zur Kenntnis der Lebensweise der Drosophilalarven. Zool. Anz. 39, 199–209.
- SCHUMANN, H.  
1963 Beitrag zur Kenntnis der Dipteren im Wohnbereich des Menschen. Dtsch. ent. Ztschr., N.F., 10, 313–322.
- SCOPOLI, J. A.  
1763 Entomologia carniolica exhibens insecta carniolicae indigena et distributa in ordines, genera, species, varieitates methodo Linnaeana. TRATTNER, Vindobonae [= Vienna], 414 pp.
- SEGUY, E.  
1933a Contribution à l'étude de la faune du Mozambique. Voyage de M. P. LISNE (1928–1929). Mem. Est. Mus. zool. Univ. Coimbra, Sér. I, 67, 5–80.  
1933b Une nouvelle espèce de *Gitona* (Dipt.) de la Somalie italienne et note sur les Drosophiles parasites. Bol. Soc. ent. Ital. 65, 187–190.  
1934a Contribution à l'étude des mouches phytophages de l'Europe occidentale. II. Encycl. ent., Ser. B II, Dipt., 7, 167–264.  
1934b Diptères (Brachycères). Muscidae Acalyptratae et Scatophagidae. In: Faune de France, Vol. 28. LECHEVALIER, Paris, 832 pp.  
1936 Voyage de M. L. CHOPARD et A. MÉQUONNEX aux Açores (Août–Septembre 1930). Ann. Soc. ent. France 105, 11–26.  
1941 Diptères recueillis par M. L. BERLAND dans le sud marocain. Ann. Soc. ent. France 110, 1–23.  
1950 La biologie des Diptères. Encycl. Ent., Ser. A, 26, 1–609.  
1951 Un Drosophilidé phytophage nouveau. Mém. Inst. scientif. Madagascar, Sér. A, 6, 399–405.  
1955 Introduction à l'étude biologique et morphologique des insectes diptères. Publ. avulsa Mus. Nac. 17, 1–260.
- SEIDEL, J.  
1957 Pflanzengallen und Blattminen aus dem Gebiete des Glatzer Schneeberges. Přírodov. sbor. Ostr. kraje 18, 248–270.
- SERGENT, E., and ROUGERIE, H.  
1924 Diffusion des levures dans les vignobles par les insectes. Mutualisme entre levures et drosophiles. C. R. Acad. Sci. 178, 732–734.  
1926a Des rapports entre les moucherons du genre *Drosophila* et les microbes du raisin. Ann. Inst. Pasteur 40, 901–921.  
1926b Moucherons (Drosophilidae) et fermentations. Arch. Inst. Pasteur d'Algérie 4, 519–527.
- SHARP, D.  
1900 *Drosophila maculata*, DUFOUR, a new British dipteron. Ent. month. Mag. 36, 251–259.  
1903 *Phaonia variegata*, FALL.: A drosophilid fly new to Britain. Ent. month. Mag. 39, 248–249.
- SHAW, M. W.  
1969 *Drosophila* spp. (Dipt., Drosophilidae) associated with pea silage. Ent. month. Mag. 104, 236.
- SHIMA, T.  
1960 A collection record of *Drosophila* around Iwanizawa, Hokkaido, [In Japanese with English summary]. Zool. Mag. 70, 403–407.  
1965 Some aspects of courtship behavior in *Drosophila nigromaculata*, with regard to sperm storage. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 15, 763–769.  
1967 Notes on sexual activities observed in two species of *Drosophila*, *brachynephros* and *meiyama*. Jap. Journ. Zool. 15, 335–341.
- SHORROCKS, B.  
1969 A notes on *Drosophila* species along the Tyne Valley. Entomologist 102, 220–230.  
1970 A note on *Drosophila* species collected at Woodchester Park, Gloucestershire. Entomologist 103, 236–238.  
1972 Invertebrate types. *Drosophila*. GINN, London, 144 pp.  
1974 Niche parameters in domestic species of *Drosophila*. Journ. nat. Hist. 8, 215–222.  
1975 The distribution and abundance of woodland species of British *Drosophila* (Diptera: Drosophilidae). Journ. anim. Ecol. 44, 839–844.  
1977 An ecological classification of European *Drosophila* species. Oecologia (Berl.) 26, 335–345.
- SHORROCKS, B., and BROWN, M. J.  
1975 A model of competition. Oecologia (Berl.) 20, 363–367.
- SHORROCKS, B., and CHARLESWORTH, P.  
1980 The distribution and abundance of the British fungalbreeding *Drosophila*. Ecol. Ent. 5, 61–78.
- SHORROCKS, B., and WOOD, A. M.  
1973 A preliminary note on the fungus feeding species of *Drosophila*. Journ. nat. Hist. 7, 551–556.  
SHORROCKS, B., ATKINSON, W., and CHARLESWORTH, P.  
1979 Competition on a divided and ephemeral resource. Journ. anim. Ecol. 48, 899–908.
- SILVESTRI, F.  
1917 Sulla *Locheaphis aristella* BECK. (Diptera: Longinaeidae) dannosa alla infiorescenza e fruttescenza del Caprifoglio e del Fico. Bol. Lab. Zool. Agr. Portici 12, 123–146.
- SIMMONS, S. W., and DOVE, W. E.  
1942 Waste celery as a breeding medium for the stablefly or "dog fly", with suggestions for control. Journ. econ. Ent. 35, 709–712.
- SINGH, A.  
1976 Descriptions of new species of the genera *Sinopthalomus* and *Scaptomyces* (Insecta: Diptera: Drosophilidae) from Chandigarh, India. Rec. zool. Surv. India 69, 187–202.
- SINGH, B. K., and GUPTA, J. P.  
1974 The genus *Leucophaea* (Diptera: Drosophilidae) in India. Ind. Journ. Zool. 15, 23–26.
- SKURBAYEV, V., NOVAK, X., and SEARY, F.  
1959 Entomofauna jetéle (*Trifolium pratense* L.) a její vývoj. Bioprávny česk. Akad. Věd 69 (7), 1–83.
- SMART, J.  
1937 On the larva and pupa of *Drosophila gibbinsi* AUB. Proc. R. ent. Soc. London, (B), 6, 170–172.  
1943 A handbook for the identification of insects of medical importance. British Museum (Natural History), London, 272 pp.  
1945 *Drosophila subobscura* COLLIN: Descriptive notes on the species with comments on its nomenclatural status (Diptera). Proc. R. ent. Soc. London, (B), 14, 53–56.
- SMITH, K. G.  
1959 Some Midland Drosophilidae (Diptera) records. Ent. month. Mag. 95, 65.  
1960 Drosophilidae (Diptera) occurring at Neston, Cheshire. Ent. month. Mag. 96, 47.

- SOBELS, F. H., VLIJN, L., and LEVER, J.  
 1954 The distribution of the genus *Drosophila* in the Netherlands. Arch. néerl. Zool. 10, 357–374.
- СОБЕЛЬС, Ф. Н.  
 1948 Новыинвиддрозофилии — *Drosophila imeretensis*. Доклады Академии Наук СССР 59, 1007–1008.
- SÓSÉ, A.  
 1943 Adatok a Balaton-környéke acalypitrás Muscida faunajának imeretéhez. Magyar Biol. Kut. Munk 15, 309–323.  
 1945 Über die Sepsiden, Piophiliden und Drosophiliden der Karpatenbeckens. Fragm. faunist. hung. 8, 18–23.
- SPENCER, W. P.  
 1942 New species in the *quinaria* group of the subgenus *Drosophila*. Univ. Texas Publ., no. 4213, 53–66.  
 1950 The *Drosophila* of Joshua Hole, Wyoming — A taxonomic and ecological survey. Amer. Midl. Nat. 43, 79–87.
- SPERLICH, D.  
 1959 Experimentelle Beiträge zum Problem des positiven Heterosiseffektes bei der strukturpolymorphen Art *Drosophila subobscura*. Ztschr. Vererbungs. 90, 273–287.  
 1961 Untersuchungen über den chromosomalen Polymorphismus einer Population von *Drosophila subobscura* auf den Liparischen Inseln. Ztschr. Vererbungs. 92, 74–84.  
 1964 Chromosomal Strukturanalyse und Fertilitätsprüfung an einer Marginalpopulation von *Drosophila subobscura*. Ztschr. Vererbungs. 95, 73–81.  
 1966 Unterschiedliche Ernährungskontaktivität innerhalb und zwischen verschiedenen geographischen Stämmen von *Drosophila subobscura*. Ztschr. Vererbungs. 98, 10–15.
- SPERLICH, D., and FEUERHAZ, H.  
 1966 Ist der chromosomale Strukturpolymorphismus von *Drosophila subobscura* stabil oder flexibel? Ztschr. Vererbungs. 98, 16–24.
- SPERLICH, D., and KUNZE-MÜHLE, E.  
 1965 Der chromosomale Polymorphismus einer Population von *Drosophila subobscura* auf der Insel Ustica im Vergleich mit anderen Insel- und Festlandstandorten. Ztschr. Vererbungs. 94, 94–100.
- SPLECHT, H. T.  
 1979 The *virilis* group of *Drosophila* and the beaver *Castor*. Amer. Nat. 114, 312–316.
- STAEDER, C.  
 1884 Nogle Bemærkninger til Slægten *Drosophila*. Naturhist. Tidsskr. 1, 16–18.
- ШТАКЕЛЬС, А. А.  
 1930 Из фузуло Drosophilidae (Diptera) Импри. Русск. Этногр. Обзор. 24, 63–66.  
 1970 Сем. Drosophilidae — плодовые мухи. Г. Н. Бей-Бленко: Определитель насекомых европейской части СССР в пяти томах. Вторая часть, гл. 390–399. Издательство „Наука“ Ленинградское отделение, Ленинград.
- STALKER, H. D.  
 1945 On the biology and genetics of *Scaptomyza graminum* FALLÉN (Diptera, Drosophilidae). Genetics 30, 266–279.
- STALKER, H. D., and SPENCER, W. P.  
 1939 Four new species of *Drosophila*, with notes on the *fumiferis* group. Ann. ent. Soc. Amer. 32, 105–112.
- STARÝ, B.  
 1930 U minujícím hmyzu v zemi Moravskoslezské. Práce morav. přírodrov. spol. Brno 6, 125–242.
- STEIN, E.  
 1963 Zur Biologie von *Drosophila flava* FALL. (Diptera, Drosophilidae), einer Minierfliege an Kulturcuciferen. Ztschr. angew. Ent. 52, 39–56.
- STONE, W. S.  
 1949 Heterocochia in *Drosophila hydei*. Univ. Texas Publ., no. 4226, 10–22.
- STONE, W. S., GUESY, W. C., and WILSON, F. D.  
 1960 The evolutionary implications of the cytological polymorphism and phylogeny of the *virilis* group of *Drosophila*. Proc. natn. Acad. Sci., USA, 46, 350–361.
- STÖRL, R.  
 1956 Fynd av sällsynta dipterer i Österbotten (Om.). Notul. ent. 36, 17–22.  
 1957 Einige bemerkenswerte Dipteren-Funde an einem saftenden Birkenstamme. Notul. ent. 37, 23–26.
- STRÖBL, G.  
 1880 Dipterologische Funde um Seitenstetten. Ein Beitrag zur Fauna Nieder-Oesterreichs. Progr. k. k. Ober-Gymnas. Benediktiner Seitenstetten 14, 3–65.  
 1893a Beiträge zur Dipterenfauna des österreichischen Littoral. Fortsetzung 3. Wien. ent. Ztg. 12, 121–136.  
 1893b Neue österreichische Muscidae. Acalyptratae. III. Theil. Wien. ent. Ztg. 12, 280–285.  
 1894 Die Dipteren von Steiermark. II. Theil. Mitt. naturw. Ver. Steiermark 30 (1893), 1–152.  
 1897 Stein-dipteren. Zwölftiger, gesammelt von Prof. G. STRÖBL und Dr. D. CZEKELIUS und M. V. KIMAROWICZ. Verh. Mittb. steiermärk. Ver. naturw. Hermannstadt 46 (1896), 11–48.  
 1902a dasyana amurensis Loew. Kompendium der Dipteren.  
 Glasnik zemaljsk. Muzeja Bosne Hercegov. 10, 387–406, 561–616.  
 1902b Die Dipteren von Steiermark. IV. Theil. Nachträge. Mitt. Naturw. Ver. Steiermark 34, 192–298.  
 1900a Dipterafauna von Bojania. Herzegowina und Dalmatien. Wiss. Mitt. Bosniak Herzegov. 7, 552–670.  
 1900b Spanische Dipteren. VIII. Theil. Wien. ent. Ztg. 19, 1–10.  
 1901 Tief's dipterologischer Nachtrag aus Kärnten und Oesterr.-Schlesien. Jahrb. naturh. Landesmus. Kärnten 26 (1900), 171–216.  
 1904 Neue Beiträge zur Dipterenfauna der Balkanhalbinsel. Wiss. Mitt. Bosniak Herzegov. 9, 519–581.  
 1906 Spanische Dipteren. II. Beitrag. Mem. R. Soc. española Hist. nat. 3 (1905), 271–422.  
 1910 Die Dipteren von Steiermark. II. Nachtrag. Mitt. naturw. Ver. Steiermark 46, 45–203.
- STUMM-ZOLLINGER, E.  
 1953 Vergleichende Untersuchungen über die Inversionshäufigkeit bei *Drosophila subobscura* in Populationen der Schweiz und Südwesteuropas. Ztschr. indukt. Abstamm.-Vererbung. 85, 382–407.
- STUMM-ZOLLINGER, E., and GOLDSCHMIDT, E.  
 1959 Geographical differentiation of inversion systems in *Drosophila subobscura*. Evolution 13, 89–98.
- STURDEVANT, A. H.  
 1916 Notes on North American Drosophilidae with descriptions of twenty-three new species. Ann. ent. Soc. Amer. 9, 323–343.  
 1918 A synopsis of the Nearctic species of the genus *Drosophila* (sensu lato). Bull. amer. Mus. nat. Hist. 38, 441–446.  
 1919a A new species closely resembling *Drosophila melanogaster*. Psyche (Boston) 26, 153–155.  
 1919b Flies of the genus *Drosophila* as possible disease carriers. Journ. Parasitol. 5, 84–85.  
 1921 The North American species of *Drosophila*. Carnegie Inst. Wash. Publ. 301, 1–150.  
 1927 Philippine and other Oriental Drosophilidae. Philipp. Journ. Sci. 32, 361–374.  
 1929 The genetics of *Drosophila simulans*. Carnegie Inst. Wash. Publ. 399, 1–62.  
 1942 The classification of the genus *Drosophila*, with descriptions of nine new species. Univ. Texas Publ., no. 4213, 5–51.

- SUOMALAINEN, P.  
 1937 (no title). Ann. ent. fenn. 3, 229, 233.
- SUZUKI, K.  
 1965 A field survey of drosophilids which feed and breed on plants. [In Japanese with English summary]. Zool. Mag. 64, 44–49.
- SWEZEY, O. H.  
 1928 Insect fauna of Panicum torridum, a native grass in Hawaii. Proc. hawaii. ent. Soc. 7, 179–182.  
 1932 *Gionedes perspicax* KNAB. Proc. hawaii. ent. Soc. 8, 12.
- СМЕЧЕНСКАЯ, В. И.  
 1978 Синантропные мухи (Diptera) Алтая. Энт. Обзор. 57, 81–85.
- TAKADA, H.  
 1952 Geographical variations in the wing-indices of the drosophilid flies. [In Japanese]. Kagaku 22, 540–541.  
 1954 Two types of *D. awara*, with special regard to the difference in distribution by altitude. [In Japanese with English summary]. Zool. Mag. 63, 296–312.  
 1957 Some collections of *Drosophila* in Hokkaido through traps using fermenting fruits. [In Japanese with English summary]. Zool. Mag. 66, 296–312.  
 1958 Drosophilid survey of Hokkaido, X. Drosophilidae from several localities of Hokkaido. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 120–127.  
 1959 Drosophilid survey of Hokkaido, IX. On *Drosophila okadae* sp. nov. with supplementary notes on the female of *Scaptomyza polygonae* OKADA. Annot. zool. japon. 32, 152–156.  
 1960 Drosophilid survey of Hokkaido, XIII. Some remarkable or rare species of *Drosophila* from the southern-most area in the Hidaka mountain range. Annot. zool. japon. 33, 188–195.  
 1960a Male genitalia of some Hawaiian Drosophilidae. Univ. Texas Publ., no. 6615, 315–333.  
 1966b Differentiation of the external male genitalia in the Drosophilidae. [In Japanese with English summary]. Proc. Krishina Women's Coll. 1, 39–50, 131–132.  
 1968 Drosophilid survey of Hokkaido, XXVI. Descriptions of three new species of Drosophilidae from Japan. Journ. Fac. gener. Educ. Sapporo Univ. 1, 119–127.  
 1970 *Scaptomyza (Perseco) polygonae* pallida (ZETTERSTEDT) and two related new species, *S. (P.) elmoi* sp. and *S. (P.) himalayana* n. sp. (Diptera: Drosophilidae). Annot. zool. japon. 43, 142–147.  
 1971 *Drosophila* in Hokkaido, its taxonomy and ecology. [In Japanese]. Journ. Fac. gener. Educ. Sapporo Univ. 2, 15–39.  
 1976 A new species of *Dettapomyia* (Diptera, Drosophilidae) from the Philippines. Kontyū 44, 169–171.
- TAKADA, H., and LEE, J. J.  
 1958 A preliminary survey of the Drosophilidae from Kongju and its adjacent localities, South Korea. Annot. zool. japon. 31, 113–116.
- TAKADA, H., and MOMMA, E.  
 1975 Distribution and population constitution of *Drosophila* in South East Asia and Oceania. II. Drosophilidae in the suburbs of Kuala Lumpur, West Malaysia. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 29, 9–48.
- TAKADA, H., and OKADA, T.  
 1958 Drosophilid survey of Hokkaido, VI. A new species of the *virilis* group of the genus *Drosophila* (Diptera). Jap. Journ. Zool. 12, 133–137.  
 1960 Drosophilid survey of Hokkaido, XI. A new species of *Drosophila* (*Sophophora*) from Japan. Annot. zool. japon. 33, 142–145.
- TAKADA, H., and TODA, M. J.  
 1973 Drosophilid survey of Hokkaido, XXIX. On *Amicta trochlear* sp. nov. (Drosophilidae) with supplementary notes on Dipteridae from Japan. Journ. Fac. gener. Educ. Sapporo Univ. 5, 1–4.
- TAKADA, H., and TOYOFUKU, Y.  
 1960 Notes on hibernation of Drosophilidae in Hokkaido. [In Japanese with English summary]. Zool. Mag. 69, 227–232.
- TAKADA, H., and WAKAHAMA, K. I.  
 1967 A Drosophilid survey on Okinawa Main Island. Annot. zool. japon. 40, 55–60.
- TAKADA, H., MOMMA, E., and NAKAHARA, A.  
 1965 Drosophilid flies of Hokkaido and their distribution (Preliminary report). [In Japanese]. Zool. Mag. 62, 120.
- TAKADA, H., BISHOP, E., and TODA, M. J.  
 1979 Drosophilid survey of Hokkaido, XXXVI. New and unrecorded species of Drosophilidae (Diptera). Journ. Fac. gener. Educ. Sapporo Univ. 14, 105–129.
- TAKAHASHI, Y., and KANeko, A.  
 1969 A preliminary study of the enzymatic pattern of glucose 6-phosphate dehydrogenase in the *robusta* species group of *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 17, 386–392.
- TAMINI, E.  
 1958 *Drosophila*, Bevili & battieri. Natura (Milano) 29, 149–156.
- TAN, C. C., HSU, T. C., and SHENG, T. C.  
 1949 Known *Drosophila* species in China with descriptions of twelve new species. Univ. Texas Publ., no. 4920, 196–206.
- TANTAWY, A. O.  
 1964 Studies in natural populations of *Drosophila*. III. Morphological and genetic differences of wing length in *Drosophila melanogaster* and *D. simulans* in relation to season. Evolution 18, 560–570.
- TANTAWY, A. O., and EL-HILY, M. R.  
 1970 Studies on natural populations of *Drosophila*. XII. Heterosis and fitness characters in hybrids between different populations of *Drosophila melanogaster*. Can. Journ. Genet. Cytol. 12, 695–710.
- TANTAWY, A. O., and MALLAM, G. S.  
 1961 Studies on natural populations of *Drosophila*. I. Heat resistance and geographical variation in *Drosophila melanogaster* and *D. simulans*. Evolution 15, 1–14.
- TANTAWY, A. O., MOUARD, A. M., and MASRI, A. M.  
 1970 Studies on natural populations of *Drosophila*. VIII. A note on the directional changes over a long period of time in the structure of *Drosophila* near Alexandria, Egypt. Amer. Nat. 104, 105–109.
- TAYLOR, E.  
 1955 *Drosophila repleta* WOOL. (Dipt. Drosophilidae) at Oxford. Ent. month. Mag. 91, 109.
- TAYLOR, L. R., and KALMUS, H.  
 1954 Dawn and dusk flight of *Drosophila subobscura* COLLINS. Nature (London) 174, 221–223.
- TESCHNER, D.  
 1959 Hausfliegen als Fäkalienbesucher im Stadtgebiet. Ztschr. angew. Zool. 47, 358–363.  
 1961 Beiträge zur Kenntnis der Fauna eines Müllplatzes in Hamburg. 6. Die Fliegen eines Hamburger Müllplatzes. Ent. Mitt. zool. Staatsinst. zool. Mus. Hamburg 33, 1–16 (= 189–204).

- 1962 Fliegen einer Hamburger Wohnung und in Hamburg neu aufgefundene Fliegenarten (Diptera). Ent. Mitt. zool. Staatsinst. zool. Mus. Hamburg 37, 9–90 (= 221–232).
- TENKEYE, H. J.
- 1976 Diptera larvae associated with trees in North America. Mem. ent. Soc. Canada 100, 1–53.
- TEHALER, K.
- 1977 Fragmenta Faunistica Throlensis, III. (Insecta: Saltatoria, Hymenoptera, Diptera; Arachnida: Opiliones). Veröffendl. Mus. Ferdinandea 57, 137–151.
- TRAIKHAMMER, J.
- 1899 Fauna Regni Hungarieae, III. Arthropoda, Diptera: pp. 1–76, Budapest.
- 1901 Kaledaii éséki fogynásmányokról. A Jézus-társaság folyóiratában. Kaledai 42, 8–25.
- TRÉBOVSKÝ, L. H.
- 1962 The problem of phylogeny in the genus *Drosophila*. Univ. Texas Publ., no. 6205, 207–343.
- 1968 The relationships of the endemic Hawaiian Drosophilidae. Univ. Texas Publ., no. 6615, 335–366.
- TRIEF, W.
- 1888 Beitrag zur Kenntnis der Dipterenfauna Kärntens. (Fortsetzung und Schluss). Jahreschr. k. k. Staatsgeognos. Villach 19, 3–40.
- TRENSTU, L.
- 1951 (no title), Ann. ent. fenn. 17, 175.
- TIMOFFEEFF-KESSOVSKY, N. V.
- 1927 Studies on the phenotypic manifestation of hereditary factors. I. On the phenotypic manifestation of the geno-variation radius incomplete in *Drosophila funebris*. Genetics 12, 128–198.
- 1932 Verschiedenheit der „normalen“ Allele der white-Serie aus zwei geographisch getrennten Populationen von *Drosophila melanogaster*. Biol. Zentralbl. 52, 468–476.
- 1933 Über die relative Vitalität von *Drosophila melanogaster* MEIGEN und *Drosophila funebris* FABRICIUS (Diptera, Muscidae acalyptratae) unter verschiedenen Zuchtbedingungen, im Zusammenhang mit den Verbreitungsbereichen dieser Arten. Arch. Naturgesch., N. F., 2, 285–290.
- 1935 Über geographische Temperaturrassen bei *Drosophila funebris* F. Arch. Naturgesch., N. F., 4, 245–257.
- 1940 Spontane und strahleninduzierte Mutabilität in geographisch verschiedenen Stämmen von *Drosophila melanogaster*. Biol. Zentralbl. 60, 267–275.
- TMOMOFFEEFF-KESSOVSKY, N. V., and TIMOFFEEFF-KESSOVSKY, E. A.
- 1941a Populationsgenetische Versuche an *Drosophila*, I. Zeitliche und räumliche Verteilung der Individuen einiger *Drosophila*-Arten über das Gelände. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 28–34.
- 1941b Populationsgenetische Versuche an *Drosophila*, II. Aktionsbereiche von *Drosophila funebris* und *Drosophila melanogaster*. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 35–43.
- 1941c Populationsgenetische Versuche an *Drosophila*, III. Quantitative Untersuchungen an einigen *Drosophila*-Populationen. Ztschr. indukt. Abstamm.-Vererbungsl. 79, 44–49.
- TOPA, M. J.
- 1973a Influence of forest falling upon drosophilid fauna at several localities in Hokkaido. Res. Bull. Coll. Exp. Forests, Coll. Agric. Hokkaido Univ., 39, 389–410.
- 1973b Seasonal activity and microdistribution of drosophilid flies in Misumi in Sapporo. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 18, 532–550.
- 1973c Daily activity and vertical microdistribution of drosophilid flies in undergrowth layers. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 19, 105–124.
- 1974 A preliminary study on microdistribution and dispersal in drosophilid natural populations. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 19, 641–656.
- 1976 A preliminary study on drosophilid ecology (Diptera, Drosophilidae) in the Bonin Islands. Konitu 44, 337–353.
- 1977 Vertical microdistribution of Drosophilidae (Diptera) within various forests in Hokkaido. I. Natural broad-leaved forest. Jap. Journ. Ecol. 27, 207–214.
- TODA, M. J., and KIMURA, M. T.
- 1978 Economics of Drosophilidae (Diptera) in Hokkaido. I. *Scaptomyza pallida* and *Drosophila nipponica*. Kontiyū 46, 83–98.
- TOKUMITSU, T., SHIMA, T., and KANEKO, A.
- 1967 *Drosophila* survey of Hokkaido. XIII. A karyotype study in seven species of the *guineensis* and the *robusta* groups. Jap. Journ. Genet. 42, 279–282.
- TOYOFUKI, Y.
- 1957 Chromosomal polymorphism found in natural populations of *Drosophila* (a preliminary report). Jap. Journ. Genet. 32, 229–233.
- 1958a *Drosophila* survey of Hokkaido, VII. Notes on the chromosomal polymorphism in populations of several species of *Drosophila* observed in the University Botanical Garden, Sapporo. Annals. zool. japon. 31, 103–108.
- 1958b Further notes on the chromosomal polymorphism in natural populations of *Drosophila* in Hokkaido. Jap. Journ. Genet. 33, 92–96.
- 1960 *Drosophila* survey of Hokkaido, XV. The salivary gland chromosomes of *Drosophila nigrovara*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 14, 473–477.
- 1961 Chromosomal polymorphism found in natural populations of *Drosophila immigrans*. Jap. Journ. Genet. 36, 32–36.
- 1962 *Drosophila* survey of Hokkaido, XVII. A study of chromosomal polymorphism in natural populations of *Drosophila nigrovara*. Jap. Journ. Genet. 37, 291–301.
- TOYOFUKI, Y., and KIMURA, Y.
- 1960 Distribution of drosophilid flies in Taisai-Mura, in Southwestern part of Hokkaido, in relation to the flora. (in Japanese with English summary). Zool. Mag. 69, 357–361.
- 1961 *Drosophila* survey of Hokkaido, XIV. Distribution of drosophilid flies in Taisai-Mura, in the Southwestern part of Hokkaido, in relation to the flora. Jap. Journ. Zool. 13, 7–14.
- TRIANTAPHYLLOIDES, C. D.
- 1973 Allozyme variation in populations of *Drosophila melanogaster* and *D. simulans* from northern Greece. Journ. Hered. 64, 69–72.
- TSACAS, L.
- 1969 Etude sur *Drosophila picta* (Dipt. Drosophilidae). Ann. Soc. ent. France, N. S., 5, 719–753.
- 1975 Structure fine et fonctionnement de l'ovipositeur de *Drosophila melanogaster* MEIGEN (Diptera, Drosophilidae). Arch. Zool. exp. génér. 116, 431–456.
- TSACAS, L., and BOQUET, CH.
- 1976 L'espèce chez les Drosophilidae. In: BOQUET, CH., GÉNÉRMONT, J., and LAMOTTE, M. (eds.), Les problèmes de l'espèce dans le règne animal. Vol. 1, pp. 203–247. Société zoologique de France, Paris.
- TSACAS, L., and CHASSAGNYAKI, M. T.
- 1976 Identité de *Drosophila brunnescens* de MELIERE et description de nouvelles espèces orientales et africaines à pointe du scutellum blanche (Diptera, Drosophilidae). Bull. zool. Mus. Univ. Amsterdam 5, 89–105.

- TSACAS, L., and DAVID, J.  
 1977 Systematics and biogeography of the *Drosophila kikkawai*-complex, with descriptions of new species (Diptera, Drosophilidae). Ann. Soc. ent. France, N. S., 13, 675–693.
- TSACAS, L., and DESNIER DE CHENON, R.  
 1976 Taxinomie et biogéographie des „genres“ *Gaeumannus* – *Paracacoxenus* – *Gilonides* – *Giloma* (Dipt., Drosophilidae) et biologie d'une nouvelle espèce africaine communale d'Apoidea (Hymenoptera). Ann. Soc. ent. France, N. S., 12, 491–507.
- TSACAS, L., BOUCHEV, CH., DAGUZAN, M., and MERCERI, A.  
 1971 Comparaison des genitalia males de *Drosophila melanogaster*, de *Drosophila simulans* et de leurs hybrides. (Dipt., Drosophilidae). Ann. Soc. ent. France, N. S., 7, 75–83.
- TSUCHI, K.  
 1973 Esterase gene frequency differences and linkage equilibrium in *Drosophila viridis* populations from different ecological habitats. Genetics 80, 585–594.
- UNWIN, E. E.  
 1967 The vinegar fly (*Drosophila funebris*). Trans. R. ent. Soc. London 1967, 285–302.
- VALDYA, V. G., and GODBOLE, N. N.  
 1971 Systematic study of Drosophilidae in Poona and neighbouring areas. I. Journ. Univ. Poona, Sci. Section, 49, 49–61.
- Веселкин, Г. А.  
 1968 Мухи (Diptera) — спутники домашних животных и человека в южной части Тюменской области. Зоот. Обозр., 43, 779–792.
- VILLENEUVE, J.  
 1913 Description de deux nouveaux diptères. Wien. ent. Ztg. 30, 81–84.  
 1921 Description de diptères nouveaux. Ann. Soc. ent. Belgique 61, 157–161.  
 1923 Description d'une nouvelle espèce du genre *Drosophila* FALLÉN (Dipt. Muscidae). Bull. Soc. ent. France 1923, 28.
- VIMMER, A.  
 1913 Seznam českých hmyzu z dvanáctidíloho Catalogus Dipterorum. Ent. pflr. (Praha) 8, 1–99.  
 1921 O larvach mouch (Diptera) které žijí v Československém rostlinném výhledováním podél řeky Ohře. (Die Larven einiger Fliegen, welche in der Tschechoslowak. Rep. durch Ausnagen von Hyponomen den Pflanzen schädigen). Arch. pflanz. výzk. Czech. 18, 1–160.
- WACHHL, F. A.  
 1882 Beiträge zur Kenntnis der Biologie, Systematik und Synonymie der Insekten. Wien. ent. Ztg. 1, 275–280.
- WAHLBERG, P. E.  
 1839 Bidrag till Svenska Dipternas kännedom. K. svenska vet. Akad. Handl., Ser. 3, 1838, 1–23.
- WAHLGREN, B.  
 1927 Drosophilidae. Svensk Insektafauna 11, 351–361.
- WAKAMAMA, K.  
 1958 A *Drosophila* survey in Hokkaido, III. Some flies new to *Drosophila* fauna of Hokkaido. Annot. zool. japon. 29, 116–120.  
 1959a Notes on the seasonal activity of *Drosophila* observed in the University Botanical Gardens, Sapporo. Annot. zool. japon. 29, 161–164.  
 1959b Further notes on the seasonal activity of *Drosophila* observed in the University Botanical Garden, Sapporo. Annot. zool. japon. 30, 217–224.  
 1959c Notes on the diurnal activity and its seasonal variations in *Drosophila nigromaculata*. (In Japanese with English summary). Zool. Mag. 66, 266–279.  
 1961 Note on the seasonal activity of *Drosophila* observed in the Rakuzan Park, Matsue City. Bull. Shimane Univ. (Nat. Sci.) 19, 90–95.  
 1962a Further note on the geographical distribution of the Drosophilidae in San-in region. Bull. Shimane Univ. (Nat. Sci.) 11, 41–46.  
 1962b Studies on the seasonal variation of population structures in *Drosophila*. I. Seasonal activity of drosophilid flies observed on Mt. Daisen, near the city of Matsue. Annot. zool. japon. 33, 234–242.  
 1962c Studies on the seasonal variation of population structure in *Drosophila*. II. The effect of altitude on seasonal activity of *Drosophila* with a note on the monthly numerical variation of species. Journ. Fac. Sci. Hokkaido Univ., Ser. 8, Zool., 15, 65–73.  
 1964 Some ecological studies in *Drosophila*. Bull. Shimane Univ. (Nat. Sci.) 13, 50–122.  
 1966 Notes on the drosophilid fauna from the Oki Islands. Annot. zool. japon. 39, 89–94.
- WAKARAMA, K., and OKADA, T.  
 1958 *Drosophila* survey of Hokkaido, VIII. Description of a new species of the genus *Amicta* (Drosophilidae) from Japan. Annot. zool. japon. 31, 109–112.
- WAKARAMA, K., KANEKO, A., and TONUMITSU, T.  
 1963 *Drosophila* survey of Hokkaido, XIX. Collection records in three localities of Hokkaido, with a note on the diurnal behavior of certain species. Annot. zool. japon. 36, 92–96.
- WALKLEY, S.  
 1953 *Amicta alboguttata* (WAHL.). (Dipt., Drosophilidae) in Surrey. Entomologist 88, 199.
- WALKER, F.  
 1849 List of the specimens of dipterous insects of the collection of the British Museum. Part 4. pp. 639–1172.  
 1850 Insecta Britannica. Diptera, Vol. II. LOVELL REEVE, London, 297 pp.
- WARD, C. L.  
 1949 Karyotype variation in *Drosophila*. Univ. Texas Publ., no. 4920, 70–79.
- WARDEN, D. C.  
 1929 Spotted inheritance in *Drosophila busckii* COQ. Genetics 5, 60–110.
- WARTERS, M.  
 1944 Chromosomal aberrations in wild populations of *Drosophila*. Univ. Texas Publ., no. 4445, 129–174.
- WASSERMANN, M.  
 1954 Cytological studies of the *repleta* group. Univ. Texas Publ., no. 5422, 100–152.  
 1962a Cytological studies of the *repleta* group of the genus *Drosophila*: III. The *mercatorum* subgroup. Univ. Texas Publ., no. 6205, 63–71.  
 1962b Cytological studies of the *repleta* group of the genus *Drosophila*: IV. The *hydei* subgroup. Univ. Texas Publ., no. 6205, 73–83.  
 1962c Cytological studies of the *repleta* group of the genus *Drosophila*: V. The *mulleri* subgroup. Univ. Texas Publ., no. 6205, 85–117.
- WATADE, H.  
 1977 *Drosophila* survey of Hokkaido, XXXIV. Seasonal variations of body color of *Drosophila testacea*. Journ. Fac. Sci. Hokkaido Univ., Ser. 8, Zool., 21, 21–30.

- 1979 *Drosophila* survey of Hokkaido, XXXVI. Seasonal changes in the reproductive condition of wild and domestic species of *Drosophila*. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 21, 365–372.
- WATABE, H., and BEPPU, K.  
1977 *Drosophila* survey of Hokkaido, XXVII. Ovarian development of *Drosophila* in relation to wild population. Journ. Fac. Sci. Hokkaido Univ., Ser. 6, Zool., 20, 611–620.
- WATABE, H., and HIGUCHI, C.  
1979 On a new species of the *cirrula* group of the genus *Drosophila* (Dipt., Drosophilidae), with revision of geographical distribution of the group. Annot. zool. japon. 52, 203–211.
- WATANABE, T. K., and KAWANISHI, M.  
1976 Colonization of *Drosophila simulans* in Japan. Proc. Japan Acad. 52, 191–194.
- WATTIAUX, J. M.  
1968 Cumulative parental age effects in *Drosophila subobscura*. Evolution 22, 406–421.
- WEBSTER, F. M.  
1900 Some species of *Diptera* inhabiting or frequenting the wheat fields of the Middle West. Can. Ent. 32, 213.
- WHARTON, L. T.  
1942 Analysis of the *repleta* group of *Drosophila*. Univ. Texas Publ., no. 4228, 23–52.
- WHEELER, M. R.  
1949a The subgenus *Phalerodis* (*Drosophila*) with descriptions of two new species. Univ. Texas Publ., no. 4920, 143–156.  
1949b Taxonomic studies on the Drosophilidae. Univ. Texas Publ., no. 4920, 157–195.  
1951 *Dettomomyia* and *Ptilomyia*. Two genera new to the United States (Diptera: Drosophilidae, Ephydidae). Pan-Pacif. Ent. 27, 92–93.  
1952 The Drosophilidae of the Nearctic region, exclusive of the genus *Drosophila*. Univ. Texas Publ., no. 5204, 161–218.  
1954 Taxonomic studies on American Drosophilidae. Univ. Texas Publ., no. 5422, 47–64.  
1957 Taxonomic and distributional studies of Nearctic and Neotropical Drosophilidae. Univ. Texas Publ., no. 5721, 79–114.  
1960 New species of the *quinaria* group of *Drosophila* (Diptera, Drosophilidae). Southw. Nat. 5, 160–164.  
1960b Sternite modification in males of the Drosophilidae (Diptera). Ann. ent. Soc. Amer. 53, 133–137.
- WHEELER, M. R., and HAMILTON, N.  
1972 Catalog of *Drosophila* species names, 1950–1971. Univ. Texas Publ. no. 7213, 257–268.
- WHEELER, M. R., and TAKADA, H.  
1964 Insects of Micronesia. Diptera: Drosophilidae. Publ. Bishop Mus. Honolulu 14 (6), 163–242.  
1966 The Nearctic and Neotropical species of *Scaptomyza* HARDY (Dipter.: Drosophilidae). Univ. Texas Publ., no. 6615, 37–78.
- WHEELER, M. R., and THROCKMORTON, L. H.  
1960 Notes on Alaskan Drosophilidae (Diptera), with the description of a new species. Bull. Brooklyn ent. Soc. 55, 134–143.
- WILLIS, J. C., and BURKILL, I. H.  
1895 Flowers and insects in Great Britain. Part I. Ann. Bot. 9, 227–273.
- WILLSTON, S. W.  
1896 On the Diptera of St. Vincent (West Indies). Trans. ent. Soc. London 1896, 253–446.
- WOLLASTON, T. V.  
1858 Brief diagnostic characters of undescribed Madeiran insects. Ann. Mag. nat. Hist., Ser. 3, 1, 113–125.
- WULF, F. M. VAN DER, and MEIJERE, J. C. H. DE  
1898 Nieuwe naamlijst van nederlandse Diptera. Tijdschr. Ent. 41 (Suppl.), 1–149.
- \* YAMAGUCHI, O.  
1972 Salivary gland chromosome relationship between *Drosophila bifasciata* and *D. imari*. Cytologia 38, 603–614.
- YAMAGUCHI, O., and MORIWAKI, D.  
1971 Chromosomal variation in natural populations of *Drosophila bifasciata*. Jap. Journ. Genet. 46, 583–591.
- YANG, S. Y., and YOON, J. B.  
1962 The fauna of Kur-moon Island, Korea. Zoologica 1, 7–17.
- \* YERUBBY, J. W.  
1915 A list of the Diptera met with in Wester Ross, with notes on other species known to occur in the neighbouring areas. Scott. Nat. 20 (1913), 175–177.
- ZANGHELI, P.  
1950 Fauna di Romagna. Ditteri. 2a parte. Mem. Soc. ent. Ital. 29, 68–95.  
1969 Repertorio sistematico e topografico della flora e fauna vivente e fossile della Romagna. Tomo 3. Mem. Mus. civico. Storia nat. Verona, f. s., 1, 855–1414.
- ZAREL, H.  
1967 Výsledky hyponomického výzkumu jihomoravského kraje. Část I. Zpr. oblast. Muz. Gottwaldov 1967, 90–105.
- ZETTERSTEDT, J. W.  
1838 Insecta laponica. VOSS, Lipsiae [= Leipzig], 1139 pp.
- 1840 Insecta laponica. VOSS, Lipsiae [= Leipzig], 1139 pp.
- 1847–  
1860 Diptera Scandinaviae disposita et descripta. Vol. 6, 2163–2590 (1847); Vol. 8, 2935–3366 (1849); Vol. 11, 4091–4454 (1852); Vol. 12, 4547–4942 (1855); Vol. 14, 6191–6609 (1860). LUNDBERG, Lundae [= Lund].
- ЗИМИН, А. С.  
1948 Определитель личинок синантропных мух таджикистана (по III-й стадии). Издательство Академии Наук СССР Москва-Ленинград.
- ZOERNER, H.  
1971 Minenstudien II. (Beitrag zur Kenntnis der Lebensweise bekannter und unbekannter minierender Dipteren-Larven). Dtsch. ent. Ztschr., N.F., 18, 233–250.
- ZOLLINGER, E.  
1950 Ein strukturell homozygoter Stamm von *Drosophila subobscura* aus einer Wildpopulation. Arch. JULIUS KLAUS-SITZG. 25, 33–35.
- ZOURAS, E., KERDIAS, C. B., TEKAS, S., and LOUKAS, M.  
1974 Genic versus chromosomal variation in natural populations of *Drosophila subobscura*. Genetics 78, 1223–1244.
- ZUSTIN, A. I.  
1941 Influence of the change from the natural complex of developmental conditions to the laboratory one on the mutation rate in *Drosophila melanogaster*. C.R. (Doklady) Acad. Sci. URSS 30, 61–63.
- ZUSKA, J., and LÁŠTOVÁ, P.  
1969 Species-composition of the dipterous fauna in various types of food-processing plants in Czechoslovakia. Acta ent. bohemoslav. 66, 201–221.