



XLV. 2

ENTOMOLOGICA HUNGARICA  
ROVARTANI KÖZLEMÉNYEK

1984

p. 27-41

Catalog of the types of Drosophilidae in the  
Hungarian Natural History Museum, Budapest (Diptera)

By

G. BACHLI

(Received October 25, 1983)

**Abstract:** 819 types of 151 species of Drosophilidae deposited in the Hungarian Natural History Museum are listed. 117 species were described by DUDA, the remaining species by 13 other authors. The specimens were collected mainly in Costa Rica, Taiwan, Uganda, and New Guinea.

Introduction

DUDA, one of the leading specialists of Drosophilidae in the first half of this century, published, between 1923 and 1940, several papers describing some 300 new species. To a large degree these descriptions were based on the specimens of the collection of the Hungarian Museum. Additional species based on this collection were described by BACHLI, BECKER, KERTÉSZ, LACHAISE, LASTOVKA, MÁCA, MELJERE, OKADA, L. PAPP, POKORNY, STURTEVANT, TSACAS and WHEELER. A small part of the type specimens was revised by different authors, e.g. DUDA's Costa Rican specimens by WHEELER (1963).

The Diptera collection in the Zoological Department of the Hungarian Natural History Museum now contains 819 type specimens of 151 species in 24 genera of Drosophilidae. Of these, 54 species are represented by holotypes, 37 by lectotypes, 52 by 226 lectotypes or paralectotypes, and 44 by 402 syntypes. The type specimens were mainly collected in Costa Rica, Uganda, Taiwan and New Guinea.

In the following list, the species are alphabetically arranged. Their systematic position is based on the catalogue of WHEELER (1981). For each species the original reference and genus are given, followed by a citation of the essential details regarding number and origin of the type material. This citation is omitted for species described after 1960. The type specimens recorded are listed with details of the labels, as far as needed.

Of the following species though expected to be represented in the collection no type material was found: Hypseothyre breviscutellata Duda, 1928, Drosophila kerteszina Duda, 1925, Drosophila longifrons Duda, 1923, Drosophila medioobscurata Duda, 1925, and Drosophila plotpennis Kertész, 1901. Of certain other species the number of type specimens were lower than expected. These missing specimens have to be considered as lost.

I wish to express my thanks to my colleagues at the Diptera collection of the Budapest Museum, especially to Dr. L. PAPP, for the permission to work in the collection and for the warm hospitality I received.

List of species

abregolineata Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 214 (Drosophila).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂.

Type: Lectotype (♂): Costa Rica 1921, Suiza de Turrialba, V.10; D. abregostrata n.sp., Det. Dr. O. DUDA.

Comment: Drosophila abregostrata is a manuscript name.

abrupta Duda, 1939 (Leucophenga): Annls hist.-nat. Mus.natn.hung. 32: 33 (Leucophenga).  
Citation: Im Ungarischen National-Museum ein ♂, bezettelt "Sarnia, Natal".

Type: Holotype (♂): Sarnia, Natal.

adumbrata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 178 (Diathoneura).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.

Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.III.31; Diathoneura adumbrata ♂ n.sp., Type, Det. Dr. O. DUDA.

albifacies Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 181 (Diathoneura).  
Citation: Costa Rica. In der Sammlung des Ung. Nat.-Mus. 2 ♂, 3 ♀.

Types: Lectotype (♂): Costa Rica 1921, Suiza de Turrialba, VI.30; Diathoneura albifacies ♂, Det. Dr. O. DUDA; 4 Paralectotypes (♂ ♀): Costa Rica 1921, Suiza de Turrialba; albifacies m, Det. Dr. O. DUDA.

albomicans Duda, 1923 (Drosophila): Annls hist.-nat. Mus.natn.hung. 20: 47, 48 (Spinulophila).  
Citation: Im Budapester Museum zahlreiche ♂ ♀ aus Koshun, Chip-Chip, Taihorin, Polisha (Formosa, SAUTER), auch aus N.-Guinea (Tamara, Friedrich-Wilhelmshafen).

Types: 18 Syntypes: Koshun, 908.IX; 2 Syntypes: Koshun, 1908.X; 2 Syntypes: Chip Chip, 909.III; 13 Syntypes: Taihorin, 1911.VII; 9 Syntypes: Polisha, 908.XII; 1 Syntype: Tamara, Berlin-hafen, IX.8-18.

alternolineata Duda, 1925 (Drosophila): Annls hist.-nat. Must.natn.hung. 22: 213 (Drosophila).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 3 ♀.

Types: Lectotype (♀): Costa Rica 1921, Suiza de Turrialba, V.19; D. alternostriata ♀, Det. Dr. O. DUDA; 1 Paralectotype (♀): Costa Rica 1921, Suiza de Turrialba, V.22; D. alternostriata ♀, Det. Dr. O. DUDA.  
Comment: Drosophila alternostriata is a manuscript name.

angustibucca Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 218 (Drosophila).  
Citation: Costa Rica. In der Sammlung des Ung. Nat.-Mus. 1 ♂, 14 ♀.

Types: Lectotype (♀): Costa Rica 1921, Suiza de Turrialba, V. 15; 13 Paralectotypes (♂ ♀): Costa Rica, Suiza de Turrialba.  
Comment: One pin is without fly.

aptera Papp, 1979 (Hypselothryea): Acta zool.hung. 25: 358 (Hypselothryea).  
Types: 3 Paratypes (♂ ♀): India, Madras.

aterrima Duda, 1940 (Drosophila): Annls hist.-nat. Mus.natn.hung. 33: 48 (Drosophila).  
Citation: Im Ung. Nat.-Museum ein ♂ "Uganda: Mujenje, 1913.IX., Katona".

Type: Holotype (♀): Mujenje, 1913.IX.

atropyga Duda, 1924 (Drosophila): Arch.Naturgesch. 90(A)3: 215 (Drosophila montium var. atropyga).  
Citation: (No details).

Types: 1 Syntype (♂): Matheran, 800 m, VII.8.1902; D. atropyga n. sp. ♂, Det. Dr. O. DUDA, v. atropyga ♂, Det. Dr. O. DUDA; 4 Syntypes (♂): Matheran, 800 m, VII.8.1902; v. atropyga ♂, Det. Dr. O. DUDA; 1 Syntype (♂): Tainan, 1912.IV; Drosophila montium d.M., v. atropyga, Det. Dr. O. DUDA. 1 Syntype (♂): Mt. Hoozan, 1910.V; var. atropyga ♂, Det. Dr.O. DUDA; 3 Syntypes (♂): Chip Chip, 909.I.; v. atropyga ♂, Det. Dr. O. DUDA; 1 Syntype (♂): Polisha, 908.XII.; v. atropyga ♂, Det. Dr. O. DUDA.

Comment: These syntypes were found under specimens determined by Duda as "D. montium". No specimens were labelled "xanthopyga" even if we might suppose that the specimens not explicitly labelled "atropyga" may be syntypes of D. xanthopyga. Drosophila atropyga is considered to be a synonym of Drosophila kikkawai Burla. Regarding the close resemblance of the species of the montium subgroup on the one hand and the polymorphism observed in D. kikkawai on the other hand, the status of DUDA's "varieties" atropyga and xanthopyga requires further study.

australia Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 59 (Drosophila).

Citation: Im Budapester Museum 12 ♂ ♀, bezettelt "Australia, Biró 1900, N.S. Wales, Springwood".

Types: 11 Syntypes (♂ ♀): N. S. Wales, Springwood, XI.18.

Comment: Drosophila australica is considered to be a synonym of Drosophila obsoleta Malloch.

avittata Duda, 1925 (Zygothrica): Annls hist.-nat. Mus. natn. hung. 22: 191 (Zygothrica vittatifrons var. avittata).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂.

Types: 1 Syntype (♂): Costa Rica, Suiza de Turrialba, 1921.V.7.; D. paravittatifrons ♂, Det. Dr. O. DUDA; avittata ♂, det. DUDA.

Comment: Zygothrica avittata is considered to be a synonym of Zygothrica vittatifrons Williston.

baechlii Lastovka et Máca, 1982 (Stegana): Annotes zool.-bot. Bratislava, 149: 12 (Stegana).

Type: 1 Paratype (♂): Pécs, Thalhammer, VI.10.

bifasciata Duda, 1923 (Leucophenega): Annls hist.-nat. Mus. natn. hung. 20: 30 (Leucophenega).

Citation: Im Budapester Museum ein ♀, bezettelt: "Formosa, Sauter, Chip-Chip 1909.II."

Type: Holotype (♀): Chip Chip, 09.II.

bipartita Duda, 1925 (Paraliiodrosophila): Annls hist.-nat. Mus. natn. hung. 22: 184 (Paraliiodrosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.

Type: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.5.; Paraliiodrosophila n.g. bipartita n. sp. ♂, Det. Dr. O. DUDA.

biradiata Duda, 1923 (Scaptomyza): Annls hist.-nat. Mus. natn. hung. 20: 50 (Drosophila).

Citation: Im Budapester Museum zahlreiche ♂ ♀, bezettelt "N. S. Wales, Biró 1900".

Type: 14 Syntypes (♂ ♀): N. S. Wales, Mt. Victoria; 4 Syntypes (♂ ♀): N. S. Wales, Paramatta, X, 28; 1 Syntype (♂): N. S. Wales, Sydney, X, 25; 8 Syntypes (♂ ♀): N. S. Wales, Springwood, XI.19.

Comment: Two additional specimens are labelled "Queensland, Brisbane" and "Ceylon, Pattipola", respectively. They are excluded from the syntype series. Scaptomyza biradiata is considered to be a synonym of Scaptomyza australis Malloch.

biroi Duda, 1923 (Mycodrosophila): Annls hist.-nat. Mus. natn. hung. 20: 40 (Mycodrosophila).

Citation: Im Budapester Museum 2 ♂, 2 ♀ aus "Singapore, Biró 1898".

Types: 3 Syntypes. Singapore, BIRO, 1898.

Comment: Mycodrosophila biroi is considered to be a synonym of Mycodrosophila gratirosa Meijere.

bispinosus Duda, 1939 (Zaprionus): Annls hist.-nat. Mus. natn. hung. 32: 19 (Zaprionus vittiger var. bispinosus).

Citation: . . . bei einem ♂ des Ung. Nat.-Museums gleicher Herkunft (Uganda: Mujenje 1913. VIII, KATONA) . . .

Type: Holotype (♂): Mujenje, 1913. VIII.

Comment: Both fore legs of this specimen are missing.

bocquetii Tsacas et Lachaise, 1974 (Drosophila): Annls Univ. Abidjan, Sér.E, Ecologie 7: 204 (Drosophila).

Types: 2 Paratypes (♂ ♀): Côte d'Ivoire, Réserve de Banco, 3-4-XI-1970, Souche No. 141-1.

- brevipennis Meijere, 1906 (Hypselothryea): Annls hist.-nat. Mus. natn. hung. 4: 195 (Hypselothryea).  
 Citation: Neu-Guinea: Sattelberg, Huon Gulf, 1 ♂ (BIRÖ, 1898).  
 Types: Holotype (♂), Sattelberg, Huon Gulf, IX.25., Hypselothryea brevipennis d. Meij., Type, de Meij. det. 05.
- burrai Tsacas et Lachaise, 1974 (Drosophila): Annls Univ. Abidjan, Sér. E, Ecologie 7: 200 (Drosophila).  
 Types: 2 Paratypes (♂♂): Côte d'Ivoire, Réserve de Banco, 3-4-XI-1970, Souche No. 141-2.
- carinata Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 41 (Hirtodrosophila).  
 Citation: Im Budapester Museum zahlreiche ♂♂, bezettelt "Formosa, Sauter, Kosempo 1908. III." und "Fuhosho 1909. VII."  
 Types: Lectotype (♂): Fuhosho, 909.VII; 3 Paralectotypes (♂♂): Fuhosho, 909.VII; 1 Paralectotype (♀): Kosempo, 908.III.21.  
 Comment: Drosophila carinata is a synonym of Drosophila latifrontata Frota-Pessoa.
- carinata Okada, 1973 (Scaptomyza): Annls hist.-nat. Mus. natn. hung. 65: 274 (Scaptomyza).  
 Types: Holotype (♀): Mongolia, Nr. 938; 1 Paratype (♀): Mongolia, Nr. 297a; 1 Paratype (♀): Mongolia, Nr. 942; 4 Paratypes (♀): Mongolia, Nr. 271.
- ciliatipes Duda, 1923 (Mycodrophila): Annls hist.-nat. Mus. natn. hung. 20: 39 (Mycodrosophila).  
 Citation: Im Budapester Museum 3 ♂♂, bezettelt "Singapore, Biró 1898".  
 Types: 2 Syntypes (♂♂): Singapore, BIRÖ 1898.
- clunicus Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 51 (Drosophila).  
 Citation: Im Budapester Museum 3 ♂♂, 3 ♀♀, bezettelt "Formosa, Sauter, Taihorin 1911 VII."  
 Types: 4 Syntypes (♂♂): Taihorin, 1911.VII.
- columbiensis Duda, 1927 (Apacrochaeta): Arch. Naturgesch. 91(A)11/12: 106 (Apacrochaeta).  
 Citation: Im Ung. Nat.-Mus. 1 ♂, bezettelt "Columbia Ujhelyi, Sierra S. Lorenzo".  
 Type: Holotype (♂): Columbia, UJHELYI; Sierra S. Lorenzo
- confluens Duda, 1923 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 32 (Leucophenga maculata var. confluens).  
 Citation: Im Budapester Museum 5 ♂♂, 9 ♀♀ aus Formosa (Chip-Chip und Mt. Hoozan).  
 Types: 3 Syntypes (♂♂): Chip Chip, 909.III; 4 Syntypes (♂♂): Chip Chip, 909.I; 1 Syntype (♂♂): Mt. Hoozan, 1910.V; 2 Syntypes (♂♂): Mt. Hoozan, 1910.VIII.
- costaricana Duda, 1925 (Paramycodrosophila): Annls hist.-nat. Mus. natn. hung. 22: 225 (Paramycodrosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat. Mus. 3 ♂♂.  
 Types: 3 Syntypes (♂♂): Costa Rica 1921, Suiza de Turrialba; Paramycodros turrialbae, Det. Dr. O. DUDA.  
 Comment: All three specimens were compared with DUDA's description and fully agreed with it. Paramycodrosophila turrialbae therefore is a manuscript name.
- curvata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 177 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂♂, 1 ♀.  
 Type: Lectotype (♀): Costa Rica, Suiza de Turrialba.
- curvipila Duda, 1939 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 32: 52 (Leucophenga guttiventris var. curvipila).  
 Citation: Im Ung. Nat.-Museum 5 ♂♂ "Uganda: Mujenje, 1913, IX, Katona" und "VIII.>"; 3 ♀♀ gleicher Herkunft . . .  
 Types: Lectotype (♀): Mujenje, 1913.IX; 1 Paralectotype (♀): Mujenje, 1913.VIII.
- decipiens Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 55 (Drosophila).  
 Citation: Im Budapester Museum 2 ♂♂, 2 ♀♀ aus Kosempo und Taihorin (Formosa).  
 Types: 1 Syntype (♂): Kosempo, 908.VI; 1 Syntype (♀): Taihorin, 1911.VII.

- dimidiata Meijere, 1906 (Hypselothyrea): Annls hist.-nat. Mus.natn.hung. 4: 194 (Hypselothyrea).  
 Citation: Neu-Guinea: Sattelberg, Huon Gulf (BIRÖ, 1899).  
 Type: 1 Syntype: N.-Guinea, BIRÖ 1899; Sattelberg, Huon Gulf.
- dudai Bächli, 1971 (Leucophenga): Exploration du Parc National de l'Upemba 71: 64 (Leucophenga).  
 Types: 1 Paratype (♂): Mujenje, 1913.VIII; 1 Paratype (♂): Mujenje, 1913.IX.
- erecta Tsacas et Lachaise, 1974 (Drosophila): Annls Univ. Abidjan, Sér.E, Ecologie 7: 193 (Drosophila).  
 Types: 2 Paratypes (♂ ♀): Côte d'Ivoire, Lamto, 21-VI-1970, Souche No. 154-1.
- euryopa Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 179 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.  
 Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1 Paralectotype (♀): Costa Rica, Suiza de Turrialba, 1921.V.3.
- fasciata Kertész, 1899 (Amiota): Természetr. Füz. 22: 193 (Erima).  
 Citation: Erima, 1896.11.XI.  
 Type: Lectotype (♂): N. Guinea, BIRÖ 96; Erima, Astrolabe B., XI.11.
- femorata Duda, 1923 (Stegana): Annls hist.-nat. Mus.natn.hung. 20: 33 (Protostegana).  
 Citation: Im Budapester Museum ein ♀, bezettelt "Formosa, Polišha 1908.XII."  
 Type: Holotype (♀): Polišha, 908.XII.
- fenestrata Duda, 1939 (Amiota): Annls hist.-nat. Mus.natn.hung. 32: 14 (Phortica).  
 Citation: Im Ung. Nat. Museum 1 ♀ "Natal New Hannover" und 1 ♀ "Uganda, Mujenje, 1913, VIII (Katona)".  
 Type: 1 Syntype (♀): Natal, New Hannover, 1913.VIII.
- flavipalpis Duda, 1939 (Leucophenga): Annls hist.-nat. Mus.natn.hung. 32: 50 (Leucophenga).  
 Citation: Im Ung. Nat.-Museum 20 ♂, 10 ♀ "Uganda: Mujenje 1913.VIII, Katona".  
 Types: Lectotype (♂): Mujenje, 1913.VIII; 14 Paralectotypes (♂ ♀): Mujenje, 1913.VIII; 9 Paralectotypes (♂ ♀): Mujenje, 1913.IX.
- flavohalterata Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 198 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♀.  
 Type: 1 Syntype (♀): Costa Rica, Suiza de Turrialba, 1921.V.6.
- florae Sturtevant, 1916 (Drosophila): Ann. ent. Soc. Am. 9: 339 (Drosophila).  
 Citation: Type and Paratypes, Havana, Cuba, January and February, 1915.  
 Type: 1 Paratype: Havana, Cuba, Jan. Feb. 1915.
- foliacea Tsacas et Okada, 1983 (Amiota): Kontyû 51: 233 (Amiota).  
 Types: Holotype (♂): Chip Chip, 909.III; 1 Paratype (♀): Chip Chip, 909.III.  
 Comment: The authors give 1899 as year of collection.
- foliiseta Duda, 1923 (Amiota): Annls hist.-nat. Mus.natn.hung. 20: 35 (Phortica).  
 Citation: Im Budapester Museum 8 ♂ und 1 ♀ aus Formosa (Chip Chip, Mt. Hoozan, Kankau), 3 Ex. aus Neu-Guinea (Friedrich-Wilhelmshafen).  
 Types: Lectotype (♂): Mt. Hoozan, 1910.V; 3 Paralectotypes: Chip Chip, 909.III.
- formosana Duda, 1926 (Drosophila): Annls hist.-nat. Mus.natn.hung. 23: 250 (Acanthophila tripunctata var. formosana).  
 Citation: . . . 2 ♂, 1 ♀ aus Macuyama und Toa Tsui Kutsu, Formosa, . . . Im Ungarischen National-Museum fand ich noch zahlreiche ♂ ♀ dieser Art aus Formosa.  
 Types: 25 Syntypes (♂ ♀): Chip Chip, 909.III; 1 Syntype (♂): Formosa, Toyenmongai; 6 Syntypes (♂ ♀): Taihorin, 1911.VII; 30 Syntypes (♂ ♀): Mt. Hoozan, 1910.V; 1 Syntype (♂): Sokotsu, 1912.V; 2 Syntypes (♂ ♀): Kosempo, 908.VI; 4 Syntypes (♂ ♀): Taihoku, 1912.IV; 2 Syntypes (♀): Polišha, 908.XII; 1 Syntype (♀): Kankau, 1912.IV.

- fumipennis Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 220 (Drosophila).  
 Citation: Costa Rica. In der Sammlung des Ung.Nat.-Mus. 3 ♂, 1 ♀.  
 Types: 1 Syntype (♂): Costa Rica, Suiza de Turrialba, 1921.V.1; 1 Syntype (♂): Costa Rica, Suiza de Turrialba; 1 Syntype (♀): Costa Rica, Suiza de Turrialba, 1921.V.14.
- fundomaculata Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 209 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung.Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.19; Dr. baseoatra, Det. Dr. O. DUDA; fundomaculata.  
 Comment: Drosophila baseoatra is a manuscript name.
- fuscipennis Duda, 1923 (Leucophenga): Annls hist.-nat.Mus.natn.hung. 20: 28 (Leucophenga).  
 Citation: Im Budapestener Museum 1 ♂, bezettelt "Takao 800 m, 1907.IV.21. Formosa, Sauter".  
 Type: Holotype (♂): Takao, 300 m, 1907.IV.21.  
 Comment: Head and right wing missing.
- fuscohalterata Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 197 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung.Nat.-Mus. 1 ♀.  
 Type: Holotype (♀): Costa Rica, Suiza de Turrialba, 1921.V.21.
- fuscolineata Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 213 (Drosophila).  
 Citation: 1 ♂, 1 ♀ in Oldenberg's Sammlung, bezettelt "San José, Costa Rica", 1 ♂ im Budapestener Museum "Costa Rica, Suiza de Turrialba".  
 Type: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.6.; Drosophila fuscostriata ♂, Det. Dr. O. DUDA; D. fuscolineata n. sp., Type, det. DUDA.
- gigas Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 216 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂, 3 ♀.  
 Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.28; D. gigantea n.sp. ♂, Det. Dr. O. DUDA; Drosophila gigas n.sp., ♂ Type, det. DUDA; 4 Paralectotypes (♂ ♀): Costa Rica 1921, Suiza de Turrialba; D. gigantea, Det. Dr. O. DUDA.  
 Comment: Drosophila gigantea is a manuscript name.
- glabrifrons Duda, 1925 (Drosophila): Annls hist.-nat.Mus.natn.hung. 22: 196 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.  
 Types: 1 Syntype (♂): Costa Rica, Suiza de Turrialba; 1 Syntype (♀): Costa Rica, Suiza de Turrialba, 1921.V.15.
- gratiola Meijere, 1911 (Mycodrosophila): Tijdschr. Ent. 54: 404 (Drosophila).  
 Citation: Batavia, Dezember, Semarang, Dezember, auf Polyporus, Jacobson leg.  
 Type: 1 Gyotype (♀), M. Jacobson, Batavia, Dec. 1900.
- guttipennis Duda, 1925 (Diathoneura): Annls hist.-nat.Mus.natn.hung. 22: 171 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung.Nat.-Mus. 2 ♂, 1 ♀.  
 Type: Lectotype (♀): Costa Rica, 1921, Suiza de Turrialba, VI.29; 1 Paralectotype (♂): Costa Rica 1921, Suiza de Turrialba, V.10; 1 Paralectotype (♀): Costa Rica, Suiza de Turrialba, 1921.V.5.
- hexasticha Papp, 1971 (Drosophila): Folia ent.hung., Ser.nov.24: 333 (Drosophila).  
 Types: Holotype (♀): Tard, Bába-völgy, rét; 1959.IV.16, leg. TÓTH S; 1 Paratype (♀): Tard, Bába-völgy, rét; 1958.V.16, leg. TÓTH S; 1 Paratype (♀): Szászka, 22.4.904.
- hoozanii Duda, 1923 (Drosophila): Annls hist.-nat.Mus.natn.hung. 20: 54 (Drosophila).  
 Citation: . . . zahlreiche ♂ und ♀ des Budapestener Museums, von Mt. Hoozan (Formosa, Sauter).  
 Types: 2 Syntypes (♂ ♀): Mt. Hoozan, 1910.VII; 21 Syntypes (♂ ♀): Mt. Hoozan, 1910.V.
- hydei Sturtevant, 1921 (Drosophila): Publs Carnegie Instn 301: 101 (Drosophila).  
 Citation: Type and gonotypes: from stock collected at Lakeland, Florida (C.W. METZ).  
 Type: 1 Paratype (♀): Stock, Lakeland Fla 1919; Gonotype.

- immigrans Sturtevant, 1921 (*Drosophila*): Publs Carnegie Instn 301: 83 (*Drosophila*).  
 Citation: Type (♂) and gonotypes bred from stock collected at White Plains, New York, 1919.  
 Type: 1 Paratype (♀): Stock, White Plains, N.Y. 1919; Gonotype.
- infumata Duda, 1925 (*Cladochaeta*): Annls hist.-nat. Mus. natn. hung. 22: 179 (*Diathoneura*).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♀.  
 Type: Holotype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.14.
- intermedia Duda, 1927 (*Stegana*): Arch. Naturgesch. 91(A)11/12: 30 (*Protostegana*).  
 Citation: . . . des Ung. Nat.-Mus. aus Costa Rica fand ich noch ein ♂ . . .  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba.
- interrupta Duda, 1923 (*Drosophila*): Annls hist.-nat. Mus. natn. hung. 20: 45 (*Paradrosophila*).  
 Citation: Im Budapestere Museum 1 ♀, bezettelt "N.S. Wales, Sydney, Australia, Biró, 1900."  
 Type: Holotype (♀): Australia, BIRÓ 1900; N.S. Wales, Sydney, X.20.  
 Comment: *Drosophila interrupta* is considered to be a synonym of *Drosophila lativittata* Malloch.
- johni Pokorny 1896 (*Mycodrosophila*): Mitt. naturw. Ver. Troppau 2: 63 (*Drosophila*).  
 Citation: . . . in zwei männlichen und einem weiblichen Exemplare . . . in Slavonien an Baumschwämmen gesammelt.  
 Type: 2 Syntypes: Slavon. John; *Drosophila Johni* Pok.; Coll. POKORNY; 1 Syntype: *Drosophila Johni* Pok.; Coll. POKORNY.  
 Comment: This nominal species was earlier considered to be represented by the holotype (BÄCHLI, 1982), but two additional specimens were found therefore they are all syntypes.
- kaszabi Okada, 1973 (*Cacoxenus*): Annls hist.-nat. Mus. natn. hung. 65: 271 (*Paracacoxenus*).  
 Types: Holotype (♂): Mongolia, Nr. 513; 3 Paratypes: Mongolia, Nr. 513.
- kerteszi Duda, 1925 (*Neorhinoleucophenga*): Annls hist.-nat. Mus. natn. hung. 22: 166 (*Neorhinoleucophenga*).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♀.  
 Type: Holotype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.14.
- lanigera Duda, 1928 (*Hypselothyrea*): Annls hist.-nat. Mus. natn. hung. 25: 88 (*Hypselothyrea*).  
 Citation: Im Ung. Nat.-Mus. zwei ♀, "N.-Guinea, leg. Biró, 1899. Huon Golf, Sattelberg".  
 Type: 1 Syntype (♀): N.-Guinea, BIRÓ 1899; Sattelberg, Huon Golf, V.
- latecincta Duda, 1939 (*Leucophenga*): Annls hist.-nat. Mus. natn. hung. 32: 46 (*Leucophenga munroi* var. *latecincta*).  
 Citation: Im Ung. Nat.-Mus. ein . . . ♂ "Sarnia, Natal".  
 Type: Holotype (♂): Sarnia, Natal; *Leucophenga munroi* var. *latecincta* n. var., d. DUDA.  
 Comment: *Leucophenga latecincta* is a synonym of *Leucophenga munroi* DUDA.
- latevittata Duda, 1939 (*Leucophenga*): Annls hist.-nat. Mus. natn. hung. 32: 48 (*Leucophenga*).  
 Citation: Im Ung. Nat.-Museum 5 ♂, 4 ♀, "Uganda: Mujenje 1913.VIII, Katona".  
 Types: Lectotype (♂): Uganda, KATONA; Mujenje, 1913.VIII; 4 Paralectotypes: Uganda, KATONA; Mujenje, 1913.
- laticeps Duda, 1925 (*Diathoneura*): Annls hist.-nat. Mus. natn. hung. 22: 175 (*Diathoneura*).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 Exemplar.  
 Type: Holotype: Costa Rica, Suiza de Turrialba, 1921.V.2.
- latifasciaeformis Duda, 1940 (*Drosophila*): Annls hist.-nat. Mus. natn. hung. 33: 22 (*Drosophila*).  
 Citation: Im Ung. Nat.-Museum 5 ♂, 11 ♀ "Uganda: Mujenje, 1913.VIII, Katona" und "IX."  
 Types: 12 Syntypes (♂ ♀): Mujenje, 1913.IX.  
 Comment: One pin is without fly.
- latifrons Duda, 1923 (*Leucophenga*): Annls hist.-nat. Mus. natn. hung. 20: 32 (*Leucophenga*).

Citation: Im Budapester Museum 1 ♀, bezettelt "Formosa, Sauter, Takao 1907.X.26."

Type: Holotype (♀): Takao, 1907, X.26.

Comment.: Head and left wing missing.

leucostoma Becker, 1908 (Amiota): Annls hist.-nat. Mus. natn. hung. 6: 320 (Leucophenga).

Citation: Hungaria meridionalis: Szászka, 7.IX.1899 (Kristen).

Type: Lectotype (♂): Szászka, 7.IX.99, Radina; Leucophenga leucostoma n.sp., det. BECKER.

Comment: Lectotype by present designation. This species is considered to be a synonym of Amiota alboguttata Wahlberg.

leucozona Duda, 1923 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 29 (Leucophenga).

Citation: Im Budapester Museum ein einziges stark in Spinngewebe eingehülltes Exemplar bezettelt "N.-Guinea, Blrō 1896, Friedrich-Wilhelmshafen".

Type: Holotype (♂): N.-Guinea, BIRÓ, 1900; Friedrich-Wilh.-hafen.

Comment: Duda obviously gives a wrong year of collection. The specimen is covered by mold. Leucophenga leucozona is considered to be a synonym of Leucophenga albofasciata Macquart.

limbinervis Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 215 (Drosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.

Types: Lectotype (♂): Costa Rica, Suiza de Turrialba; 1 Paralectotype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.25.

limbiventralis Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 212 (Drosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♀.

Type: Holotype (♀): Costa Rica, Suiza de Turrialba; D. silvatoidea ♀, n.sp., Det. Dr. O. DUDA; Drosophila limbiventralis n.sp., Typus ♀, d. DUDA.

Comment: Drosophila silvatoidea is a manuscript name.

lineatifrons Duda, 1925 (Pseudocacoxenus): Annls hist.-nat. Mus. natn. hung. 22: 157 (Pseudocacoxenus).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂, 1 ♀.

Types: 1 Syntype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.27; 1 Syntype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.28.

lividinervis Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 53 (Drosophila).

Citation: Im Budapester Museum 7 ♂, 7 ♀ bezettelt "Formosa, Sauter, Fuhosho 1909.VII."

Types: 7 Syntypes (♂ ♀): Fuhosho, 909.VII.

longecrinita Duda, 1924 (Drosophila): Arch. Naturgesch. 90(A)3: 204, 242 (Drosophila).

Citation: In der D. Ent. Mus.-S. 2 ♂ aus Paroe und Toa Tsui Kutsu (Formosa). In KERTÉSZ' S. zahlreiche ♂ ♀ aus Formosa (Kosempo und Fuhosho), ferner aus N.-Guinea (BIRÓ, Friedrich-Wilh.-Hafen).

Types: 61 Paralectotypes (♂ ♀): Kosempo, 908.VI; 4 Paralectotypes (♂): Kosempo, 908.III.20; 1 Paralectotype (♂): Kosempo, 908.III.21; 1 Paralectotype (♀): Kosempo, 908.III.29; 1 Paralectotype ♂: Formosa, Sauter; 1 Paralectotype (♂): Kosempo, 908.VI; 5 Paralectotypes (♂ ♀): Fuhosho, 909.VII.

longetrinica Bächli, 1974 (Drosophila): Mitt. zool. Mus. Berl. 49: 283 (Drosophila).

Types: Holotype (♂): Kosempo, 908.III.20; 3 Paratypes (♂ ♀): Kosempo, 908.III.20.

magnipalpis Duda, 1923 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 27 (Leucophenga).

Citation: Das vorliegende Únicum des Budapester Museums ist anscheinend ein ♀, bezettelt: "Formosa, Sauter, Chip-Chip 1909.I."

Type: Holotype (♀): Chip Chip, 909.I.

mediostriata Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 223 (Drosophila).

Citation: Costa Rica. Im Ung. Nat.-Mus. 1 ♂ . . .

Type: Holotype (♂): Costa Rica 1921, Suiza de Turrialba, VI.2.

- mehadiae Duda, 1924 (Stegana): Arch. Naturgesch. 90(A)3: 181 (Stegana mehadiae sp.n. oder var.n.).  
 Citation: (Mehádia, according to name).  
 Type: Lectotype (♂): Mehádia, KERTÉSZ, 1904.VI.11.; Stegana Mehadiæ, n.var., Dr. DUDA.  
 Comment: Lectotype by present designation. Both fore legs and wings are damaged.
- metakuntzei Okada, 1973 (Drosophila): Annls hist.-nat. Mus. natn. hung. 65: 278 (Drosophila).  
 Types: Holotype (♂): Mongolia, Nr. 926; 5 Paratypes (♂♀): Mongolia, Nr. 926a, 993, 1072.
- microstoma Duda, 1925 (Zygothrīca): Annls hist.-nat. Mus. natn. hung. 22: 190 (Zygothrīca).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.  
 Type: 1 Syntype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.4.
- mihalyii Wheeler, 1963 (Paraliodrosophila): Bull. Brooklyn ent. Soc. 58: 60 (Paraliodrosophila).  
 Type: 1 Paratype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.16.
- minuta Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 182 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 2 ♀.  
 Types. Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.14; 1 Parabiototype: Costa Rica 1921, Suiza de Turrialba, V.9; 1 Paralectotype: Costa Rica, Suiza de Turrialba, 1921.V.6.
- ⑨ multipunctata Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 38 (Spuriostyloptera).  
 Citation: Im Budapest Museum 2 ♂, bezettelt: "Formosa, Sauter, Chip-Chip 1909.I."  
 Type: 1 Syntype (♀): Chip Chip, 09.I.
- ⑩ multistriata Duda, 1923 (Phorticella): Annls hist.-nat. Mus. natn. hung. 20: 57 (Drosophila).  
 Citation: Im Budapest Museum 5 ♂ ♀ bezettelt "Formosa, Sauter Chip-Chip 909.I und II."  
 Type: 4 Syntypes: Chip Chip, 909.III.
- nasalis Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 194 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.16.  
 Comment: Drosophila nasalis is a synonym of Drosophila marinosa Frota-Pessoa.
- nigrescens Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 184 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. zahlreiche ♂ ♀.  
 Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.2; 26 Paralectotypes (♂♀): Costa Rica, Suiza de Turrialba.  
 Comment: One pin is without fly.
- nigrifrons Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 184 (Diathoneura nigrescens var. nigrifrons).  
 Citation: (as for Diathoneura nigrescens).  
 Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.17; 2 Paralectotypes (♀): Costa Rica, Suiza de Turrialba.
- ⑪ nigripalpis Duda, 1923 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 29 (Leucophenga).  
 Citation: Im Budapest Museum: 1 ♂ bezettelt "Formosa, Sauter, Chip-Chip 1909.II."  
 Type: Holotype (♂): Chip Chip, 09.II.
- ⑫ nigrohalterata Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 195 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♀.  
 Type: 1 Syntype (♀): Costa Rica, Suiza de Turrialba, 1921.V.8.
- ⑬ nigrolimbata Duda, 1924 (Stegana): Arch. Naturgesch. 90(A)3: 181 (Stegana).  
 Citation: Formosa.  
 Type: Lectotype (♂): Formosa, Sauter; Chip Chip, 909.III., Stegana nigrolimbata n. sp., Type, Det. Dr. O. DUDA.  
 Comment: Lectotype by present designation.

nigromarginata Duda, 1923 (Stegana): Annls hist.-nat. Mus.natn.hung. 22: 100 (Stegana).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 Ex.

Type: 1 Syntype (♀): Costa Rica, Suiza de Turrialba; Type, S. nigromarginata n. sp., d.  
DUDA.

novoguineensis Duda, 1923 (Drosophila): Annls hist.-nat. Mus.natn.hung. 20: 46 (Paradrosophila).  
Citation: Im Budapester Museum zahlreiche ♂ ♀, bezettelt "N. Guinea, Birô 1896, Simbang,  
Huon Golf" und " Tamara, Berlinhafen", 2 Ex. "Formosa, Sauter, Takao 1907.13."

Types: 2 Syntypes (♂ ♀): N.-Guinea, BIRÔ 96; Tamara, Berlinhafen; IX.8-18; 7 Syntypes  
(♂): N.-Guinea, BIRÔ 96; Tamara, Berlinhafen; 1 Syntype (♀): Simbang, Huon Golf, 1898.IX.10.;  
N.-Guinea, BIRÔ 1898; 1 Syntype: Simbang, Huon Golf, 1898.VII.; N.-Guinea, BIRÔ 1898.  
Comment: The year 1896 mentioned by DUDA for the collection in Simbang is considered to  
be a lapsus.

novoguineensis Duda, 1926 (Sphaerogastrella): Supplta ent. 14: 53 (Sphaerogastrella).  
Citation: Im Ung. National Museum (Budapest) fand ich zwei Ex. . . .

Type: 1 Syntype (♂): N.-Guinea, BIRÔ 1899; Simbang, Huon Golf; S. var. novoguineensis,  
Det. Dr. O. DUDA.

nubeculosa Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 180 (Diathoneura).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.

Type: Holotype (♂): Costa Rica, Suiza de Turrialba; 1921.V.6.

pappi Okada, 1974 (Drosophila): Annls hist.-nat. Mus.natn.hung. 66: 271 (Drosophila).  
Type: Holotype (♂): N. Korea, PAPP, Nr. 198.

pappi Tsacas et Okada, 1983 (Amiota): Kontyû 51: 234 (Amiota).  
Types: Holotype (♀): N.-Guinea, BIRÔ 1900; Friedrich-Wilh.-hafen, XII.20; 1 Paratype:  
N.-Guinea, BIRÔ 1900; Friedrich-Wilh.-hafen, XII.24; 1 Paratype: N.-Guinea, BIRÔ 1900; Fried-  
rich-Wilh.-hafen, XII.26; 1 Paratype: New Guinea: NE Wau, Morobe Distr., 1200 m, 24.VIII.77;  
1 Paratype: Wau, Papua, New Guinea, 13.IX.1977; 1 Paratype: Wau, Papua, New Guinea, X.1977.

paracuthbertsoni Bächli, 1971 (Leucophenga): Exploration du Parc National de l'Upemba 71: 40  
(Leucophenga).  
Type: 1 Paratype (♂): Uganda, KATONA; Mujenje, 1913.VIII.

paraflaviseta Bächli, 1971 (Leucophenga): Exploration du Parc National de l'Upemba 71: 72 (Leu-  
cophenga).  
Type: 1 Paratype (♀): Uganda, KATONA; Mujenje, 1913.VIII.

parakuntzei Okada, 1973 (Drosophila): Annls hist.-nat. Mus.natn.hung. 65: 276 (Drosophila).  
Types: Holotype (♂): Mongolia, Nr. 507; 8 Paratypes (♂ ♀): Mongolia, Nr. 540, 552, 926a,  
934, 938, 993.

naralatifrontata Bächli, 1974 (Drosophila): Mitt. zool. Mus. Berl. 49: 294 (Drosophila).  
Types: Holotype (♂): Fuhosho, 909.VII; 10 Paratypes (♂ ♀): Fuhosho, 909.VII; 4 Paratypes  
(♂ ♀): Kosempo, 908.III.20; 4 Paratypes (♀): Kosempo, 908.III.21; 1 Paratype (♀): Kosempo,  
908.III.29.

narapunctipennis Duda, 1924 (Drosophila): Arch. Naturgesch. 90(A)3: 205 (Drosophila).  
Citation: Neu-Guinea.  
Type: Lectotype (♀): N.-Guinea, BIRÔ 97; Stephansort, Astrolabe B.  
Comment: Lectotype by present designation.

penicillata Kertész, 1901 (Pyrgometopa): Termesztr. Fluz. 24: 420 (Pyrgometopa).  
Citation: 1 ♀ aus Peru (Callanga).  
Type: Holotype (♀): Peru, Callanga; Pyrgometopa penicillata Kert., Typus, det. KERTÉSZ.

phyloochaeta Tsacas et Okada, 1983 (Amiota): Kontyû 51: 231 (Amiota).

Type: Holotype (♂): N.-Guinea, BIRG 96; Erima, Astrolabe B., XI.11; 1 Paratype (♂): N.-Guinea, BIRG 96; Erima, Astrolabe B., XI.11.

pictiventris Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 211 (Drosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♀.

Type: Holotype (♀): Higuito-San Mateo; Costa Rica, Schild 914, VII.16., Drosophila busckii-ventris n.sp. ♀, Det. Dr. O. DUDA; Drosophila pictiventris n. sp. Type, ♀, det. DUDA.

Comment: According to DUDA, all species described in this 1925 paper should be labelled "Suiza de Turrialba". In spite of the difference in labelling I consider this specimen to be the holotype.

pleurofasciata Duda, 1924 (Drosophila): Arch.Naturgesch. 90(A)3: 213 (Drosophila).

Citation: Europa.

Type: 1 Syntype (♂): Austria inf., Stadlau; pleurofasciata n.sp., det. DUDA.

Comment: Drosophila pleurofasciata is a synonym of Drosophila picta Zetterstedt.

pleurolineata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 183 (Diathoneura).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.

Types: Lectotype (♀): Costa Rica 1921, Suiza de Turrialba, V.31.; Diathoneura pleurostria-  
ta n. sp. ♀, Det. Dr. O. DUDA; 1 Paralectotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.  
15.; D. pleurostriata ♂, Det. Dr. O. DUDA.

Comment: Diathoneura pleurostria is a manuscript name.

poeciloptera Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 226 (Paramycodrosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 10 ♂, 14 ♀.

Types: Lectotype (♂): Costa Rica 1921, Suiza de Turrialba, V.20.; 20 Paralectotypes (♂ ♀):  
Costa Rica, Suiza de Turrialba.

Comment: Drosophila poeciloptera is a synonym of Drosophila schildi Malloch.

poeciloptera Duda, 1940 (Drosophila): Annls hist.-nat. Mus.natn.hung. 33: 34 (Drosophila).

Citation: Im Ung. Nat.-Museum 1 ♂ "Natal, New Hannover," im Hamburger Museum 1 ♀,  
"Algoa-Bay, Capland".

Type: Lectotype (♂): Natal, New Hannover, 1913.VIII.; Type, Drosophila poeciloptera n.sp.  
♂, d. DUDA.

Comment: Lectotype by present designation. Drosophila poeciloptera is considered to be a  
synonym of Drosophila punctatonervosa Frey.

prorepleta Duda, 1925 (Drosophila): Annls hist.-nat. Mus.natn.hung. 22: 210 (Drosophila).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♀.

Types: Lectotype (♂): Costa Rica 1921, Suiza de Turrialba, VI.1929; Drosophila pararepleta  
♀, n.sp.? Det. Dr. O. DUDA; prorepleta ♀ Type, det. DUDA; 1 Paralectotype (♀): Costa Rica  
1921, Suiza de Turrialba, VI.28.; pararepleta ♀, Det. Dr. O. DUDA.

Comment: Drosophila prorepleta is considered to be a synonym of Drosophila repleta Wollas-  
ton.

pruinosa Duda, 1940 (Drosophila): Annls hist.-nat. Mus.natn.hung. 33: 41 (Drosophila).

Citation: Im Ung. Nat.-Museum zahlreiche ♂ ♀, bezettelt "Uganda: Mujenje, 1913.VIII." und  
"IX?", KATONA.

Types: Lectotype (♂): Mujenje, 1913.VIII; 36 Paralectotypes (♂ ♀): Mujenje, 1913.VIII.

pusio Duda, 1923 (Drosophila): Annls hist.-nat. Mus.natn.hung. 20: 50 (Drosophila).

Citation: Im Budapester Museum 1 ♂, bezettelt "N. Guinea, Friedrich-Wilhelmshafen, BirG".

Type: Holotype (♂): Neu Guinea, BIRG 96; Friedr. Wilhelmshafen.

putrida Sturtevant, 1916 (Drosophila): Ann.ent.Soc.Am. 9: 339 (Drosophila).

Citation: Type and paratypes, Woods Hole, Mass.

Type: 1 Paratype: Woods Hole, Mass., VIII.20.14, A.H. STURTEVANT.

quadriradiata Duda, 1923 (Drosophila): Annls hist.-nat. Mus.natn.hung. 20: 46 (Paradrosophila).

- Citation: Im Budapester Museum 2 ♂, 1 ♀, bezettelt "N. Guinea, Biro 1899, Sattelberg, Huon Golf".  
 Types: 2 Syntypes: N.-Guinea, BIRÓ 1899; Simbang, Huon Golf; 1 Syntype: N.-Guinea, BIRÓ 1899; Sattelberg, Huon Golf.
- quadristriata Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 39 (Spuriostyloptera).  
 Citation: Im Budapester Museum 2 ♂, bezettelt "N. Guinea, Biro 1899, Simbang, Huon Golf".  
 Type: 1 Syntype (♂): N.-Guinea, BIRÓ 1899; Simbang, Huon Golf.
- quadrivittata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 172 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂.  
 Type: 1 Syntype (♂): Costa Rica 1921, Suiza de Turrialba, V.19.
- quinquelineata Duda, 1925 (Neorhinoleucophenga): Annls hist.-nat. Mus. natn. hung. 22: 167 (Neorhinoleucophenga).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.6.
- rostrata Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 219 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.14.
- scaptomyzoidea Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 37 (Scaptodrosophila).  
 Citation: Im Budapester Museum 1 ♂, bezettelt: "N.-Guinea, Friedrich-Wilhelmshafen, BIRÓ".  
 Type: Holotype (♂): N.-Guinea, Fr. Wilh. Hafen, BIRÓ, 96.
- schmidti Duda, 1924 (Drosophila): Arch. Naturgesch. 90(A)3: 213, 220 (Drosophila).  
 Citation: Ungarn.  
 Types: Lectotype (♂): Fenyőfő, SCHMIDT; 18 Paralectotypes: Fenyőfő, SCHMIDT.
- semialba Duda, 1925 (Drosophila): Annls hist.-nat. Mus. hung. 22: 208 (Drosophila).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂, 1 ♀.  
 Type: 1 Syntype (♂): Costa Rica 1921, Suiza de Turrialba, V.23.; Drosophila albonigra ♂, Det. Dr. O. DUDA.  
 Comment: Drosophila albonigra is a manuscript name.
- seminigra Duda, 1923 (Drosophilella): Annls hist.-nat. Mus. natn. hung. 20: 25 (Drosophilella).  
 Citation: Im Budapester Museum 1 ♂, 2 ♀ "N.-Guinea BIRÓ 1896, Friedrich-Wilhelmshafen, 123".  
 Types: 1 Syntype: N. Guinea, BIRÓ 96; Friedrich-Wilh.-hafen, 173; 2 Syntypes: N.-Guinea, Fr.W. Hafen, Det. Dr. O. DUDA, 173.
- sepsoides Duda, 1939 (Zaprionus): Annls hist.-nat. Mus. natn. hung. 32: 20 (Zaprionus).  
 Citation: Im Ung. Nat.-Museum 9 ♂, 8 ♀, bezettelt "Uganda: Mujenje. 1913.VIII, Katona".  
 Types: Lectotype (♂): Mujenje, 1913.VIII; 2 Paralectotypes (♂♀): Mujenje, 1913.VIII.
- setipalpis Duda, 1929 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 31 (Leucophenga).  
 Citation: Im Budapester Museum ein ♂, bezettelt "Formosa, Sauter, Takao 1907.VII.20."  
 Type: Holotype (♂): Takao, 1907.XII.20.  
 Comment: DUDA gives a wrong date of collection.
- setulosa Duda, 1939 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 32: 39 (Leucophenga).  
 Citation: Um Ungarischen National-Museum 7 ♂, bezettelt "Uganda: Mujenje, 1913.VIII, Katona", und "IX", 2 ♂ "Sarnia, Natal".  
 Type: Lectotype (♂): Mujenje, 1913.IX; 2 Paralectotypes (♂): Mujenje, 1913.IX; 2 Paralectotypes (♂): Sarnia, Natal, VIII.1913.
- sexsetosa Duda, 1939 (Microdrosophila): Annls hist.-nat. Mus. natn. hung. 32: 56 (Oxystyloptera).  
 Citation: Um Ung. Nat.-Mus. 1 ♂ "Uganda: Mujenje, 1913.IX, Katona".  
 Type: Holotype (♂): Mujenje, 1913.IX.

- signata Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 48 (Spinulophila).  
 Citation: Im Budapester Museum 2 ♀, bezettelt "Formosa, Sauter, Chip-Chip 1909. III."  
 Type: 1 Syntype (♀): Chip Chip, 909.III.
- similis Láštovka and Máca, 1982 (Stegana): Annotnes zool.-bot. Bratislava 149: 29 (Stegana).  
 Types: 1 Paratype (♂): Berlin, Pichelsberg, 19.8.02; 1 Paratype (♀): Berlin, Pichelsberg, 10.6.00; 1 Paratype (♀): Berlin, Pichelsberg, 30.5.01; 1 Paratype (♀): Moravia, Frain; 1 Paratype (♀): Pécs, THALHAMMER, IX.4; 2 Paratypes (♂♀): Aranyosgadány; Viszla-v., akácos; 1 Paratype (♀): Jászberény, Hungaria, THALHAMMER; 1 Paratype (♂): Badacsony, Hungaria, THALHAMMER; 1 Paratype (♀): Berlin, Pichelsberg, 29.6.99; 1 Paratype (♀): Mehádia, KERTÉSZ; 1 Paratype (♀): Zempléni-hg., N. Pétermenkő, 1960.VI.24., leg. ZSIRKÓ; 1 Paratype (♀): 26.8.92. HANDEL.
- simplicifemur Duda, 1939 (Zaprionus): Annls hist.-nat. Mus. natn. hung. 32: 22 (Zaprionus).  
 Citation: Um. Ung. Nat.-Museum 4 ♂, 10 ♀ "Uganda: Mujenje, 1913.VIII, Katona".  
 Types: 14 Syntypes (♂♀): Mujenje, 1913.VIII.  
 Comment: Zaprionus simplicifemur is considered to be a synonym of Zaprionus ghesquierei Collart.
- singularis Duda, 1924 (Drosophila): Arch. Naturgesch. 90(A)3: 220, 249 (Drosophila).  
 Citation: In der D. Ent. Mus.-S. 1 ♂, "Toa Tsui Kutsu (Formosa), H. Sauter V.1914", in KERTÉSZ S. 2 ♂: "Formosa Sauter Chip-Chip 09.II. und I."  
 Type: 1 Syntype (♂): Chip Chip, 909.I.
- sordida Duda, 1923 (Leucophenga): Annls hist.-nat. Mus. natn. hung. 20: 31 (Leucophenga).  
 Citation: Im Budapester Museum 1 ♂, bezettelt "Formosa, Sauter, Koshun 1908.IX."  
 Type: Holotype (♂): Koshun, 908.IX.
- striaticeps Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 58 (Drosophila).  
 Citation: Im Budapester Museum 1 ♀, bezettelt "N.-Guinea, Yomba, Biró 1901".  
 Type: Holotype (♂): N. Guinea, Yomba, BIRÓ, 1901.  
 Comment: Drosophila striaticeps is considered to be a synonym of Drosophila albonotata Meijere.
- striatipennis Duda, 1923 (Eostegana): Annls hist.-nat. Mus. natn. hung. 20: 33 (Stegophorica).  
 Citation: Im Budapester Museum 3 ♂ bezettelt mit "N.-Guinea, Biró 1899".  
 Types: 2 Syntypes (♂): Simbang, Huon Gulf.
- subinfumata Duda, 1925 (Drosophila): Annls hist.-nat. Mus. natn. hung. 22: 221 (Drosophila).  
 Citation: Costa Rica. In der Sammlung des Ung. Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba, 1921.IV.13.
- sulfurigaster Duda, 1923 (Drosophila): Annls hist.-nat. Mus. natn. hung. 20: 48 (Spinulophila).  
 Citation: Im Budapester Museum 1 ♂, bezettelt "N.-Guinea 1896, Friedrich-Wilhelmshafen".  
 Type: Holotype (♂): N.-Guinea, BIRÓ, 96; Friedrich-Wilh.-hafen.
- taeniatipennis Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 172 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat. Mus. ein anscheinend weibliches Exemplar.  
 Type: Lectotype: Costa Rica, Suiza de Turrialba, 1921.V.5.; taeniatipennis, Det. Dr. O. DUDA.
- tanyptera Duda, 1925 (Diathoneura): Annls hist.-nat. Mus. natn. hung. 22: 170 (Diathoneura).  
 Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 ♂.  
 Type: Holotype (♂): Costa Rica, Suiza de Turrialba.
- teissieri Tsacas, 1971 (Drosophila): Bull. Soc. ent. Fr. 76: 35 (Drosophila).  
 Types: 2 Paratypes (♂♀): Rhodésie, Mt. Selinda, Janv. 1970, H. PATERSON leg., souche No. 128.
- tenuirostris Duda, 1925 (Zygothrica): Annls hist.-nat. Mus. natn. hung. 22: 189 (Zygothrica).

Citation: Costa Rica. In der S. des Ung. Nat. Mus. 1 ♀.  
Type: Holotype (♀): Costa Rica, Suiza de Turrialba, 1921.IV.5.; Dros. tanyglossa ♀, d.  
DUDA; tenuirostris.

Comment: Drosophila tanyglossa is a manuscript name.

tessellata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 174 (Diathoneura).  
Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂, 2 ♀.

Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.8; 1 Paralectotype (♂): Costa Rica 1921, Suiza de Turrialba, V.16; 1 Paralectotype (♀): Costa Rica 1921, Suiza de Turrialba, V.16; 1 Paralectotype (♀): Costa Rica, Suiza de Turrialba, 1921.V.7.

trachyopa Duda, 1925 (Neorhinoleucophenga): Annls hist.-nat. Mus.natn.hung. 22: 165 (Neorhinoleucophenga).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 Exemplar.

Type: Holotype: Costa Rica, Suiza de Turrialba, 1921.V.15.

⌚ trapezina Duda, 1923 (Drosophila): Annls hist.-nat. Mus.natn.hung. 20: 41 (Hirtodrosophila).

Citation: Im Budapest Museum zahlreiche ♂ ♀, bezettelt "Formosa, Sauter (Kosempo, Polisha, Chip-Chip)".

Types: Lectotype (♂): Kosempo, 908.III.21; 17 Paratypes (♀): Polisha, 908.XII; 13 Paratypes (♂ ♀): Kosempo, 908.III.20; 6 Paratypes (♂): Kosempo, 908.III.21; 11 Paratypes (♂ ♀): Kosempo, 908.III.29; 9 Paratypes (♂ ♀): Chip Chip, 909.III; 1 Paratype (♂): Formosa, Sauter.

tricoloripes Duda, 1925 (Neotanygastrella): Annls hist.-nat. Mus. natn.hung. 22: 224 (Neotanygastrella).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 2 ♂, 1 ♀.

Types: Lectotype (♀): Costa Rica, Suiza de Turrialba, 1921.V.13; 1 Paralectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.3.

triseta Duda, 1925 (Stegana): Annls hist.-nat. Mus.natn.hung. 22: 160 (Oxyphortica).

Citation: Costa Rica. In der Sammlung des Ung. Nat.-Mus. 1 ♂, 2 ♀.

Type: 1 Syntype (♂): Costa Rica, Suiza de Turrialba, 1921.V.7; 1 Syntype (♀): Costa Rica 1921, Suiza de Turrialba, VI.24.

⌚ tristipennis Duda, 1924 (Drosophila): Arch.Naturgesch. 90(A)3: 215, 247 (Drosophila).

Citation: In der D.Ent.Mus.-S. 3 ♂ 4 ♀ aus Taihoku XI. und XII. 1913; in KERTÉSZ'S. 3 ♂, 10 ♀, "Formosa Sauter Chip Chip 909.I."

Types: 30 Syntypes (♂ ♀): Chip Chip, 909.I.

⌚ tritaeniata Duda, 1923 (Leucophenga): Annls hist.-nat. Mus.natn.hung. 20: 26 (Leucophenga).

Citation: Im Budapest Museum: 1 ♀, bezettelt: "N.-Guinea, Biró 1896, Friedrich-Wilhelmshafen, 157".

Type: Holotype (♀): N. Guinea, BIRÓ 96; Friedrich-Wilh.-hafen; 157.

Comment: Head and right wing missing.

uniradiata Duda, 1925 (Diathoneura): Annls hist.-nat. Mus.natn.hung. 22: 181 (Diathoneura).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 3 ♂, 2 ♀.

Types: Lectotype (♂): Costa Rica, Suiza de Turrialba, 1921.V.7; 1 Paralectotype (♂): Costa Rica, Suiza de Turrialba, 1921.VI.28; 1 Paralectotype (♂): Costa Rica 1921, Suiza de Turrialba, VI.29; 1 Paralectotype (♀): Costa Rica 1921, Suiza de Turrialba, V.21; 1 Paralectotype (♀): Costa Rica 1921, Suiza de Turrialba, VI.5.

⌚ varinervis Duda, 1923 (Leucophenga): Annls hist.-nat. Mus.natn.hung. 20: 31 (Leucophenga).

Citation: Im Budapest Museum 1 ♀, bezettelt "Formosa, Sauter, Sokotra 1912.V."

Type: Holotype ♂: Sokots, 1912.V.

Comment: The collection site Sokotra mentioned by DUDA may be a lapsus.

virilis Sturtevant, 1916 (Drosophila): Ann. ent.Soc.Am. 9: 330 (Drosophila).

Citation: Type, allotype and genotypes from New York, N.Y.

Type: 1 Paratype (♂): New York, N.Y., Stock, A.H. STURTEVANT; Gonotype.

Vitripennis Duda, 1925 (Neorhinoleucophenga): Annls hist.-nat. Mus. natn. hung. 22: 164 (Neorrhino-leucophenga).

Citation: Costa Rica. In der S. des Ung. Nat.-Mus. 1 Exemplar.

Type: Holotype (♀): Costa Rica, Suiza de Turrialba, 1921.VII.3.

#### Genus group inventory

Amicta: fasciata, fenestrata, foliacea, foliseta, leucostoma, pappi, phyllochaeta.

Apacrochaeta: columbiensis.

Cacoxenus: kaszabi.

Cladochaeta: infumata.

Diathoneura: adumbrata, albifacies, cruciata, euryopa, guttipennis, laticeps, minuta, nigrescens, nigrifrons, nubeculosa, pleurolineata, quadrivittata, taeniatipennis, tanyptera, tessellata, uniradiata.

Drosophila: abregolineata, albomicans, alternolineata, angustibucca, aterrima, atropyga, australica, bocqueti, burrai, carinata, clunicus, decipiens, erecta, flavohalterata, florate, formosana, fumipennis, fundomaculata, fuscohalterata, fuscolineata, gigas, glabrifrons, hexasticha, hoozani, hydei, immigrans, interrupta, latifasciaformis, limbinaervis, limbiventris, lividinervis, longicrinata, longitrinica, mediostriata, metakuntzel, multipunctata, nasalis, nigrohalterata, novoguineensis, pappi, parakuntzel, paralatifrontata, parapunctipennis pictiventris, pleurofasciata, poeciloptera, poeciloptera, prorepleta, pruinosa, pusio, putrida, quadriradiata, quadristriata, rotunda, scaptomyzoidae, schmidti, semialba, signata, singularis, striaticeps, subinfumata, sulfuri-gaster, teissieri, trapezina, tristipennis, virilis.

Drosophilella: seminigra.

Eostegana: striatipennis.

Hypselothyrea: aptera, brevipennis, dimidiata, lanigera.

Leucophenga: abrupta, bifasciata, confluens, curvipila, dudai, flavipalpis, fuscipennis, latecincta, latevittata, latifrons, leucozona, magnipalpis, nigripalpis, paracuthbertsoni, paraflavisetata, setipalpis, setulosa, sordida, tritaeniata, varinervis.

Microdrosophila: sexsetosa.

Mycodrosophila: biroi, ciliatipes, gratiosa, johni.

↳ Neorhinoleucophenga: kerteszi, quinquelineata, trachyopa, vitripennis.

Neotanystrellus: tricoloripes.

↗ Paraliodrosophila: bipartita, mihalyii.

Paramycodrosophila: costaricana.

Phorticella: multistriata.

\* Pseudocacoxenus: lineatifrons.

↗ Pyrgometopa: penicillata.

Seaptomyza: biradiata, carinata.

Sphaerogastrella: novoguineensis.

Stegana: baechlii, femorata, intermedia, mehadiae, nigrolimbata, nigromarginata, similis, triseta.

Zaprionus: bispinosus, sepsoides, simplicifemur.

Zygothrica: avittata, microstoma, tenuirostris.

#### REFERENCES

BÄCHLI, G. (1982): On the type material of Palearctic species of Drosophilidae (Diptera). Beitr. Ent., 32: 289-301.

WHEELER, M.R. (1963): Notes on the extant types of Dr.O.Duda's Costa Rican Drosophilidae (Diptera). Bull. Brooklyn ent.Soc., 58: 51-61.

Author's address: Dr. Gerhard BÄCHLI  
Zoologisches Museum, Universität Zürich-Irchel  
Winterthurerstr. 190  
CH-8057 Zürich, Schweiz