

CATALOG OF ENTOMOLOGICAL TYPES IN THE BISHOP MUSEUM Diptera: Drosophilidae

Neal L. Evenhuis¹ (1982)

Abstract. Primary types of 547 taxa of Drosophilidae deposited in the Bishop Museum Entomological Type Collection are listed. An account of the holdings of Drosophilidae in the general collection of the Bishop Museum is also presented.

This catalog records the primary types of 547 taxa of Drosophilidae in 42 genera and subgenera deposited in the Bishop Museum Entomological Type Collection (BPBM). Of these, 536 are holotypes, 1 is a lectotype, 3 are represented by syntype series and 7 are represented by allotypes only. Type depositories for certain primary types associated with BPBM type material include the British Museum (Natural History), London (BMNH) and the United States National Museum of Natural History, Washington, D.C. (USNM). This information is included in the remarks section under each taxon concerned. All but 109 of the types listed here are from the Hawaiian Islands, mostly described by Hardy (1965, 1966, 1969, 1977, 1978) or Hardy & Kaneshiro (1968, 1969, 1971, 1972, 1975, 1979). The remainder of the type material derives from Papua New Guinea (48), Samoa (18), Philippines (13), Marquesas (10), Irian Jaya (9), Malaysia (6), Thailand (3), Micronesia (2), Solomon Is (2), Tahiti (1), and Christmas I (Indian Ocean) (1). Specific epithets in *Drosophila* species listed herein were checked with lists in Wheeler (1959) and Wheeler & Hamilton (1972) for possible homonymies. Previously published new names for junior homonyms are recorded in the remarks section in the Species-Group Entries under each junior homonym involved, but are not recorded in the Genus-Group Inventory. The format used in this catalog is explained in Radovsky et al. (1976).

The Drosophilidae in the general collection of the Bishop Museum number approximately 70,000 specimens consisting mainly of pinned adults deriving from the following localities: Australia (500), Borneo (5500), China (1200), Cook Is (75), Fiji (2500), Hawaiian Is (8000), Hong Kong (750), India (20), Japan (13), Java (700), Laos (85), Malaya (1500), Micronesia (4500), Nepal (76), New Caledonia (3000), New Guinea (14,000), Philippines (10,300), Ryukyus (750), Samoa (4250), Society Is (2000), Solomon Is (5500), Taiwan (930), Thailand (585), Tokelaus (700), Vanuatu (4300), Vietnam (1630), North and South America (233), and miscellaneous localities (17). Most of the material identified is from the Hawaiian Is (5000), Micronesia (3000), and New Guinea (550). Other localities with specimens identified to species level include Fiji

1. Department of Entomology, Bishop Museum, P.O. Box 19000-A, Honolulu, Hawaii 96819, USA.

(3), Ryukyus (72), Samoa (100), Society Is (120), and Taiwan (85). The remainder of the material is not yet sorted to genera. Specimens preserved in alcohol comprise approximately 280 adults from Micronesia, New Guinea and Japan.

SPECIES-GROUP ENTRIES

Family DROSOPHILIDAE

| | | |
|---|------------|-------|
| aberrans Hardy, <i>Scaptomyza (Alloscaptomyza)</i> | HOLOTYPE ♂ | 6484 |
| 1965 <i>Insects of Hawaii</i> 12: 578–79 Fig. 239a–b | pin | |
| HAWAIIAN IS: Molokai I: Waikolu 18.XII.1925 E.H. Bryan, Jr | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6484a on pin. | | |
| ajuncta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6284 |
| 1965 <i>Insects of Hawaii</i> 12: 130–32 Fig. 21a–c | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line 1375 m 19.III.1932 O. Bryant | | |
| Left front and hind legs missing beyond coxae; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6284a on pin. | | |
| abrupta Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6615 |
| 1959 <i>Acta Zool. Fennica</i> 97: 37 Fig. 6 | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater VI.1952 D.E. Hardy | | |
| acanthostoma Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8924 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 244–47 Fig. 31a–d | pin | |
| HAWAIIAN IS: Hawaii I: Forest above Paauilo 980 m 24.VIII.1965 K.Y. Kaneshiro | | |
| On trunk of <i>Myrica faya</i> | | |
| ALLOTYPE ♀ 8924a on pin. | | |
| achyla Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11256 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 195–97 Fig. 1 | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m 1.X.1964 H.T. Spieth [S27] | | |
| ALLOTYPE ♀ 11256a on pin. | | |
| acronastes Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6500 |
| 1965 <i>Insects of Hawaii</i> 12: 644–45 Fig. 264a–b | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala 914–1220 m IV.1953 D.E. Hardy | | |
| Near the summit | | |
| Head, legs beyond coxae, left wing, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| acrostichalis Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6285 |
| 1965 <i>Insects of Hawaii</i> 12: 132–33 Fig. 22a–b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1925 m VIII.1952 W.C. Mitchell | | |
| adiastola Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6286 |
| 1965 <i>Insects of Hawaii</i> 12: 134–36 Fig. 23a–c | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line 1281 m VII.1956 D.E. Hardy | | |
| ALLOTYPE ♀ 6286a on pin. | | |
| adunca Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6501 |
| 1965 <i>Insects of Hawaii</i> 12: 646 Fig. 265a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kaula Gulch: Keanakolu 2130 m 29.X.1952 C.P. Hoyt | | |
| Abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6501a on pin. | | |
| aduncus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6274 |
| 1965 <i>Insects of Hawaii</i> 12: 44–46 Fig. 7a–e | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line 11.VI.1927 O.H. Swezey | | |
| Third antennal segments missing; left wing torn on posterior margin; right wing torn at costa near base; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |

| | | |
|--|------------|-------|
| adventitia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6287 |
| 1965 <i>Insects of Hawaii</i> 12: 136-38 Fig. 24a-b | pin | |
| HAWAIIAN IS: Kauai I: Poomau Val 914 m VII.1952 D.E. Hardy | | |
| Left and right wings torn near humeral crossvein. | | |
| aenicta Hardy, <i>Nudidrosophila</i> | HOLOTYPE ♂ | 11268 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 27-31 Fig. 14a, c, e, g-h | pin | |
| HAWAIIAN IS: Oahu I: Kawainui 20.VI.1964 M.R. Wheeler | | |
| ALLOTYPE ♀ 11268a on pin. | | |
| aethostoma Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8925 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 247-50 Fig. 32a-f | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1220 m 22.VI.1966 K.Y. Kaneshiro G84B | | |
| On limbs of <i>Clermontia</i> | | |
| Right wing torn on posterior margin; ALLOTYPE ♀ 8925a on pin. | | |
| affinicuspidata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6502 |
| 1965 <i>Insects of Hawaii</i> 12: 646-48 Fig. 266a-d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VIII.1958 D.E. Hardy | | |
| In banana bait trap | | |
| Right hind leg, extreme posterodistal portion of right wing, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6502a on pin. | | |
| affinidisjuncta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11607 |
| 1978b <i>Am. Midland Nat.</i> 99: 350-51 | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui 914 m 26-28.IX.1973 H.L. Carson S36G1 | | |
| Holotype, allotype and 50 paratypes from culture, original ♀ collected at above locality; ALLOTYPE ♀ 11607a on pin. | | |
| agitona Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6288 |
| 1965 <i>Insects of Hawaii</i> 12: 138-40 Fig. 25 | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1098 m VII.1952 D.E. Hardy | | |
| aglaia Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6289 |
| 1965 <i>Insects of Hawaii</i> 12: 140-41 Fig. 26a-b | pin | |
| In banana bait trap | | |
| albifasciata Okada, <i>Hypselothyreia</i> | HOLOTYPE ♂ | 11928 |
| 1980 <i>Kontyû</i> 48: 506-07 Fig. 6, 21-22 | pin | |
| MALAYSIA: SARAWAK: Pajang Delta: Sarikei Distr 15-25.VII.1950 T.C. Maa | | |
| ALLOTYPE ♀ 11928a on pin. | | |
| albifacies Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6290 |
| 1965 <i>Insects of Hawaii</i> 12: 141-42 Fig. 27a-c | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| Left antennal arista broken off. | | |
| albinotata Okada, <i>Stegana (Pseudostegana)</i> | HOLOTYPE ♂ | 11924 |
| 1982 <i>Pac. Insects</i> 24(1): 44 Fig. 2c, 4j-l | pin | |
| PHILIPPINES: Luzon I: Nueva Vizcaya Prov: W of Imugan 11.IV.1968 D.E. Hardy | | |
| albovittata Malloch, <i>Tantalia</i> | HOLOTYPE ♂ | 2714 |
| 1938 <i>Proc. Hawaii. Entomol. Soc.</i> 10(1): 53-54 | | |
| HAWAIIAN IS: Oahu I: Waiahole 28.III.1915 O.H. Swezey | | |
| Type label handwritten with "Tantalea albovittata Malloch"; ALLOTYPE ♀ not found in Bishop collection. | | |
| alocasiae Okada & Carson, <i>Styloptera</i> | HOLOTYPE ♂ | 11823 |
| 1980 <i>Pac. Insects</i> 22(3-4): 229 Fig. 5d-h | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 22.VIII.1977 H.L. Carson | | |
| Ex flowers of <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11823a on pin. | | |

| | | |
|---|------------|-------|
| aloha Hackman, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6616 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 35–36 Fig. 7 | pin | |
| HAWAIIAN IS: Molokai I: Puu Alii 1281 m VII.1953 M. Tamashiro | | |
| Left hind leg beyond coxa and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. ALLOTYPE ♀ 6616a on pin. | | |
| alpiniae Okada & Carson, Drosophila (Drosophila) | HOLOTYPE ♂ | 11822 |
| 1980 <i>Pac. Insects</i> 22 (3–4): 228 Fig. 4i–k | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900–2300 m VIII–IX.1977 H.L. Carson | | |
| Ex flowers of <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11822a on pin. | | |
| alsophila Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9326 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 165–66 Fig. 9a–b | pin | |
| HAWAIIAN IS: Hawaii I: NE slope of Mauna Kea: [Laupahoehoe:]Laupahoehoe Stream 763 m 6.I.1970 K.Y. Kaneshiro | | |
| Rain forest | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| ambochila Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9327 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 166–67 Fig. 10a–b | pin | |
| HAWAIIAN IS: Oahu I: Waianae Mts: Gulch between Puu Hapapa and Puu Kanehoa 2–14.II.1970 S.L. Montgomery | | |
| Apical ½ of left antennal arista broken off; type label data cites collection date as 14.II.1970. | | |
| amita Hardy, Nudidrosophila | HOLOTYPE ♂ | 6480 |
| 1965 <i>Insects of Hawaii</i> 12 : 565–67 Fig. 235a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea 27.VI.1917 O.H. Swezey | | |
| ALLOTYPE ♀ 6480a on pin. | | |
| amplilobus Hardy, Drosophila | HOLOTYPE ♂ | 11257 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 197–200 Fig. 2a–f | pin | |
| HAWAIIAN IS: Kauai I: Halemanu Val [1220 m] III.1965 K. Kaneshiro | | |
| Holotype, allotype and 17 paratypes from laboratory culture WH47.1. Original stock for culture obtained from the above location; ALLOTYPE ♀ 11257a on pin. | | |
| amydrospilota Hardy, Drosophila | HOLOTYPE ♂ | 6291 |
| 1965 <i>Insects of Hawaii</i> 12 : 143–45 Fig. 28a–d | pin | |
| HAWAIIAN IS: Maui I: Haleakala 458–609 m [no further data] | | |
| Genitalia in microvial mounted below specimen <i>not</i> from holotype; type label data cites altitude as “1500 ft,” published data is “1500–2000 ft.” | | |
| ancyla Hardy, Drosophila | HOLOTYPE ♂ | 6292 |
| 1965 <i>Insects of Hawaii</i> 12 : 145–46 Fig. 29a–c | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1958 D.E. Hardy | | |
| Right 3rd antennal segment missing; right wing torn on posterior margin; ALLOTYPE ♀ 6292a on pin. | | |
| anechocerca Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6503 |
| 1965 <i>Insects of Hawaii</i> 12 : 648–49 Fig. 267a–b | pin | |
| HAWAIIAN IS: Kauai I: Kalalau Lookout 1220 m VIII.1953 D.E. Hardy | | |
| Small portion of posterior margin of right wing torn off; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| anomala Hardy, Scaptomyza (Bunostoma) | HOLOTYPE ♂ | 6488 |
| 1965 <i>Insects of Hawaii</i> 12 : 591–93 Fig. 246a–c | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1098 m VII.1952 D.E. Hardy | | |
| Left front, hind and right mid legs beyond coxae, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6488a on pin. | | |
| anoplostoma Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8926 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 250–51 Fig. 33a–c | pin | |
| HAWAIIAN IS: Maui I: Auwahi 1129 m 25.VII.1966 H.L. Carson J10G | | |
| ALLOTYPE ♀ 8926a on pin. | | |

| | | |
|--|------------|-------|
| anthrax Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6293 |
| 1965 <i>Insects of Hawaii</i> 12 : 148-50 Fig. 31a-b | pin | |
| HAWAIIAN IS: Molokai I: Manawainui [Val] VII.1952 D.E. Hardy | | |
| apicalis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11035 |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79 : 93-94 Fig. 23 | pin | |
| HAWAIIAN IS: Maui I: Auwahi 1040 m 11.VII.1974 K.Y. Kaneshiro | | |
| ALLOTYPE ♀ 11035a on pin. | | |
| apicigutulla Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6504 |
| 1965 <i>Insects of Hawaii</i> 12 : 649-51 Fig. 268a-c | pin | |
| HAWAIIAN IS: Hawaii I: Hualalai: [N slope] ca. 1525 m VII.1953 D.E. Hardy | | |
| Holotype glued to minutens, head and body collapsed; abdomen gone; genitalia in microvial mounted below specimen; type label data cites altitude as "4-6000"; ALLOTYPE ♀ 6504a on pin. | | |
| apicipuncta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6294 |
| 1965 <i>Insects of Hawaii</i> 12 : 150-52 Fig. 32a-d | pin | |
| HAWAIIAN IS: Hawaii I: upper Hamakua Ditch Trail 10.IV.1929 O.H. Swezey | | |
| On miscellaneous ferns | | |
| ALLOTYPE ♀ 6294a; allotype with pupal exuvium pinned below specimen. | | |
| apicisetae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6295 |
| 1965 <i>Insects of Hawaii</i> 12 : 152-54 Fig. 33a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kalaukauka 1677 m X.1952 D.E. Hardy | | |
| apodasta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6296 |
| 1965 <i>Insects of Hawaii</i> 12 : 154-56 Fig. 34a-b | pin | |
| HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1375 m VIII.1953 D.E. Hardy | | |
| Right wing torn at costa; holotype and allotype locality label with Mt Waialeale spelled "Mt Waialeale"; ALLOTYPE ♀ 6296a on pin. | | |
| apoxyloma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6297 |
| 1965 <i>Insects of Hawaii</i> 12 : 156-57 Fig. 35a-e | pin | |
| HAWAIIAN IS: Molokai I: Pepeopae 1220 m VII.1959 D.H. Habbeck | | |
| Hind legs glued to coxae; right wing broken and folded on itself; abdomen missing; genitalia in microvial mounted below specimen; collection label cites date as "30.VII.1959." | | |
| apponopusilla Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6505 |
| 1965 <i>Insects of Hawaii</i> 12 : 651-53 Fig. 269a-b | pin | |
| HAWAIIAN IS: Hawaii I: Keanokolu 1590 m X.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| aproclinata Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11810 |
| 1980 <i>Pac. Insects</i> 22 (3-4): 218-19 Fig. 1a-k | pin | |
| PNG: NEW GUINEA (NE): Perenin Riv: between Bulolo and Lae 227 m | | |
| 30.VIII.1977 H.L. Carson | | |
| Samples of early stages; ex flowers of <i>Alocasia hollrungii</i> | | |
| ALLOTYPE ♀ 11810a on pin. | | |
| aquila Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6298 |
| 1965 <i>Insects of Hawaii</i> 12 : 158-59 Fig. 36a-c | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu; slopes of Mauna Kea 1590 m X.1952 D.E. Hardy | | |
| All legs except right foreleg missing beyond coxae; left wing broken and folded on itself; ALLOTYPE ♀ 6298a on pin. | | |
| araiotrichia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6299 |
| 1965 <i>Insects of Hawaii</i> 12 : 159-61 Fig. 37a-d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6299a on pin. | | |

| | | |
|---|------------|-------|
| arcuatus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6275 |
| 1965 <i>Insects of Hawaii</i> 12 : 47–48. Fig. 8a–d HAWAIIAN IS: Oahu I: Punaluu O.H. Swezey Third antennal segments missing; left fore and both midlegs missing beyond coxae (1 midleg glued to label); right wing missing; left wing torn at apex. | pin | |
| argentea Okada, <i>Eostegana</i> | HOLOTYPE ♂ | 11914 |
| 1982 <i>Pac. Insects</i> 24 (1): 52–53 Fig. 1b, 2a–b PNG: NEW GUINEA (SE): Fly River: Kiunga 8–10.VIII.1957 O. Brandt ALLOTYPE ♀ 11914a on pin. | pin | |
| argentifrons Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6506 |
| 1965 <i>Insects of Hawaii</i> 12 : 653–54 Fig. 269c–e HAWAIIAN IS: Kauai I: Mualolo Val 1040 m VII.1952 D.E. Hardy ALLOTYPE ♀ 6506a on pin. | pin | |
| articulata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6507 |
| 1965 <i>Insects of Hawaii</i> 12 : 654–55 Fig. 270a–b HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy ALLOTYPE ♀ 6507a on pin. | pin | |
| artigena Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6300 |
| 1965 <i>Insects of Hawaii</i> 12 : 161–63 Fig. 38a–b HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VIII.1952 W.C. Mitchell | pin | |
| asketostoma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6301 |
| 1965 <i>Insects of Hawaii</i> 12 : 163–65 Fig. 39a–f HAWAIIAN IS: Maui I: Haleakala [Crater] 2620 m VIII.1956 D.E. Hardy On flowers of silverswords (<i>Argyroxiphium</i>) Left foreleg beyond coxa and left wing missing; ALLOTYPE ♀ 6301a on pin. | pin | |
| assita Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9231 |
| 1969 <i>Univ. Texas Publ.</i> 6918 : 39–41 Fig. 1a–c HAWAIIAN IS: Hawaii I: Southern slopes of Mauna Loa: mountain house above Naalehu 840 m 18–19.XII.1967 H.L. Carson L19 | pin | |
| atrimentum Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9322 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 158–59 Fig. 5a–d HAWAIIAN IS: Oahu I: Makaleha Val 551 m 6.VIII.1969 F. Clayton M63L5 Abdomen collapsed; ALLOTYPE ♀ 9322a on pin. | pin | |
| atroscutellata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11258 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 200–203 Fig. 3a–h HAWAIIAN IS: Kauai I: Malemanu Val 1220 m 28.VIII.1964 H.T. Spieth ALLOTYPE ♀ 11258a on pin. | pin | |
| attenuata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6302 |
| 1965 <i>Insects of Hawaii</i> 12 : 165–66 Fig. 40a HAWAIIAN IS: Hawaii I: Kaiholena Ditch Trail: Kohala Mts 609 m VII.1958 D.E. Hardy Specimen slightly dusted with debris. | pin | |
| attigua Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9232 |
| 1969 <i>Univ. Texas Publ.</i> 6918 : 41 Fig. 2 HAWAIIAN IS: Kauai I: Mt Kahili 760 m 19–20.III.1968 J.P. Murphy L41C12 Collection number incorrectly cited in original publication as "L41C21"; ALLOTYPE ♀ 9232a on pin. | pin | |
| badia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6303 |
| 1965 <i>Insects of Hawaii</i> 12 : 166–68 Fig. 40b–c HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy Type label data cites locality as "Waia'kamoi." | pin | |

| | | |
|---|------------|------|
| balioptera Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6304 |
| 1965 <i>Insects of Hawaii</i> 12: 168-70 Fig. 41a-c HAWAIIAN IS: Maui I: Halehaku 10.VI.1920 E.H. Bryan, Jr Right wing punctured in marginal cell. ALLOTYPE ♂ 6304a on pin. | | pin |
| basiloba Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6508 |
| 1965 <i>Insects of Hawaii</i> 12: 655-57 Fig. 271a-c HAWAIIAN IS: Hawaii I: Pauahi 1302 m VIII.1952 D.E. Hardy In dense treefern jungle Head glued to point; abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6508a on pin. | | pin |
| basimacula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6305 |
| 1965 <i>Insects of Hawaii</i> 12: 170-72 Fig. 42a-d HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1375 m VIII.1953 D.E. Hardy Type label data cites locality as "Mt Waialeale Trail"; ALLOTYPE ♀ 6305a on pin. | | pin |
| basisetae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8896 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 178-80 Fig. 1a-e HAWAIIAN IS: Hawaii I: mountain house above Naalehu 840 m 19.XII.1867 K.Y. Kaneshiro [L19] ALLOTYPE ♀ 8896 on pin. | | pin |
| basisetosa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6306 |
| 1965 <i>Insects of Hawaii</i> 12: 173-74 Fig. 43a-b HAWAIIAN IS: Hawaii I: upper Olao Forest VII.1943 D.E. Hardy | | pin |
| beardsleyi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6307 |
| 1965 <i>Insects of Hawaii</i> 12: 174-75 Fig. 43c-f HAWAIIAN IS: Kauai I: Kokee 27.VIII.1959 J.W. Beardsley Type greasy; left antennal arista broken off; both wings broken and folded over on themselves; abdomen missing beyond 4th segment; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6307a on pin. | | pin |
| bicondyla Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6308 |
| 1965 <i>Insects of Hawaii</i> 12: 176-77 Fig. 44a-b HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy ALLOTYPE ♀ 6308a on pin. | | pin |
| bilobata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6509 |
| 1965 <i>Insects of Hawaii</i> 12: 657-59 Fig. 272a-b HAWAIIAN IS: [Hawaii I]: N slopes of Mauna Kea: Kaula Gulch 2130 m VIII.1952 D.E. Hardy Head, right midleg, and abdomen missing; right foreleg and right wing glued to point; genitalia in microvial mounted below specimen; label data for holotype and allotype incorrectly cites altitude as "70000'," published data is "7000"'; ALLOTYPE ♀ 6509a on pin. | | pin |
| bimaculata Malloch, <i>Upolomyia</i> | HOLOTYPE ♂ | 548 |
| 1934 <i>Insects of Samoa</i> 6(8): 283 [WESTERN] SAMOA: Savaii I: Salailua 23.V.1924 [E.H.] Bryan [Jr] Left wing torn at costa; ALLOTYPE ♀ in BMNH. | | pin |
| bipars Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6510 |
| 1965 <i>Insects of Hawaii</i> 12: 659-60 Fig. 273a-b HAWAIIAN IS: Kauai I: Alakai Swamp 1220 m VIII.1953 D.E. Hardy Both midlegs beyond coxae and entire abdomen missing; genitalia in microvial mounted below specimen. | | pin |
| bipolita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6309 |
| 1965 <i>Insects of Hawaii</i> 12: 177-79 Fig. 44c-e HAWAIIAN IS: Oahu I: Mt Kaala V.1952 M. Tamashiro ALLOTYPE ♀ 6309a on pin. | | pin |

| | | |
|---|------------|--------------|
| biseriata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6310 pin |
| 1965 <i>Insects of Hawaii</i> 12: 179–81 Fig. 45a–d | | |
| HAWAIIAN IS: Oahu I: Manoa Falls VI.1950 N. Morton [3–8] | | |
| ALLOTYPE ♀ 6310a on pin. | | |
| biseriata Malloch, <i>Dicladochaeta</i> | HOLOTYPE ♂ | 2319 pin |
| 1932 <i>B.P. Bishop Mus. Bull.</i> 98: 213 | | |
| MARQUESAS IS: Hivaoa I: Matauuna 1148 m 24.VII.1929 Mumford & Adamson | | |
| [On shrub F No. 497] | | |
| HOLOTYPE ♂ and ALLOTYPE ♀ on same point. | | |
| biseta Malloch, <i>Scaptomyza</i> | HOLOTYPE ♂ | 2322 pin |
| 1932 <i>B.P. Bishop Mus. Bull.</i> 98: 222 | | |
| MARQUESAS IS: Hivaoa I: Matauuna 1129 m 4.III.1930 Mumford & Adamson | | |
| Miscellaneous beating | | |
| Right wing with 2 small holes apically. | | |
| bostrycha Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6311 pin |
| 1965 <i>Insects of Hawaii</i> 12: 182–85 Fig. 47a–d | | |
| HAWAIIAN IS: Molokai I: Wailau Trail 914 m XII.1937 F.X. Williams | | |
| ALLOTYPE ♀ 6311a on pin. | | |
| brachycerca Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6511 pin |
| 1965 <i>Insects of Hawaii</i> 12: 660–62 Fig. 274a–b | | |
| HAWAIIAN IS: Hawaii I: Kaula Gulch 2130 m VIII.1952 D.E. Hardy | | |
| Apex of left wing torn off, abdomen beyond 2nd segment missing; genitalia in microvial | | |
| mounted below specimen; label data incorrectly cite altitude as "70000 ft," published data | | |
| is "7000 ft.;" ALLOTYPE ♀ 6511a on pin. | | |
| brevicilia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6312 pin |
| 1965 <i>Insects of Hawaii</i> 12: 185–86 Fig. 48a–b | | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest VII.1953 D.E. Hardy | | |
| Left foreleg beyond coxa and entire right foreleg missing; right midleg glued to point, tarsi | | |
| broken off; ALLOTYPE ♀ 6312a on pin. | | |
| brevis Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 11930 pin |
| 1981 <i>Kontyû</i> 49: 170–71 Fig. 1i–j | | |
| PHILIPPINES: [Mindanao I]: Misamis Oriental Prov: Mt Empagatao 1050–1200 m 19– | | |
| 30.VI.1961 H. Torrevillas | | |
| ALLOTYPE ♀ 11930a on pin. | | |
| brevissima Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6313 pin |
| 1965 <i>Insects of Hawaii</i> 12: 186–88 Fig. 49a–c | | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1952 M. Tamashiro | | |
| bridwelli Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6314 pin |
| 1965 <i>Insects of Hawaii</i> 12: 189–91 Fig. 51a–e | | |
| HAWAIIAN IS: [Oahu I]: Hauula 2.VIII.1914 [no collector] | | |
| ALLOTYPE ♀ in USNM. | | |
| brunneifrons Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6315 pin |
| 1965 <i>Insects of Hawaii</i> 12: 191–93 Fig. 52a–c | | |
| HAWAIIAN IS: Maui I: Haelaau 914–1525 m 18.XII.1928 E.H. Bryan, Jr | | |
| On <i>Broussaisia</i> and <i>Clermontia arborescens</i> | | |
| ALLOTYPE ♀ 6315a on pin. | | |
| brunneipennis Hardy, <i>Idiomyia</i> | HOLOTYPE ♂ | 6476 pin |
| 1965 <i>Insects of Hawaii</i> 12: 541–43 Fig. 224a–d | | |
| HAWAIIAN IS: Oahu I: Koolau Mts: Puu Kahuauli IV.1952 E. Dresner | | |
| Right 3rd antennal segment missing; left wing torn at costa; abdomen beyond 3rd segment | | |
| missing; genitalia in microvial mounted below specimen; <i>D. nigribasis</i> Hardy, 1969, new | | |
| name for <i>brunneipennis</i> Hardy, not Malloch, 1923. | | |

| | | |
|---|------------|-------|
| brunneisetae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6316 |
| 1965 <i>Insects of Hawaii</i> 12 : 193-95 Fig. 53a-b | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui ca. 1220 m VI.1953 D.E. Hardy | | |
| Type label data cites altitude as "3000'-4500'"; published data is "circa 4000'"; ALLOTYPE ♀ 6316a on pin. | | |
| brunnimaculata Hardy, <i>Scaptomyza (Tantalia)</i> | HOLOTYPE ♂ | 6495 |
| 1965 <i>Insects of Hawaii</i> 12 : 620-22 Fig. 261a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu O Kaeha 1129 m VII.1953 D.E. Hardy | | |
| Right wing split longitudinally along cubital vein; ALLOTYPE ♀ 6495a on pin. | | |
| bryani Malloch, <i>Drosophila</i> | HOLOTYPE ♂ | 553 |
| 1934 <i>Insects of Samoa</i> 6 (8): 310 | pin | |
| [WESTERN] SAMOA: Savaii I: Safune 12.V.1924 [E.H.] Bryan, [Jr] | | |
| Abdomen missing; ALLOTYPE ♀ not found in collection. | | |
| bryani Wirth, <i>Titanochaeta</i> | HOLOTYPE ♀ | 4244 |
| 1952 <i>Proc. Hawaii. Entomol. Soc.</i> 14 : 417 | pin | |
| HAWAIIAN IS: Oahu I: Manoa [no date] O.H. Swezey | | |
| Ex spider eggs | | |
| Pupal exuvium on point with type; ALLOTYPE 4244a on pin. | | |
| bryanti Hackman, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6614 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 48 Fig. 29 | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line 1400-1500 m 19.IV.1932 O. Bryant | | |
| Abdomen beyond 2nd segment missing; genitalia mounted on plastic point below specimen; label data cites altitude as "4500-5000 feet." | | |
| buccata Hackman, <i>Scaptomyza (Alloscaptomyza)</i> | HOLOTYPE ♂ | 6610 |
| 1962 <i>Nat. Entomol.</i> 42 : 39-40 Fig. 5, 21-22 | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater 2000 m VI.1953 C.R. Joyce | | |
| Head, and abdomen beyond 3rd segment missing; genitalia mounted on plastic point below specimen. | | |
| caccabata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6317 |
| 1965 <i>Insects of Hawaii</i> 12 : 196-98 Fig. 55a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 M. Tamashiro | | |
| Small hole in middle of left wing. | | |
| caliginosa , Hardy, <i>Scaptomyza (Exalloscaptomyza)</i> | HOLOTYPE ♂ | 11269 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 233-34 Fig. 15a-c | pin | |
| HAWAIIAN IS: Hawaii I: Hamakua Coast: nr Honokaa 300 m 29.VIII.1963 D.E. Hardy | | |
| In morning glory flowers | | |
| ALLOTYPE ♀ 11269a on pin. | | |
| campanularia Okada, <i>Stegana (Pseudostegana)</i> | HOLOTYPE ♂ | 11920 |
| 1982 <i>Pac. Insects</i> 24 (1): 40-41 Fig. 1b, 3d-f | pin | |
| PHILIPPINES: Mindanao I: Misamis Oriental Prov: Mt Ponalini 800-1000 m | | |
| 9.X.1965 Torrevillas | | |
| campotochaites Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6512 |
| 1965 <i>Insects of Hawaii</i> 12 : 662-63 Fig. 275a-c | pin | |
| HAWAIIAN IS: Oahu I: Konahuanui 800-914 m 9.IV.1943 E.C. Zimmerman | | |
| Beating shrubbery | | |
| Abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen; label data cites collection date as 9.V.1943. | | |
| canipolita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6318 |
| 1965 <i>Insects of Hawaii</i> 12 : 19-200 Fig. 56a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole [1098 m] VII.1953 D.E. Hardy | | |
| Right wing missing; ALLOTYPE ♀ 6318a on pin. | | |

| | | |
|---|------------|-------|
| canuta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6319 |
| 1965 <i>Insects of Hawaii</i> 12: 200–02 Fig. 56a–d | pin | |
| HAWAIIAN IS: Hawaii I: Kauai 1220 m [no further data] | | |
| Left wing torn in several places on posterior margin; posteroapical portion of right wing torn off, posterior margin torn; abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |
| capitata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6320 |
| 1965 <i>Insects of Hawaii</i> 12: 202–04 Fig. 58a–b | pin | |
| HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1375 m VIII.1953 D.E. Hardy | | |
| Right 3rd antennal segment missing; type label data cites locality as "Mt. Waialeale Trail." | | |
| carnosa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6321 |
| 1965 <i>Insects of Hawaii</i> 12: 204–06 Fig. 59a–c | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1952 D.E. Hardy | | |
| ceratostoma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11259 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 203–05 Fig. 4a, c–f | pin | |
| HAWAIIAN IS: Hawaii I: Hawaii National Park: Kilauea: Kipuka Ki 12.IX.1964 H.T. Spieth | | |
| Small piece torn off of posteroapical portion of both wings; left wing with small hole in distal portion of marginal cell; no collection label data found with holotype; ALLOTYPE ♀ 11259a on pin. | | |
| cerina Hardy, <i>Scaptomyza (Alloscaptomyza)</i> | HOLOTYPE ♂ | 6485 |
| 1965 <i>Insects of Hawaii</i> 12: 581–83 Fig. 241a–b | pin | |
| HAWAIIAN IS: Molokai I: Maunahui VII.1952 D.E. Hardy | | |
| Abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6485a on pin. | | |
| chaetocephala Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11575 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23: 76–77 Fig. 5a–d | pin | |
| HAWAIIAN IS: Oahu I: Wiliwilinui Ridge 5.IV.1966 K.Y. Kaneshiro | | |
| ALLOTYPE ♀ 11575a on pin. | | |
| chaetopeza Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6322 |
| 1965 <i>Insects of Hawaii</i> 12: 206–07 Fig. 60a–c | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| chauliodon Hardy, <i>Titanochaeta</i> | HOLOTYPE ♂ | 6575 |
| 1965 <i>Insects of Hawaii</i> 12: 778–80 Fig. 344a–e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 R. Namba | | |
| Abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; type label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6575a on pin. | | |
| ciliaticrus Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6323 |
| 1965 <i>Insects of Hawaii</i> 12: 207–09 Fig. 61a–e | pin | |
| HAWAIIAN IS: Hawaii I: Kaiholena Ridge 700 m VIII.1952 D.E. Hardy | | |
| Sweeping in dense treefern jungle | | |
| Left midleg missing; ALLOTYPE ♀ 6323a on pin. | | |
| cilifemorata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6324 |
| 1965 <i>Insects of Hawaii</i> 12: 209–11 Fig. 62a–d | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui ca. 1220 m VI.1953 D.E. Hardy | | |
| Apical portion of right antennal arista broken off; abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; type label data cites altitude as "3000'–4500"'; published data is "circa 4000"'; ALLOTYPE ♀ 6324a on pin. | | |
| cilifera Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8922 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 237–40 Fig. 28a–e | pin | |
| HAWAIIAN IS: Molokai I: Kawela intake 1098 m 17.XI.1964 H.T. Spieth [S30] | | |
| ALLOTYPE ♀ 8922a on pin. | | |

| | | |
|---|------------|-------|
| clavata Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 12097 |
| 1981 <i>Kontyû</i> 49: 171 Fig. 2a-b | pin | |
| PNG: NEW GUINEA (NE): Bulolo 2-18.IX.1977 T. Okada | | |
| ALLOTYPE ♀ 11935a on pin. | | |
| clavata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6325 |
| 1965 <i>Insects of Hawaii</i> 12: 211-13 Fig. 63a-b | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1949 G.B. Mainland | | |
| clavisetae Hardy, <i>Idiomyia</i> | HOLOTYPE ♂ | 11265 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 219-22 Fig. 11a-f | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m 1.X.1964 H.T. Spieth | | |
| Left wing torn on posterior margin; ALLOTYPE ♀ 11265a on pin. | | |
| clavitibia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6326 |
| 1965 <i>Insects of Hawaii</i> 12: 213-14 Fig. 63c-e | pin | |
| HAWAIIAN IS: Molokai I: Manawainui Val VII.1952 D.E. Hardy | | |
| Left wing broken off and glued to point; ALLOTYPE ♀ 6326a on pin. | | |
| claytonae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9233 |
| 1969 <i>Univ. Texas Publ.</i> 6918: 41-42 Fig. 3a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m 8-9.VII.1968 F.E. Clayton L89L1 | | |
| F ₁ generation | | |
| ALLOTYPE ♀ 9233a on pin. | | |
| clydonia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6327 |
| 1965 <i>Insects of Hawaii</i> 12: 214-16 Fig. 64a-f | pin | |
| HAWAIIAN IS: Maui I: Haleakala 609 m [no further data] | | |
| ALLOTYPE ♀ 6327a on pin. | | |
| cneocoleura Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6328 |
| 1965 <i>Insects of Hawaii</i> 12: 216-18 Fig. 65a | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| In light trap | | |
| Left midtarsi missing. | | |
| cneocosoma Hardy, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6489 |
| 1965 <i>Insects of Hawaii</i> 12: 594-96 Fig. 249a-b | pin | |
| HAWAIIAN IS: Oahu I: nr Waimanalo V.1952 D.E. Hardy | | |
| Abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6489a | | |
| on pin; no label data found with allotype other than type label. | | |
| comatifemora Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6329 |
| 1965 <i>Insects of Hawaii</i> 12: 218-19 Fig. 65b-d | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 R. Namba | | |
| Left hind leg beyond femur, and abdomen beyond 4th segment missing; genitalia in mi- | | |
| crovial mounted below specimen; type label cites locality as "Waikamoi"; ALLOTYPE ♀ | | |
| 6329a on pin. | | |
| concinna Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6513 |
| 1965 <i>Insects of Hawaii</i> 12: 663-65 Fig. 276a-b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Left hind leg beyond coxa, left wing, and abdomen missing; right wing on minuton with | | |
| type; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6513a on pin. | | |
| conformis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6330 |
| 1965 <i>Insects of Hawaii</i> 12: 219-21 Fig. 66a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest VII.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6330a on pin. | | |
| confusa Hardy, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6490 |
| 1965 <i>Insects of Hawaii</i> 12: 597 Fig. 249a-b | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui 914-1375 m VI.1953 D.E. Hardy | | |
| Left fore and hind legs beyond coxae, and abdomen beyond 2nd segment missing; genitalia | | |
| in microvial mounted below specimen. | | |

| | | | |
|--|--|------------|-------|
| confutata Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6331 |
| 1965 <i>Insects of Hawaii</i> 12: 221–23 Fig. 67a–c | | pin | |
| HAWAIIAN IS: Oahu I: "Bridwell collection" [no further data] | | | |
| Right hind leg beyond coxae missing; ALLOTYPE ♀ in USNM. | | | |
| conjectura Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6332 |
| 1965 <i>Insects of Hawaii</i> 12: 223–24 Fig. 67d–e | | pin | |
| HAWAIIAN IS: Molokai I: Manawainui Val [VII].1952 D.E. Hardy | | | |
| connata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6514 |
| 1965 <i>Insects of Hawaii</i> 12: 665–66 Fig. 277a–c | | pin | |
| HAWAIIAN IS: Kauai I: Kalalau Lookout 1220 m VIII.1963 D.E. Hardy | | | |
| Right hind leg beyond coxa, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6514a on pin. | | | |
| contestata Hardy, <i>Titanochaeta</i> | | HOLOTYPE ♂ | 11275 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 240–44 Fig. 19a–g | | pin | |
| HAWAIIAN IS: Oahu I: Mt Tantalus 19.XI.1963 M.R. Wheeler | | | |
| Left hind leg beyond femur missing; original description cites collection date as 19.V.1963; ALLOTYPE ♀ 11275a on pin. | | | |
| contorta Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6333 |
| 1965 <i>Insects of Hawaii</i> 12: 226–27 Fig. 69a–b | | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | | |
| Type label data cites locality as "Waikamoi." | | | |
| convergens Malloch, <i>Hopkinsomyia</i> | | ALLOTYPE ♂ | 550A |
| 1934 <i>Insects of Samoa</i> 6(8): 289–91 Fig. 9 | | pin | |
| [WESTERN] SAMOA: Savaii I: Safuna [1000–2000 m] 11.V.1924 [E.H.] Bryan, [Jr] | | | |
| [Lower forest] | | | |
| HOLOTYPE in BMNH. | | | |
| cornuta Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6515 |
| 1965 <i>Insects of Hawaii</i> 12: 666–68 Fig. 278a–c | | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | | |
| Right foreleg glued to point; right midleg glued to right wing; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6515a on pin. | | | |
| cornutitarsus Hardy & Kaneshiro, <i>Drosophila</i> | | HOLOTYPE ♂ | 11576 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23: 78 Fig. 8a–b | | pin | |
| HAWAIIAN IS: Maui I: Hana Forest Res: Kawaipapa Gulch 14.XII.1971 S.L. Montgomery | | | |
| Reared ex <i>Tetraplasandra</i> leaves | | | |
| ALLOTYPE ♀ 11576a on pin. | | | |
| cracens Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6334 |
| 1965 <i>Insects of Hawaii</i> 12: 227–29 Fig. 69c–d | | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | | |
| ALLOTYPE ♀ 6334a on pin. | | | |
| cryptoloba Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6516 |
| 1965 <i>Insects of Hawaii</i> 12: 668–70 Fig. 279a–b | | pin | |
| HAWAIIAN IS: Oahu I: Mt Tantalus V.1949 D.E. Hardy | | | |
| Left wing torn at costa; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | | |
| ctenophora Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6517 |
| 1965 <i>Insects of Hawaii</i> 12: 670–71 Fig. 280a–c | | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VIII.1958 D.E. Hardy | | | |
| Head, right hind leg beyond coxa, and abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6517a on pin though deposition in BPBM not specified in text. | | | |

| | | |
|---|---------------|-------|
| curticilia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6335 |
| 1965 <i>Insects of Hawaii</i> 12 : 232-34 Fig. 72a-c | pin | |
| HAWAIIAN IS: Maui I: Makamakaole Val VI.1953 D.E. Hardy | | |
| curvata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11033 |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79 : 92 Fig. 5, 17 | pin | |
| HAWAIIAN IS: Maui I: Kipahulu Val 945 m 5-10.VIII.1961 K.Y. Kaneshiro | | |
| Anterodistal 1/2 of left wing torn off; right wing with 2 small holes, torn at distal portion of costa. | | |
| curvitibia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6336 |
| 1965 <i>Insects of Hawaii</i> 12 : 234-36 Fig. 73a-d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VI.1952 M. Tamashiro | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| cuspidata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6518 |
| 1965 <i>Insects of Hawaii</i> 12 : 671-73 Fig. 281a-c | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6518a on pin. | | |
| cyrtandrae Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6519 |
| 1965 <i>Insects of Hawaii</i> 12 : 673-74 Fig. 282a-d | pin | |
| HAWAIIAN IS: Hawaii I: Napau Crater 884 m VII.1956 D.E. Hardy | | |
| ALLOTYPE ♀ 6519a on pin. | | |
| cyrtoloma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11201 |
| 1969 <i>Univ. Texas Publ.</i> 6918 : 73-75 Fig. 1a-b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 28-29.VI.1968 S.K. Ochikuho L86 | | |
| [Dissected by F. Clayton ♂ #3] | | |
| Left 3rd antennal segment missing; ALLOTYPE ♀ 11201a on pin. | | |
| dasynemia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6337 |
| 1965 <i>Insects of Hawaii</i> 12 : 236-38 Fig. 74a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest VIII.1952 D.E. Hardy | | |
| decepta Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6520 |
| 1965 <i>Insects of Hawaii</i> 12 : 675-76 Fig. 283a-b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| Right antennal arista broken off; abdomen missing; genitalia in microvial mounted below specimen; type label data cites locality as "Waikamoi." | | |
| deltaneuron Bryan, <i>Drosophila</i> | 2 SYNTYPES ♂♀ | 818 |
| 1938 <i>Proc. Hawaii. Entomol. Soc.</i> 10 : 40-41 | pin | |
| HAWAIIAN IS: Oahu I: Lulumahu Val 2.V.1937 F.X. Williams | | |
| In and near a banana grove | | |
| Male and female syntypes mounted on same point. | | |
| deludens Hardy, <i>Scaptomyza (Exalloscaptomyza)</i> | HOLOTYPE ♂ | 11270 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 234-35 Fig. 15d-e | pin | |
| HAWAIIAN IS: Hawaii I: North Kona: Holualoa 22.IV.1944 N.L.H. Krauss | | |
| Right 3rd antennal segment missing; right wing broken near base, repaired with glue on costa; ALLOTYPE ♀ 11270a on pin. | | |
| demipolita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6338 |
| 1965 <i>Insects of Hawaii</i> 12 : 239-41 Fig. 76a-d | pin | |
| HAWAIIAN IS: Hawaii I: 5 mi [8 km] SW [of] Honakaa VIII.1952 D.E. Hardy | | |
| Abdomen collapsed; ALLOTYPE ♀ 6338a on pin. | | |
| denotata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6339 |
| 1965 <i>Insects of Hawaii</i> 12 : 241-42 Fig. 77a-d | pin | |
| HAWAIIAN IS: Oahu I: Poamoho Trail X.1953 E.J. Ford | | |
| Bred from fungus | | |
| ALLOTYPE 6339a on pin. | | |

| | | |
|---|------------|-------|
| dentata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6521 |
| 1965 <i>Insects of Hawaii</i> 12: 676–77 Fig. 284a–b | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1160 m VII.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| devexa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6522 |
| 1965 <i>Insects of Hawaii</i> 12: 677–79 Fig. 285a–b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Right hind leg beyond coxa, and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6522a on pin. | | |
| diamphidia Hardy, <i>Ateledrosophila</i> | HOLOTYPE ♂ | 6281 |
| 1965 <i>Insects of Hawaii</i> 12: 63–64 Fig. 16a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Kaiholena: Ditch Trail 609 m VII.1958 D.E. Hardy | | |
| In Banana thicket | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| diamphidiopodus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6276 |
| 1965 <i>Insects of Hawaii</i> 12: 50–52 Fig. 10a–d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1100 m VII.1953 D.E. Hardy | | |
| Left foreleg beyond coxa missing; ALLOTYPE ♀ 6276a on pin. | | |
| diaphorocerca Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6523 |
| 1965 <i>Insects of Hawaii</i> 12: 679–80 Fig. 286a–b | pin | |
| HAWAIIAN IS: Molokai I: Hanalilolilo 1220 m VIII.1953 D.E. Hardy | | |
| Left fore leg glued to point; right hind leg glued to abdomen; posterobasal portion of left wing torn off; right wing glued to point; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6523a on pin. | | |
| dicropeza Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11577 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23: 79 Fig. 10a–b | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Kehena Ditch Trail 1220 m 23.VII.1969 W.B. Heed | | |
| Rearred ex <i>Pelea</i> leaves | | |
| ALLOTYPE ♀ 11577a on pin. | | |
| differens Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 10081 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22: 57–58 Fig. 1a | pin | |
| HAWAIIAN IS: Molokai I: S Hanalilolilo 12.II.1972 S.L. Montgomery & H.L. Carson [Rearred] ex <i>Clermontia</i> stem | | |
| ALLOTYPE ♀ 10081a on pin. | | |
| diffusa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6340 |
| 1965 <i>Insects of Hawaii</i> 12: 242–44 Fig. 78a–b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| Type label data cites locality as "Waikamoi." | | |
| digressa Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8897 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 180–82 Fig. 2a–e | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea: Bird Park 24.VIII.1965 K.Y. Kaneshiro | | |
| Apical ½ of right antennal arista broken off; right mid leg beyond coxa missing; apical portion of left wing torn off; ALLOTYPE ♀ 8897a on pin. | | |
| diminuens Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6341 |
| 1965 <i>Insects of Hawaii</i> 12: 244–45 Fig. 79a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea 22.IV.1920 O.H. Swezey | | |
| Hind legs missing; small piece of anterior portion of wing torn off; right wing broken and folded on itself. | | |
| discreta Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8898 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 182–86 Fig. 3a–f | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1.II.1964 H.T. Spieth S27.5 | | |
| Posterior margin of right wing torn off in several places; ALLOTYPE ♀ 8898a on pin. | | |

| | | |
|--|------------|-------|
| disjuncta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6342 |
| 1965 <i>Insects of Hawaii</i> 12: 245-48 Fig. 80a-d | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1959 D.E. Hardy | | |
| In banana bait trap | | |
| Abdomen beyond 5th segment missing; genitalia in microvial mounted below specimen. | | |
| dissita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6343 |
| 1965 <i>Insects of Hawaii</i> 12: 248-49 Fig. 81a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest 1220 m VII.1956 D.E. Hardy | | |
| disticha Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6344 |
| 1965 <i>Insects of Hawaii</i> 12: 249-52 Fig. 82a-c | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| In rain forest | | |
| Type label data cite locality as "Waikamoi"; <i>D. waddingtoni</i> Basden, 1976, new name for <i>disticha</i> Hardy, 1965, not Duda, 1921. | | |
| distinguenda Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6345 |
| 1965 <i>Insects of Hawaii</i> 12: 252-53 Fig. 83a-b | pin | |
| HAWAIIAN IS: Oahu I: Makalaha Val VI.1952 L.D. Tuthill | | |
| Apical ½ of left arista broken off; right wing with small portion torn off on posterior margin of axillary cell; type label data cites locality as "Makaleha Val." | | |
| divaricata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9318 |
| 1971 <i>Univ. Texas Publ.</i> 7103: 151-53 Fig. 1a-d | pin | |
| HAWAIIAN IS: Oahu I: Makalaha Val 551 m 26.IV.1969 A.H. Kuniyuki M39R23 | | |
| Reared from F ₁ progeny of iso-female | | |
| Right 3rd antennal segment missing. | | |
| dolichotarsis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11260 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 206-08 Fig. 5b-g | pin | |
| HAWAIIAN IS: Maui I: Waikamoi VII.1964 H.L. Carson [C104.47] | | |
| Right 3rd antennal segment missing; abdomen compressed laterally. | | |
| dolomata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6346 |
| 1965 <i>Insects of Hawaii</i> 12: 253-54 Fig. 83c-d | pin | |
| HAWAIIAN IS: Oahu I: Manoa Val II.1952 D.E. Hardy | | |
| Apical ½ of left antennal arista broken off. | | |
| domita Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6524 |
| 1965 <i>Insects of Hawaii</i> 12: 681-82 Fig. 287a-c | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line [1375-1525 m] 15.III.1932 O. Bryant | | |
| Abdomen beyond 1st segment missing, genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6524a on pin. | | |
| dorsigera Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6347 |
| 1965 <i>Insects of Hawaii</i> 12: 254-56 Fig. 84a-b | pin | |
| HAWAIIAN IS: Oahu I: Halawa Trail V.1951 M. Tamashiro | | |
| Abdomen missing; genitalia in microvial mounted below specimen; type label data cites date as "13.V.1951." | | |
| dorsociliata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6348 |
| 1965 <i>Insects of Hawaii</i> 12: 256-58 Fig. 85a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Alii 1281 m VII.1954 D.E. Hardy | | |
| Abdomen collapsed; ALLOTYPE ♀ 6348 on pin. | | |
| dracaenae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6349 |
| 1965 <i>Insects of Hawaii</i> 12: 258-59 Fig. 86a-d | pin | |
| HAWAIIAN IS: Kauai I: Kumuwela 7.VII.1932 O.H. Swezey | | |
| Ex <i>Dracaena</i> | | |
| Pupal exuvium on pin below specimen; ALLOTYPE ♀ 6349 on pin. | | |
| dubautiae Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6525 |
| 1965 <i>Insects of Hawaii</i> 12: 682-83 Fig. 288a-b | pin | |
| HAWAIIAN IS: Maui I: nr Puu Nianiau 1986 m 24.IV.1943 E.C. Zimmerman | | |

| | | | |
|--|------------|------|-----|
| On <i>Dubautia</i> | | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | | |
| dubia Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6526 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 683–85 Fig. 289a–b | | | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1160 m VII.1952 D.E. Hardy | | | |
| Right wing torn on posterior margin near apex; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6526a on pin. | | | |
| dumalis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6350 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 260–61 Fig. 87a–b | | | |
| HAWAIIAN IS: Oahu I: Manoa Falls VI.1950 N. Norton [18.4] | | | |
| Type also carries a small square of paper mounted on the pin below the specimen with a drawing of the fore tarsal tuft. | | | |
| engyochracea Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6351 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 261–62 Fig. 87c–e | | | |
| HAWAIIAN IS: Hawaii I: Mauna Loa Truck Trail XI.1956 W.C. Mitchell | | | |
| enoplotarsus Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6352 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 262–64 Fig. 88a–b | | | |
| HAWAIIAN IS: Hawaii I: Kohala Ditch Trail: Honokane Nui Stream VIII.1956 D.E. Hardy | | | |
| Left wing glued to point. | | | |
| entrichocnemus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6277 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 52–53 Fig. 11a–c | | | |
| HAWAIIAN IS: Maui I: Haleakala [no further data] | | | |
| Left 2nd and 3rd antennal segments missing; left foreleg glued to point. | | | |
| eumecothrix Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6353 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 264–65 Fig. 89a–d | | | |
| HAWAIIAN IS: Molokai I: Manawaiui Val VIII.1953 D.E. Hardy | | | |
| Apical ½ of left antennal arista broken off. | | | |
| eurypeza Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6354 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 266–67 Fig. 90a–e | | | |
| HAWAIIAN IS: Kauai I: Kokee 1098 m VII.1952 D.E. Hardy | | | |
| Left halter missing; ALLOTYPE ♀ 6354a on pin. | | | |
| eurystylata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6527 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 685–86 Fig. 290a–c | | | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | | |
| Abdomen beyond 2nd segment missing; ALLOTYPE ♀ 6527a on pin. | | | |
| evexa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6528 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 686–88 Fig. 291a–b | | | |
| HAWAIIAN IS: [Kauai I]: Poomau Val 1940 m VII.1952 D.E. Hardy | | | |
| Left leg beyond femur, entire left wing, posterior ½ of right wing, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | | |
| evexa Hardy, <i>Titanochaeta</i> | HOLOTYPE ♂ | 6576 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 780–82 Fig. 345a–d | | | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 D.E. Hardy | | | |
| Left wing notched at apex; right wing torn at costa; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6576a on pin. | | | |
| eximia Hardy, <i>Nudidrosophila</i> | HOLOTYPE ♂ | 6481 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 567–69 Fig. 236a–d | | | |
| HAWAIIAN IS: Maui I: Makemakeole Val VI.1953 D.E. Hardy | | | |
| Left fore leg beyond tibia missing; ALLOTYPE ♀ 6481a on pin; apex of abdomen in microvial mounted below specimen. | | | |
| expansa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6355 | pin |
| 1965 <i>Insects of Hawaii</i> 12: 268–69 Fig. 91a–b | | | |

| | | |
|--|-------------|-------|
| HAWAIIAN IS: Hawaii I: Kohala Mts: Kaiholena 1220 m VIII.1952 D.E. Hardy Left and right antennae missing. | | |
| fasciculisetae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6356 |
| 1965 <i>Insects of Hawaii</i> 12: 269-71 Fig. 92a-b | pin | |
| HAWAIIAN IS: Molokai I: Waialua Val VII.1952 E. Dresner Right hind leg beyond 2nd tarsal segment missing; abdomen collapsed; type label cites locality as "Wailau Val.;" ALLOTYPE ♀ 6356a on pin. | | |
| fastigata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6357 |
| 1965 <i>Insects of Hawaii</i> 12: 271-73 Fig. 93a-c | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VII.1958 D.E. Hardy In banana thicket | | |
| fastigata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6529 |
| 1965 <i>Insects of Hawaii</i> 12: 690-91 Fig. 293a-b | pin | |
| HAWAIIAN IS: Kauai I: Kawaikoa Stream 1129 m VIII.1953 D.E. Hardy Left halter and abdomen missing; genitalia in microvial mounted below specimen; type label cites locality as "Kawaikoi Stream"; ALLOTYPE ♀ 6529a on pin. | | |
| femoralis Malloch, <i>Scaptomyza</i> | LECTOTYPE ♂ | 2324 |
| 1935 <i>B.P. Bishop Mus. Bull.</i> 113: 95-96 | pin | |
| [SOCIETY IS]: Tahiti I: Papeari 183 m 9.XI.1928 [A.M.] Adamson Type male accompanied by 2 determination labels; one with "Marquesia femoralis Type det. J.R. Malloch," the other with "Scaptomyza [Marquesia?] femoralis Malloch"; female LECTOTYPE in USNM; Lee et al. (1956) list <i>femoralis</i> in their catalog of Malloch's types accompanied by a footnote. Dr. W.N. Mathis (pers. commun.) states that there is enough data in the footnote to qualify the Lee et al. (1956) listing as a lectotype designation. | | |
| femorata Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 12095 |
| 1981 <i>Kontyû</i> 49: 166-67 Fig. 1a-b | pin | |
| PNG: NEW GUINEA (NE): Bulolo 18.IX.1977 T. Okada ALLOTYPE ♀ 11933a on pin. | | |
| fijiensis Harrison, <i>Lissoccephala</i> | HOLOTYPE ♀ | 7548 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 112-13 | pin | |
| FIJI: [Viti Levu I]: Suva: Botanical Gardens 14.XI.1950 [R.A. Harrison] Swept off grass Left wing broken at base and torn at costa. | | |
| finitima Hardy, <i>Scaptomyza (Rosenwaldia)</i> | HOLOTYPE ♂ | 6494 |
| 1965 <i>Insects of Hawaii</i> 12: 612-13 Fig. 257a-c | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1953 D.E. Hardy Abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6494a on pin. | | |
| flabellata Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 12100 |
| 1981 <i>Kontyû</i> 49: 174-75 Fig. 2i-j | pin | |
| PNG: NEW GUINEA (NE): Bulolo 18.IX.1977 T. Okada ALLOTYPE ♀ 12100a on pin. | | |
| flagellata Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 12098 |
| 1981 <i>Kontyû</i> 49: 171-73 Fig. 2c-d | pin | |
| PNG: NEW GUINEA (NE): Bulolo 15-18.IX.1977 T. Okada ALLOTYPE ♀ 11936a on pin. | | |
| flavibasis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6358 |
| 1965 <i>Insects of Hawaii</i> 12: 273-74 Fig. 94a-d | pin | |
| HAWAIIAN IS: Kauai I: Halemanu Swamp VIII.1953 D.E. Hardy Left foreleg beyond the tarsus missing; posteroapical portion of wing torn off; ALLOTYPE ♀ 6358a on pin. | | |
| flavida Hardy, <i>Scaptomyza (Tantalia)</i> | HOLOTYPE ♂ | 6496 |
| 1965 <i>Insects of Hawaii</i> 12: 622-24 Fig. 262a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kahuku Ranch 914 m VII.1953 D.E. Hardy Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |

| | | |
|---|------------|-------|
| flavifacies Malloch, <i>Bunostoma</i> | HOLTOYPE ♂ | 2320 |
| 1932 <i>Bernice P. Bishop Mus. Bull.</i> 98: 219–20 Fig. 50a–b | | pin |
| MARQUESAS IS: Hivaoa I: Kopaafaa 846 m 2.VIII.1929 Mumford & Adamson | | |
| In miscellaneous sweeping | | |
| ALLOTYPE ♀ 2320a on pin. | | |
| flavipes Harrison, <i>Liodrosophila</i> | HOLOTYPE ♂ | 7546 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 113–14 | | pin |
| [WESTERN] SAMOA: Upolu I: Malololelei 18.XI.1950 [R. Harrison] | | |
| Swept off foliage | | |
| Right hind leg beyond coxa missing. | | |
| flavisternum Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6359 |
| 1965 <i>Insects of Hawaii</i> 12: 275–77 Fig. 95a–d | | pin |
| HAWAIIAN IS: Oahu I: Pupukea XII.1952 & 1958 D.E. Hardy | | |
| In banana thicket | | |
| ALLOTYPE ♀ 6359a on pin. | | |
| flexipes Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8899 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 186–88 Fig. 4a–d | | pin |
| HAWAIIAN IS: Oahu I: Niu 244 m 21.VIII.1965 H.L. Carson C142.4 | | |
| forficata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11578 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23: 80–81 Fig. 13 | | pin |
| HAWAIIAN IS: Kauai I: Kokee: Kumuwela Trail 1220 m 26.VI.1964 D.E. Hardy | | |
| formella Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 10699 |
| 1972 <i>Univ. Texas Publ.</i> 7213: 155 Fig. 1 | | pin |
| HAWAIIAN IS: Hawaii I: Northwest slope of Hualalai: Puu Waawaa ca. 1220 m 22.XII.1969 K.Y. Kaneshiro M87[B] | | |
| Rainsheds | | |
| Left wing slightly notched on posterior margin. | | |
| freycinetiae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6360 |
| 1965 <i>Insects of Hawaii</i> 12: 277–79 Fig. 96a–d | | pin |
| HAWAIIAN IS: Oahu I: Mt Tantalus VIII.1952 D.E. Hardy | | |
| On <i>Freycinetia</i> ["ieie"] | | |
| ALLOTYPE ♀ 6360a on pin. | | |
| fundita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6361 |
| 1965 <i>Insects of Hawaii</i> 12: 279–80 Fig. 97a–c | | pin |
| HAWAIIAN IS: Maui I: Puu Kukui 1375 m IV.1954 M. Tamashiro | | |
| Head, right foreleg beyond femur, and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6361a on pin. | | |
| fungicola Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6362 |
| 1965 <i>Insects of Hawaii</i> 12: 282–84 Fig. 92a–d | | pin |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| <i>D. fungiperda</i> Hardy, 1966, new name for <i>fungicola</i> Hardy, not Villeneuve, 1921; ALLOTYPE ♀ 6362a on pin. | | |
| furcatarsus Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11579 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23: 81–82 Fig. 15 | | pin |
| HAWAIIAN IS: Kauai I: Kokee 1098 m 8.XI.1963 M.R. Wheeler | | |
| ALLOTYPE ♀ 11579a on pin. | | |
| furva Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6363 |
| 1965 <i>Insects of Hawaii</i> 12: 284–85 Fig. 100a–b | | pin |
| HAWAIIAN IS: Maui I: Haleakala 609 m [no further data] | | |
| Left foreleg beyond coxa missing. | | |
| furvifacies Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6364 |
| 1965 <i>Insects of Hawaii</i> 12: 285–87 Fig. 101a–e | | pin |
| HAWAIIAN IS: Kauai I: Nualolo Val 1040 m VII.1952 D.E. Hardy | | |
| Right foreleg beyond coxa missing; left wing notched in 3 places on posterior margin; ALLOTYPE ♀ 6364a on pin. | | |

| | | |
|--|--------------|------|
| fuscifrons Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6365 |
| 1965 <i>Insects of Hawaii</i> 12: 287-89 Fig. 102a-c | pin | |
| HAWAIIAN IS: Maui I: Kula Pipe Line 1375 m 8.IV.1932 O. Bryant | | |
| Right foreleg beyond 1st tarsal segment, left foreleg beyond femur, both mid and hind legs beyond coxae, and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6365a on pin. | | |
| fuscifrons Hackman, <i>Scaptomyza (Alloscaptomyza)</i> | HOLOTYPE ♀ | 6611 |
| 1962 <i>Not. Entomol.</i> 42: 41 Fig. 7 | pin | |
| HAWAIIAN IS: Kauai I: Nualolo Val ca. 1000 m VII.1952 D.E. Hardy | | |
| Right foreleg beyond coxa glued to point; left wing broken at base, torn at costa and on posterior margin and twisted on itself. | | |
| fuscoamoeba Bryan, <i>Drosophila</i> | HOLOTYPE [♀] | 813 |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8: 438 | pin | |
| HAWAIIAN IS: Oahu I: Tantalus 8.IX.1907 Terry | | |
| Sex of type not designated in original description. | | |
| fuscoapex Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6366 |
| 1965 <i>Insects of Hawaii</i> 12: 291-92 Fig. 104a-b | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1160 m VII.1952 D.E. Hardy | | |
| Right 3rd antennal segment missing; left wing torn on posterior margin; original description incorrectly cites altitude as "5800 ft," label data cites it as "3800 ft." | | |
| fuscovittata Harrison, <i>Drosophila</i> | HOLOTYPE ♂ | 7544 |
| 1954 <i>Trans. R. Entomol. Soc. London</i> 105: 106-07 Fig. 9 | pin | |
| WESTERN SAMOA: Upolu I: Valima 17.XI.1950 R. Harrison | | |
| fusticula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6367 |
| 1965 <i>Insects of Hawaii</i> 12: 292-93 Fig. 104c-e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| Type label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6367a on pin. | | |
| gemmula Hardy, <i>Nudidrosophila</i> | HOLOTYPE ♂ | 6482 |
| 1965 <i>Insects of Hawaii</i> 12: 569-71 Fig. 237a-c | pin | |
| HAWAIIAN IS: Oahu I: Tantalus 397 m 11.III.1905 W.M. Giffard | | |
| Head and legs are in a slightly greasy condition. | | |
| gilvilateralis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6368 |
| 1965 <i>Insects of Hawaii</i> 12: 294-95 Fig. 105a-b | pin | |
| HAWAIIAN IS: Kauai I: Kaiholena IV.1958 W.C. Mitchell | | |
| Body slightly dusted with debris; left antennal arista broken off; left mid and hindlegs beyond 1st tarsal segment missing; right wing torn on posteroapical margin. | | |
| gilvivirilia Hardy, <i>Scaptomyza (Tantalia)</i> | HOLOTYPE ♂ | 6497 |
| 1965 <i>Insects of Hawaii</i> 12: 624-25 Fig. 262c-d | pin | |
| HAWAIIAN IS: Maui I: Haleakala 366 m [no date] F.W. Perry | | |
| Abdomen missing; genitalia in microvial mounted below specimen; label data cites collector as "F.W. Terry"; type label reads "Tantalia gilvivirilia D.E. Hardy"; ALLOTYPE ♀ 6497a on same point with holotype. | | |
| glabriapex Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8900 |
| 1968 <i>Univ. of Texas Publ.</i> 6818: 188-91 Fig. 5a-d | pin | |
| HAWAIIAN IS: Kauai I: Kokee: Mohihi Stream 16.V.1966 J.P. Murphy | | |
| ALLOTYPE ♀ 8900a on pin. | | |
| glaucia Hardy, <i>Titanochaeta</i> | HOLOTYPE ♂ | 6577 |
| 1965 <i>Insects of Hawaii</i> 12: 782-84 Fig. 346a-d | pin | |
| HAWAIIAN IS: Maui I: Iao Val 8.VIII.1918 O.H. Swezey | | |
| On "Ohia Lehua". | | |
| Head broken off and glued to point; 3rd antennal segments, legs beyond coxae, and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |

| | | |
|--|------------|-------|
| gradata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8901 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 191–92 Fig. 6a–f | | pin |
| HAWAIIAN IS: Oahu I: Kupaua Val (Niu Section) 30.VII.1965 H.L. Carson C144.2A | | |
| Left wing notched near base of axillary cell; holotype and allotype from culture originally collected at above locality; ALLOTYPE ♀ 8901a on pin; in addition to locality, collector, and culture number labels, holotype and allotype also carry a handwritten label with “\$ Flies.” | | |
| grimshawi Bryan, <i>Idiomyia</i> | HOLOTYPE ♀ | 811 |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8: 435–37 | | pin |
| HAWAIIAN IS: Oahu I: Punaluu 6.II.1916 O.H. Swezey | | |
| Right foreleg beyond coxa missing; original description cites date as “6-11-16”; <i>D. neogramm-shawi</i> Hardy & Kaneshiro, 1968, new name for <i>D. grimshawi</i> (Bryan), not Oldenberg, 1914. | | |
| griseonigra Hardy, <i>Scaptomyza (Trogloscaptomyza) longipecten</i> | HOLOTYPE ♂ | 6539 |
| 1965 <i>Insects of Hawaii</i> 12: 710–11 | | pin |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Head and right hind leg beyond coxa missing; ALLOTYPE ♀ 6539a on pin. | | |
| gubleri Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11261 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 208–10 Fig. 6a–d | | pin |
| HAWAIIAN IS: Oahu I: Pupukea Trail 17.VII.1963 D. Gubler [C-H8.17] | | |
| Left wing torn at apex; type label data cites date as “17.VII.1963.” | | |
| gymnobasis Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9319 |
| 1971 <i>Univ. Texas Publ.</i> 7103: 153–54 Fig. 2a–d | | pin |
| HAWAIIAN IS: Maui I: Auwahi 1160 m 5–7.VIII.1969 H.L. Carson & K.Y. Kaneshiro M64G1–2 | | |
| F ₁ generation reared in laboratory | | |
| Type label data cites altitude as “3800 ft.”; published data is “2800 ft.”; ALLOTYPE ♀ 9319a on pin. | | |
| gymnophallus Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 10082 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22: 58 Fig. 2 | | pin |
| HAWAIIAN IS: Oahu I: Waialua 3.V.1970 S.L. Montgomery [P24Q] | | |
| ALLOTYPE ♀ 10082 on pin. | | |
| hackmani Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6530 |
| 1965 <i>Insects of Hawaii</i> 12: 691–93 Fig. 294a–c | | pin |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1952 D.E. Hardy | | |
| Left antennal arista broken off; ALLOTYPE ♀ 6530a on pin. | | |
| hamata Hardy, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6491 |
| 1965 <i>Insects of Hawaii</i> 12: 597–98 Fig. 250a–d | | pin |
| HAWAIIAN IS: Kauai I: Halemanu Swamp VIII.1953 D.E. Hardy | | |
| Hind legs beyond coxa, left wing, and abdomen missing; genitalia in microvial mounted below specimen. | | |
| hamifera Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8928 |
| 1968 <i>Univ. of Texas Publ.</i> 6818: 254–58 Fig. 35a–h | | pin |
| HAWAIIAN IS: Maui I: Waikamoi 11.III.1966 W.B. Heed G34A | | |
| Posterior portion of left and right wings torn off; right wing notched at apex; ALLOTYPE ♀ 8928a on pin. | | |
| hanaulae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11202 |
| 1969 <i>Univ. of Texas Publ.</i> 6918: 75–76 Fig. 2a–d | | pin |
| HAWAIIAN IS: Maui I: Hanaula 1220 m 9–10.VII.1968 K.Y. Kaneshiro L91 | | |
| ALLOTYPE ♀ 11202a on pin. | | |
| hardyi Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6620 |
| 1959 <i>Acta Zool. Fennica</i> 97: 39–40 Fig. 14, 16 | | pin |
| HAWAIIAN IS: Kauai I: Waialae Stream 1100 m VIII.1953 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6620a on pin. | | |

| | | |
|---|------------|-------|
| hawaiensis Hackman, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6621 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 39 Fig. 15 | pin | |
| HAWAIIAN IS: Hawaii I: Kaula Gulch 2100 m VIII.1952 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia on plastic point mounted below specimen; type label data incorrectly cites altitude as "70000 ft"; published data is "2100 m" (= ca. 7000 ft); ALLOTYPE ♀ 6621a on pin. | | |
| heedi Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9320 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 155-56 Fig. 3a-d | pin | |
| HAWAIIAN IS: Hawaii I: Pohakuloa 1890 m 17-18.I.1970 B. Ward | | |
| On rotting bark of <i>Myoporum</i> | | |
| Abdomen collapsed. | | |
| hemipeza Hardy, Idiomyia | HOLOTYPE ♂ | 6477 |
| 1965 <i>Insects of Hawaii</i> 12 : 54-47 Fig. 226a-d | pin | |
| HAWAIIAN IS: Oahu I: Pupukea 582 m IV.1952 D.E. Hardy | | |
| In banana grove | | |
| Right 3rd antennal segment and abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |
| heteroneura Perkins, Idiomyia | HOLOTYPE ♀ | 1277 |
| 1910 <i>Fauna Hawaiensis</i> 2(6) : 699-700 | pin | |
| HAWAIIAN IS: Hawaii I: [?Olaa 1903] | | |
| Generally in a slightly greasy condition; right antennal arista broken off; collection label in Perkins' handwriting. | | |
| hexachaetae Hardy, Drosophila | HOLOTYPE ♂ | 6369 |
| 1965 <i>Insects of Hawaii</i> 12 : 300-02 Fig. 109a-d | pin | |
| HAWAIIAN IS: Oahu I: Manoa Val II.1947 G.B. Mainland | | |
| In banana bait trap | | |
| ALLOTYPE ♀ 6369a on pin. | | |
| hirta Okada, Stegana (Pseudostegana) | HOLOTYPE ♂ | 11917 |
| 1982 <i>Pac. Insects</i> 24(1) : 42 Fig. 1c, 3g-i | pin | |
| PHILIPPINES: Luzon I: Nueva Vizcaya Prov: Dalton Pass 915 m 9-10.IV.1968 D.E. Hardy | | |
| ALLOTYPE ♀ 11917a on pin. | | |
| hirticoxa Hardy, Drosophila | HOLOTYPE ♂ | 6370 |
| 1965 <i>Insects of Hawaii</i> 12 : 302-03 Fig. 110a-d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 C.R. Joyce | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| hirtipalpus Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8902 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 192-94 Fig. 7a-f | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 22.II.1967 J.P. Murphy [J66C4] | | |
| Left and right wings notched in several places on posterior margin; type label data cites date as "22.XI.1967"; holotype, allotype and paratypes from laboratory culture, original ♀ caught at above location; ALLOTYPE ♀ 8902a on pin. | | |
| hirtitarsus Hardy, Drosophila | HOLOTYPE ♂ | 6371 |
| 1965 <i>Insects of Hawaii</i> 12 : 304-05 Fig. 111a-e | pin | |
| HAWAIIAN IS: Maui I: Makamakaole Val VI.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6371a on pin. | | |
| hirtitibia Hardy, Drosophila | HOLOTYPE ♂ | 6372 |
| 1965 <i>Insects of Hawaii</i> 12 : 306-08 Fig. 112a-d | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala V.1952 M. Tamashiro | | |
| ALLOTYPE ♀ 6372a on pin. | | |
| hystricosa Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9234 |
| 1969 <i>Univ. Texas Publ.</i> 6918 : 42-44 Fig. 4a-d | pin | |
| HAWAIIAN IS: Maui I: Keanae Val 458 m 21.VII.1965 H.L. Carson C134.2 | | |
| Associated with <i>Clermontia kakeana</i> | | |
| Left and right wings torn on posterior margin. | | |

| | | |
|--|--------------|-------|
| iki Bryan, <i>Drosophila nigra</i> | HOLOTYPE [♂] | 814 |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8 : 439 | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VI.1908 W.M. Giffard | | |
| Apex of right wing torn off; sex of type not designated in original description. | | |
| illisiopolita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6373 |
| 1965 <i>Insects of Hawaii</i> 12 : 311–12 Fig. 114d–e | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Kaiholena: Ditch Trail 609 m VII.1958 D.E. Hardy | | |
| In banana thicket | | |
| ALLOTYPE ♀ 6373a on pin. | | |
| imitator Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6374 |
| 1965 <i>Insects of Hawaii</i> 12 : 312–15 Fig. 115a–c | pin | |
| HAWAIIAN IS: Oahu I: Pupukea XII.1952 D.E. Hardy | | |
| In grove of wild bananas | | |
| Left hindleg missing; right wing with small notch at apex. | | |
| imparisetae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6375 |
| 1965 <i>Insects of Hawaii</i> 12 : 315–17 Fig. 116a–c | pin | |
| HAWAIIAN IS: Hawaii I: N slope Hualalai 1220–1860 m VII.1953 D.E. Hardy | | |
| Posterior margins of left and right wings torn; ALLOTYPE ♀ 6375a on pin. | | |
| improcta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6376 |
| 1965 <i>Insects of Hawaii</i> 12 : 317–19 Fig. 117a–d | pin | |
| HAWAIIAN IS: Oahu I: Lulumahu Val 11.IV.1937 F.X. Williams | | |
| In banana grove | | |
| Right hind leg beyond coxa, and abdomen missing; ALLOTYPE ♀ 6376a on pin. | | |
| inciliata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8927 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 251–54 Fig. 34a–e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m 23.VII.1965 D.E. Hardy | | |
| Axillary cell torn on left wing; ALLOTYPE ♀ 8927a on pin. | | |
| incisurifrons Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11817 |
| 1980 <i>Pac. Insects</i> 22 (3–4): 224–25 Fig. 3j–m | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 3.X.1977 H.L. Carson | | |
| Ex flowers of <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11817a on pin. | | |
| inclinata Okada, <i>Eostegana</i> | HOLOTYPE ♂ | 11913 |
| 1982 <i>Pac. Insects</i> 24 (1): 53–54 Fig. 1c, 2c–d | pin | |
| PNG: NEW GUINEA (NE): Wau: Mt Missim 1400–1600 m 28.XII.1964 J.L. & M. Gressitt | | |
| ALLOTYPE ♀ 11913a on pin. | | |
| incognita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6377 |
| 1965 <i>Insects of Hawaii</i> 12 : 319–20 Fig. 118a–c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest VIII.1952 W.C. Mitchell | | |
| Abdomen collapsed laterally. | | |
| incompleta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6378 |
| 1965 <i>Insects of Hawaii</i> 12 : 320–22 Fig. 118d–e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1958 D.E. Hardy | | |
| Left hindleg beyond coxa and abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen. | | |
| inedita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6379 |
| 1965 <i>Insects of Hawaii</i> 12 : 322–24 Fig. 119a–d | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala: Haleanau Val 21.IV.1949 G.B. Mainland | | |
| In banana bait trap | | |
| Lower ½ of head capsule damaged; both 3rd antennal segments and both hindlegs beyond coxae missing; ALLOTYPE ♀ 6379a on pin. | | |

| | | |
|---|------------|------|
| inermis Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6531 |
| 1965 <i>Insects of Hawaii</i> 12: 695-96 Fig. 296a-b | pin | |
| HAWAIIAN IS: Kauai I: Nualolo Val VII.1952 1040 m D.E. Hardy | | |
| Right antennal arista, left 3rd antennal segment, right hind leg beyond coxa and abdomen missing; genitalia in microvial mounted below specimen. | | |
| inflatus Kaneshiro, <i>Drosophila (Engiscaptomyza)</i> | HOLOTYPE ♂ | 9839 |
| 1969 <i>Univ. Texas Publ.</i> 6918: 80-82 Fig. 1m-p | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala 1220 m 2-3.VII.1968 K.Y. Kaneshiro [L87] | | |
| Right hindleg beyond femur missing; ALLOTYPE ♀ 9839a on pin. | | |
| infurcula Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6532 |
| 1965 <i>Insects of Hawaii</i> 12: 697-98 Fig. 297a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| Light trap | | |
| Right foreleg glued to point; right hindleg beyond coxa, and abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen. | | |
| ingens Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9324 |
| 1971 <i>Univ. of Texas Publ.</i> 7103: 162-63 Fig. 7a-c | pin | |
| HAWAIIAN IS: Maui I: Hanaua 1220 m 13-14.VIII.1969 K.Y. Kaneshiro M66 | | |
| Right wing notched at apex; ALLOTYPE ♀ 9324a on pin. | | |
| innotabilis Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6533 |
| 1965 <i>Insects of Hawaii</i> 12: 698-700 Fig. 298a-b | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 10.VII.1928 E.H. Bryan, Jr | | |
| Right 3rd antennal segment missing; ALLOTYPE ♀ 6533a on pin. | | |
| insignita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6380 |
| 1965 <i>Insects of Hawaii</i> 12: 326-28 Fig. 121a-b | pin | |
| HAWAIIAN IS: Oahu I: Waianae Mts: Palikea 914 m 15.XI.1936 F.X. Williams | | |
| On foliage | | |
| Genitalia in microvial mounted below specimen is <i>not</i> from holotype. | | |
| intermedia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6381 |
| 1965 <i>Insects of Hawaii</i> 12: 328-30 Fig. 122a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy | | |
| <i>D. medialis</i> Hardy, 1966, new name for <i>intermedia</i> Hardy, not Duda, 1927. | | |
| intricata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6534 |
| 1965 <i>Insects of Hawaii</i> 12: 700-01 Fig. 299a-d | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1958 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; type label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6534a on pin. | | |
| involuta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6382 |
| 1965 <i>Insects of Hawaii</i> 12: 330-31 Fig. 122d-e | pin | |
| HAWAIIAN IS: Hawaii I: Kona: [nr] Pawaina 914 m VII.1953 D.E. Hardy | | |
| Left foreleg glued to point; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| ischnotrix Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6383 |
| 1965 <i>Insects of Hawaii</i> 12: 331-32 Fig. 123a-f | pin | |
| HAWAIIAN IS: Oahu I: Mt Tantalus XI.1953 D.E. Hardy | | |
| Right antennal arista broken off; ALLOTYPE ♀ 6383a on pin. | | |
| isopedon Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6535 |
| 1965 <i>Insects of Hawaii</i> 12: 701-02 Fig. 300a-b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Koolau Gap VI.1952 D.E. Hardy | | |
| Left foreleg beyond coxa, and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6535a on pin. | | |

| | | |
|--|--------------|-------|
| joycei Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6384 |
| 1965 <i>Insects of Hawaii</i> 12 : 332–35 Fig. 124a–b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 C.R. Joyce | | |
| Apical portion of left antennal arista broken off; right hindleg beyond coxa and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| kaavae Malloch, <i>Rosenwaldia</i> | HOLOTYPE ♀ | 2316 |
| 1935 <i>B.P. Bishop Mus. Bull.</i> 114 : 195–96 Fig. 7 | pin | |
| MARQUESAS IS: Hivaoa I: Kaava Ridge 861 m VI.I.1932 LeBronnec | | |
| kambysellisi Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9235 |
| 1969 <i>Univ. of Texas Publ.</i> 6918 : 44–46 Fig. 5a–d | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea (Volcano): Bird Park 21.V.1968 M.P. Kambysellis | | |
| Axillary cell of left wing notched; right wing with 3 small holes. | | |
| kaneshiroi Hardy, <i>Drosophila (Antopocerus)</i> | HOLOTYPE ♂ | 11031 |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79 : 89 Fig. 11 | pin | |
| HAWAIIAN IS: Hawaii I: S Kona: Manuka Forest Reserve 26.VI.1976 S.L. Montgomery [U12Q] | | |
| Right wing notched on posterior margin; type label data cites date as "27.VI.1976." | | |
| kauaiensis Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6622 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 40 Fig. 17, 32 | pin | |
| HAWAIIAN IS: Kauai I: Kawaikoi Stream 1100 m VIII.1953 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6622a. | | |
| kauluai Bryan, <i>Drosophila</i> | SYNTYPES ♂ ♀ | 816 |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8 : 439–40 | pin | |
| HAWAIIAN IS: Oahu I: Pacific Heights 3.III.1912 O.H. Swezey | | |
| Bred from fruit of <i>Sideroxylon</i> | | |
| Syntype series consists of 3♀ and 1♂ mounted with minutens on the same wooden point; 2 pupal exuviae are glued to the point with the types; all types are in excellent condition; a lectotype designation is needed. | | |
| kokeensis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11262 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 212–13 Fig. 7c–d | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1098 m VII.1963 L.H. Throckmorton | | |
| Apical ¼ of left wing missing. | | |
| kraussi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6385 |
| 1965 <i>Insects of Hawaii</i> 12 : 336–37 Fig. 125a–b | pin | |
| HAWAIIAN IS: Lanai I: Lanai Mts 29.X.1947 N.L.H. Krauss | | |
| Abdomen beyond 3rd segment missing. | | |
| laciniosa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6386 |
| 1965 <i>Insects of Hawaii</i> 12 : 337–39 Fig. 125c–d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1953 M. Tamashiro | | |
| Right wing notched on posteroapical margin; ALLOTYPE ♀ 6386a on pin. | | |
| lacrymaria Okada, <i>Stegana (Pseudostegana)</i> | HOLOTYPE ♂ | 11922 |
| 1982 <i>Pac. Insects</i> 24 (1): 45–47 Fig. 2d, 4m–o | pin | |
| [MALAYSIA: SABAH]: 48 km E of Jesselton: Tenompok 1460 m 26–31.I.1959 T.C. Maa | | |
| larifuga Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6387 |
| 1965 <i>Insects of Hawaii</i> 12 : 340–41 Fig. 127a–b | pin | |
| HAWAIIAN IS: Oahu I: Tantalus VIII.1952 D.E. Hardy | | |
| Left midleg beyond coxa and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| lasiopoda Hardy & Kaneshiro <i>Drosophila</i> | HOLOTYPE ♂ | 10083 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22 : 58–60 Fig. 3 | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1281 m 14.X.1967 H.L. Carson [K75] | | |
| ALLOTYPE ♀ 10083a on pin. | | |

| | | |
|--|------------|-------|
| latifrons Malloch Scaptomyza | HOLOTYPE ♀ | 2321 |
| 1932 <i>B.P. Bishop Mus. Bull.</i> 98: 221-22 | pin | |
| MARQUESAS IS: Hivaoa I: Kopaafaa 847 m 2.VIII.1929 Mumford & Adamson | | |
| In miscellaneous sweepings | | |
| Sex of type not designated in original description. | | |
| latigena Hardy, Drosophila | HOLOTYPE ♂ | 6388 |
| 1965 <i>Insects of Hawaii</i> 12: 342-43 Fig. 127c-e | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest 1220 m VII.1956 D.E. Hardy | | |
| Swept from ground cover in treefern jungle | | |
| Right wing greasy and folded on itself. | | |
| latiparma Okada, Stegana (Pseudostegana) | HOLOTYPE ♂ | 11921 |
| 1982 <i>Pac. Insects</i> 24(1): 39-40 Fig. 1a, 3a-c | pin | |
| IRIAN JAYA: NEW GUINEA (NW): Cyclops Mts: Ifar 300 m 22.VI.1959 T.C. Maa | | |
| ALLOTYPE ♀ 11921a on pin. | | |
| latitergum Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6536 |
| 1965 <i>Insects of Hawaii</i> 12: 704-05 Fig. 302a-d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater 6.VII.1958 L.W. Quate | | |
| On silversword | | |
| Though deposition in BPBM, not specified in text; ALLOTYPE ♀ 6536a on pin. | | |
| latizonaria Okada, Stegana (Pseudostegana) | HOLOTYPE ♂ | 11918 |
| 1982 <i>Pac. Insects</i> 24(1): 43-44 Fig. 2a, 4d-f | pin | |
| PHILIPPINES: Luzon I: Nueva Vizcaya Prov: 6 km W of Imugan 11.IV.1968 D.E. Hardy | | |
| lemniscata Hardy, Drosophila | HOLOTYPE ♂ | 6389 |
| 1965 <i>Insects of Hawaii</i> 12: 343-45 Fig. 128a-c | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1952 D.E. Hardy | | |
| Right wing slightly torn on posterior margin. | | |
| lepidobregma Hardy, Nudidrosophila | HOLOTYPE ♂ | 6483 |
| 1965 <i>Insects of Hawaii</i> 12: 571-73 Fig. 238a-f | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea 4.VIII.1946 E.C. Zimmerman | | |
| Posteroapical portion of left wing torn off; ALLOTYPE ♀ 6483a on pin. | | |
| levata Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6537 |
| 1965 <i>Insects of Hawaii</i> 12: 706-07 Fig. 303a-b | pin | |
| HAWAIIAN IS: Oahu I: Mt Tantalus V.1950 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; type label data cites date as "21.V.1950"; ALLOTYPE ♀ 6537a on pin. | | |
| limitata Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8903 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 194-95 Fig. 8a-f | pin | |
| HAWAIIAN IS: Maui I: Keanae Val 458 m 21.VII.1965 H.L. Carson C134.4A | | |
| Left wing punctured in middle; right wing notched on posterior margin; ALLOTYPE ♀ 8903a on pin. | | |
| lineoparma Okada, Stegana (Pseudostegana) | HOLOTYPE ♂ | 11923 |
| 1982 <i>Pac. Insects</i> 24(1): 44 Fig. 2b, 4g-i | pin | |
| IRIAN JAYA: NEW GUINEA (NW): S of Hollandia: Waris 450-500 m 17.VIII.1959 T.C. Maa | | |
| lineosetae Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8904 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 197-98 Fig. 9a-d | pin | |
| HAWAIIAN IS: Maui I: Haelaau Val (Puu Kukui) 23-24.I.1967 J.P. Murphy & K.Y. Kaneshiro J57 | | |
| ALLOTYPE ♀ 8904a on pin. | | |
| liophallus Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8905 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 199-200 Fig. 10a-e | pin | |
| HAWAIIAN IS: Maui I: Auwahi 1129 m 25.VII.1966 H.L. Carson J10G17 | | |
| ALLOTYPE ♀ 8905a on pin. | | |

| | | |
|---|------------|-------|
| lobifera Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6538 |
| 1965 <i>Insects of Hawaii</i> 12: 707–09 Fig. 304a–b | pin | |
| HAWAIIAN IS: Hawaii I: Hualalai: N slope 1220–1860 m VII.1953 | D.E. Hardy | |
| ALLOTYPE ♀ 6538a on pin. | | |
| lonchoptera Hardy, Drosophila | HOLOTYPE ♀ | 6390 |
| 1965 <i>Insects of Hawaii</i> 12: 345–47 Fig. 129a–b | pin | |
| HAWAIIAN IS: Maui I: Iao Val 27.III.1924 O.H. Swezey | | |
| longicauda Okada, Chymomyza | HOLOTYPE ♂ | 12099 |
| 1981 <i>Kontyû</i> 49: 173 Fig. 2e–f | pin | |
| PNG: NEW GUINEA (NE): Bulolo 18.IX.1977 T. Okada | | |
| ALLOTYPE ♀ 12099a on pin. | | |
| longipecten Hackman, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6623 |
| 1959 <i>Acta Zool. Fennica</i> 97: 37–38 Fig. 8–9 | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia on plastic point mounted below specimen; | | |
| ALLOTYPE ♀ 6620a on pin. | | |
| longisetosa Hackman, Scaptomyza (Parascaptomyza) | HOLOTYPE ♀ | 6612 |
| 1959 <i>Acta Zool. Fennica</i> 97: 44 | pin | |
| HAWAIIAN IS: Molokai I: Manawaiinui Val VIII.1953 M. Tamashiro | | |
| Abdomen missing; genitalia on plastic point mounted below specimen. | | |
| lulumahu Bryan, Drosophila | HOLOTYPE ♂ | 820 |
| 1938 <i>Proc. Hawaii. Entomol. Soc.</i> 10: 39–40 | pin | |
| HAWAIIAN IS: Oahu I: Lulumahu Val 25.IV.1937 F.X. Williams | | |
| In banana grove | | |
| HOLOTYPE and ALLOTYPE pinned with minutens to same wooden point; ♂ is on the right; both in excellent condition. | | |
| luteola Hardy, Drosophila | HOLOTYPE ♂ | 6391 |
| 1965 <i>Insects of Hawaii</i> 12: 347–48 Fig. 129c–e | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala V.1952 D.E. Hardy | | |
| Left foreleg beyond coxa missing. | | |
| macrochaetae Hardy, Drosophila | HOLOTYPE ♂ | 6392 |
| 1965 <i>Insects of Hawaii</i> 12: 348–50 Fig. 130a–c | pin | |
| HAWAIIAN IS: Maui I: Olinda III.1932 O. Bryant | | |
| ALLOTYPE ♀ 6392a on pin. | | |
| macrothrix Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8906 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 200–02 Fig. 11a–d | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea: Bird Park 24.VIII.1965 K.Y. Kaneshiro G5.2 | | |
| Right hindleg beyond 1st tarsal segment and abdomen beyond 4th segment missing; left and right wings torn posteroapically; genitalia in microvial below specimen. | | |
| maculosa Okada, Eostegana | HOLOTYPE ♂ | 11915 |
| 1982 <i>Pac. Insects</i> 24 (1): 56–58 Fig. 1e, 2i–j | pin | |
| IRIAN JAYA: NEW GUINEA (NW): S of Hollandia: Waris 450–500 m 16.VIII.1959 T.C. Maa | | |
| ALLOTYPE ♀ 11915a on pin. | | |
| magnimacula Hardy, Drosophila | HOLOTYPE ♂ | 6393 |
| 1965 <i>Insects of Hawaii</i> 12: 350–52 Fig. 131a–d | pin | |
| HAWAIIAN IS: Oahu I: Pupukea Trail VII.1958 D.E. Hardy | | |
| In banana thicket | | |
| HOLOTYPE destroyed, pin and labels missing; ALLOTYPE ♀ 6393a on pin. | | |
| magnipalpa Hardy, Drosophila | HOLOTYPE ♂ | 6394 |
| 1965 <i>Insects of Hawaii</i> 12: 353–54 Fig. 132a–c | pin | |
| HAWAIIAN IS: Kauai I: Kaholuamanu 29.IV.1920 J.A. Kusche | | |
| Left wing torn on posteroapical margin; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |

| | | |
|--|------------|-------|
| major Malloch, <i>Marquesia</i> | HOLOTYPE ♂ | 2323 |
| 1932 <i>B.P. Bishop Mus. Bull.</i> 98: 223 | pin | |
| MARQUESAS IS: Hivaoa I: Matauuna 1129 m 2.III.1930 [H. Tauraa] | | |
| Head glued to pin; lower portion crushed; right antennal arista broken off; left wing torn at distal end of costa; published data cites collectors as "Mumford & Adamson." | | |
| manonoensis Harrison, <i>Drosophila</i> | HOLOTYPE ♂ | 7541 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 101 | pin | |
| [WESTERN] SAMOA: Manono I 6.XI.1950 [R. Harrison] | | |
| Label data cites date as "6.XII.1950." | | |
| marjoryae Harrison, <i>Drosophila</i> | HOLOTYPE ♀ | 7540 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 105-06 | pin | |
| [WESTERN] SAMOA: Manono I: sea level 27.XII.1950 [R. Harrison] | | |
| Left 3rd antennal segment missing. | | |
| mecocerca Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6540 |
| 1965 <i>Insects of Hawaii</i> 12: 711-12 Fig. 306a-b | pin | |
| HAWAIIAN IS: Kauai I: Kaunuohua Ridge 1220 m VII.1953 D.E. Hardy | | |
| Type in a greasy condition; right wing split longitudinally; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6540a on pin. | | |
| mecocnemia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6395 |
| 1965 <i>Insects of Hawaii</i> 12: 354-56 Fig. 133a-c | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VII.1958 D.E. Hardy | | |
| In banana thicket | | |
| Small portion of axillary cell of left wing and posteroapical portion of right wing torn off; abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6395a on pin. | | |
| mediana Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6396 |
| 1965 <i>Insects of Hawaii</i> 12: 356-58 Fig. 134a-c | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1958 D.E. Hardy | | |
| Left and right 3rd antennal segments missing; label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6396a on pin. | | |
| mediana Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6541 |
| 1965 <i>Insects of Hawaii</i> 12: 712-14 Fig. 307a-b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 R. Namba & D.E. Hardy | | |
| Specimen glued to minutiae; abdomen missing; genitalia in microvial mounted below specimen; label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6541a glued to minutiae. | | |
| mediopallens Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6617 |
| 1959 <i>Acta Zool. Fennica</i> 97: 34-35 Fig. 1 | pin | |
| HAWAIIAN IS: Hawaii I: Kaula Gulch 2100 m VIII.1952 D.E. Hardy | | |
| Right antennal arista broken off; posterior 3/4 of left and right wings torn off; all legs beyond coxae, and abdomen missing; genitalia on plastic point mounted below specimen; label data incorrectly cites altitude as "70000 ft"; ALLOTYPE ♀ 6617a on pin. | | |
| megasticta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6397 |
| 1965 <i>Insects of Hawaii</i> 12: 358-60 Fig. 135a-b | pin | |
| HAWAIIAN IS: Hawaii I: Mauna Kea: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| Right fore- and left midlegs beyond tibiae missing; left wing torn at axillary cell; abdomen collapsed; ALLOTYPE ♀ 6397a on pin. | | |
| melanocephala Hardy, <i>Idiomyia</i> | HOLOTYPE ♂ | 11266 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 222-25 Fig. 12a-e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 10.VII.1964 W.B. Reed | | |
| Entire right and apical 1/2 of left antennal aristae broken off; ALLOTYPE ♀ 11266a on pin. | | |
| melanoloma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6398 |
| 1965 <i>Insects of Hawaii</i> 12: 360-61 Fig. 136a-d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VI.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6398a on pin. | | |

| | | |
|---|------------|-------|
| melanopedis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6399 |
| 1965 <i>Insects of Hawaii</i> 12 : 362–63 Fig. 137a–c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa VIII.1952 W.C. Mitchell | | |
| In fern jungle | | |
| Right antenna missing. | | |
| metatarsalis Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11820 |
| 1980 <i>Pac. Insects</i> 22 (3–4): 227 Fig. 4f–h | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 16.XI.1977 H.L. Carson | | |
| Ex flowers of <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11820a on pin. | | |
| micromyia Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 10084 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22 : 60–62 Fig. 4 | pin | |
| HAWAIIAN IS: Kauai I: Mahanaloa Val: Kokee 600 m 23.III.1973 K.Y. Kaneshiro | | |
| Right wing torn and notched on posterior margin; ALLOTYPE ♀ 10084a on pin. | | |
| mimica Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6400 |
| 1965 <i>Insects of Hawaii</i> 12 : 365–67 Fig. 139a–e | pin | |
| HAWAIIAN IS: Hawaii I: Mauna Loa Truck Trail 1220 m VIII.1952 D.E. Hardy | | |
| Left foreleg beyond coxa missing; ALLOTYPE ♀ 6400a on pin. | | |
| mimiconformis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6401 |
| 1965 <i>Insects of Hawaii</i> 12 : 367–69 Fig. 140a–b | pin | |
| HAWAIIAN IS: Molokai I: Maunawainui Val VII.1952 D.E. Hardy | | |
| mimiconfutata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6402 |
| 1965 <i>Insects of Hawaii</i> 12 : 369–70 Fig. 140c–e | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VII.1958 D.E. Hardy | | |
| In banana thicket | | |
| ALLOTYPE ♀ 6402a on pin. | | |
| mimula Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6542 |
| 1965 <i>Insects of Hawaii</i> 12 : 714–15 Fig. 308a–b | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1952 D.E. Hardy | | |
| ALLOTYPE ♀ 6542a on pin. | | |
| mitchelli Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6403 |
| 1965 <i>Insects of Hawaii</i> 12 : 370–72 Fig. 141a–d | pin | |
| HAWAIIAN IS: Hawaii I: Olaa Flume Rd VII.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6403a on pin. | | |
| mitchelli Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6618 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 35 Fig. 4–5 | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VII.1952 W.C. Mitchell | | |
| Right foreleg beyond tibia and abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6618a on pin. | | |
| molokaiensis Hardy, <i>Scaptomyza (Exalloscaptomyza)</i> | HOLOTYPE ♂ | 11271 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 236 Fig. 16d–f | pin | |
| HAWAIIAN IS: Molokai I: Kaunakakai Ridge 2000 ft [610 m] VII.1963 D.E. Hardy & L.H. Throckmorton | | |
| In morning-glory flowers | | |
| Left foreleg beyond coxa, left mid- and hind legs beyond 1st tarsus missing; both holotype and allotype specimens lack locality and collector labels; holotype with “♂” typed on a green label; ALLOTYPE ♀ 11271a on pin. | | |
| montgomeryi Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9328 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 167–68 Fig. 11a–b | pin | |
| HAWAIIAN IS: Oahu I: Waianae Mts: gulch between Puu Hapapa and Puu Kahehoa 2&14.II.1970 S.L. Montgomery [PFQ] | | |
| In same habitat as <i>ambochila</i> | | |
| Abdomen collapsed. | | |

| | | |
|--|------------|------|
| multidenta Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6543 |
| 1965 <i>Insects of Hawaii</i> 12: 716-18 Fig. 310a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kona coast: Pauahi 4300 ft [1311 m] VIII.1952 D.E. Hardy | | |
| Head, left fore- and both hindlegs beyond coxae, and abdomen missing; left wing torn at base and on posterior margin; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6543a on pin. | | |
| mumfordi Malloch, Scaptomyza | HOLOTYPE ♂ | 2314 |
| 1935 <i>B.P. Bishop Mus. Bull.</i> 114: 22-23 | pin | |
| MARQUESAS IS: Uapou: Hakahetau Val 305-609 m 29.I.1930 [R.R.] Whitten | | |
| On wing | | |
| Head missing; wings wrinkled; although the original description mentions an allotype female, none was ever deposited in the Bishop Museum collection. | | |
| murphyi Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9236 |
| 1969 <i>Univ. of Texas Publ.</i> 6918: 46-47 Fig. 6a-c | pin | |
| HAWAIIAN IS: Hawaii I: North Kohala: Pololu Stream 1010 m 12.VI.1968 H.L. Carson L79G1 | | |
| ALLOTYPE ♀ 9236a on pin. | | |
| musae Hardy, Drosophila | HOLOTYPE ♂ | 6404 |
| 1965 <i>Insects of Hawaii</i> 12: 373-75 Fig. 143a-b | pin | |
| HAWAIIAN IS: Molokai I: Wailau Trail: Mapulehu 794 m XII.1937 F.X. Williams | | |
| In banana grove | | |
| Hindlegs beyond coxae and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| musaphilia Hardy, Drosophila | HOLOTYPE ♂ | 6405 |
| 1965 <i>Insects of Hawaii</i> 12: 375-76 Fig. 144a-c | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1098 m VII.1952 D.E. Hardy | | |
| In banana bait trap | | |
| Left foreleg beyond coxae and abdomen beyond 3rd segment missing; left wing torn on posterior margin; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6405a on pin. | | |
| mutica Hardy, Scaptomyza (Alloscaptomyza) | HOLOTYPE ♂ | 6486 |
| 1965 <i>Insects of Hawaii</i> 12: 585-87 Fig. 243a-b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Right wing torn 2× on posterior margin; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6486a on pin. | | |
| mycetophila Hardy, Drosophila | HOLOTYPE ♂ | 6406 |
| 1965 <i>Insects of Hawaii</i> 12: 376-78 Fig. 145a-d | pin | |
| HAWAIIAN IS: Oahu I: Kolekole Pass VII.1958 K. Sakimura | | |
| Reared from bracket fungus | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6406a on pin; <i>D. goureaui</i> Hardy in Hardy & Kaneshiro (1972) new name for <i>mycetophila</i> Hardy, not Goureau, 1865. | | |
| nanella Hardy, Drosophila | HOLOTYPE ♂ | 6407 |
| 1965 <i>Insects of Hawaii</i> 12: 378-80 Fig. 146a-b | pin | |
| HAWAIIAN IS: Kauai I: Halemanu Swamp VIII.1953 D.E. Hardy | | |
| Abdomen and left halter missing; genitalia in microvial mounted below specimen. | | |
| neglecta Hardy, Drosophila | HOLOTYPE ♂ | 6408 |
| 1965 <i>Insects of Hawaii</i> 12: 383 Fig. 148a | pin | |
| HAWAIIAN IS: Oahu I: Kaala Mts [no date given] O.H. Swezey | | |
| ALLOTYPE ♀ 6408a on pin. | | |
| neutralis Hardy, Drosophila | HOLOTYPE ♂ | 6409 |
| 1965 <i>Insects of Hawaii</i> 12: 383-85 Fig. 148b-c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| In light trap | | |

| | | | |
|---|--|------------|-------|
| nigella Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6410 |
| 1965 <i>Insects of Hawaii</i> 12 : 385–87 Fig. 149a–b | | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui 1375 m IV.1954 M.Tamashiro | | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | | |
| ALLOTYPE ♀ 6410a on pin. | | | |
| nigricolor Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 11034 |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79 : 92–93 Fig. 13, 22 | | pin | |
| HAWAIIAN IS: Molokai I: Hanalilolilo: Waikolu Stream 1160 m 7.V.1976 K.Y. Ka- | | | |
| neshiro [UZB] | | | |
| Left 3rd antennal segment missing; left wing torn on posterior margin; <i>D. picea</i> Hardy, | | | |
| 1978, new name for <i>D. nigricolor</i> Hardy, 1977, not Strobl, 1898, not de Meijero, 1911. | | | |
| nigrifacies Hardy, <i>Idiomyia</i> | | HOLOTYPE ♂ | 6478 |
| 1965 <i>Insects of Hawaii</i> 12 : 550–52 Fig. 228a–e | | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest VII.1953 D.E. Hardy | | | |
| In banana trap | | | |
| Left foreleg beyond coxa and abdomen beyond 4th segment missing; genitalia in microvial | | | |
| mounted below specimen. | | | |
| nigrifrons Malloch, <i>Drosophila</i> | | HOLOTYPE ♀ | 552 |
| 1934 <i>Insects of Samoa</i> 6 (8): 304–05 | | pin | |
| [WESTERN] SAMOA: Savaii I: Safune [8.]V.1924 [609–1220 m] [E.H.] Bryan [Jr] | | | |
| [Rain forest] | | | |
| ALLOTYPE ♂ in BMNH. | | | |
| nigripalpus Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6411 |
| 1965 <i>Insects of Hawaii</i> 12 : 389–90 Fig. 151a–c | | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1949 G.B. Mainland | | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | | |
| nigripes Okada, <i>Chymomyza</i> | | HOLOTYPE ♂ | 11931 |
| 1981 <i>Kontyû</i> 49 : 167–68 Fig. 1c–d | | pin | |
| PNG: NEW GUINEA (NE): Eliptamin Val 1200–1300 m 1–15.VII.1959 O. Brandt | | | |
| ALLOTYPE ♀ 11931a on pin. | | | |
| nigritarsus Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6412 |
| 1965 <i>Insects of Hawaii</i> 12 : 390–92 Fig. 152a–c | | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest VII.1953 D.E. Hardy | | | |
| Genitalia in microvial mounted below specimen is not from holotype; ALLOTYPE ♀ 6412a | | | |
| on pin. | | | |
| nigrocincta Hardy, <i>Celidosoma</i> | | HOLOTYPE ♀ | 6283 |
| 1965 <i>Insects of Hawaii</i> 12 : 67–70 Fig. 18a–d | | pin | |
| HAWAIIAN IS: Oahu I: Schofield-Waikane Trail 609 m III.1958 D.E. Hardy | | | |
| Beating vegetation | | | |
| Right foreleg beyond coxa missing; ALLOTYPE ♂ 6283a on pin. | | | |
| nigrocirrus Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6413 |
| 1965 <i>Insects of Hawaii</i> 12 : 392–94 Fig. 153a–d | | pin | |
| HAWAIIAN IS: Hawaii I: Kaiholena Ridge VIII.1952 763 m D.E. Hardy | | | |
| In treefern jungle | | | |
| Type label data cites altitude as “2300”; original description cites it as “2500”; ALLOTYPE | | | |
| ♀ 6413a on pin. | | | |
| nigropolita Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6414 |
| 1965 <i>Insects of Hawaii</i> 12 : 394–96 Fig. 154a–c | | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1953 D.E. Hardy | | | |
| ALLOTYPE ♀ 6414a on pin. | | | |
| nigrops Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | | HOLOTYPE ♂ | 11815 |
| 1980 <i>Pac. Insects</i> 22 (3–4): 223–24 Fig. 3d–f | | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 17.X.1977 Carson | | | |
| Ex flowers <i>Alocasia macrorrhiza</i> | | | |
| ALLOTYPE ♀ 11815a on pin. | | | |

| | | |
|--|------------|-------|
| nigrosignata Hardy, Scaptomyza (Tantalia) | HOLOTYPE ♂ | 6498 |
| 1965 <i>Insects of Hawaii</i> 12: 625-27 Fig. 263a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Ditch Trail: Honokane Nui Stream VIII.1956 D.E. Hardy | | |
| Sweeping ground litter along trail | | |
| ALLOTYPE ♀ 6498a on pin. | | |
| nuda Okada & Carson, Drosophila (Scaptodrosophila) | HOLOTYPE ♂ | 11813 |
| 1980 <i>Pac. Insects</i> 22(3-4): 221-22 Fig. 2i-l, 5k | pin | |
| PNG: NEW GUINEA (NE): Bulldog Road 2000 m 22.VIII.1977 Carson | | |
| Ex flowers <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11813a on pin. | | |
| nuda Malloch, Samoia | HOLOTYPE ♀ | 545 |
| 1934 <i>Insects of Samoa</i> 6(8): 277-78 | pin | |
| [WESTERN] SAMOA: Savaii I: Salailua 609-1200 m 17.V.1924 [E.H.] Bryan [Jr] | | |
| [Rain forest] | | |
| ohahuensis Hardy, Scaptomyza (Exalloscaptomyza) | HOLOTYPE ♂ | 11272 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 236-37 Fig. 17a-c | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VIII.1963 L.H. Throckmorton | | |
| In morning-glory flowers | | |
| ALLOTYPE ♀ 11272a on pin. | | |
| obatai Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 10700 |
| 1972 <i>Univ. Texas Publ.</i> 7213: 156-57 Fig. 2a-c | pin | |
| HAWAIIAN IS: Oahu I: Waianae Mts: 0.7 mi [1.13 km] NW of Puu Pane 7.III.1971 S.L. Montgomery P73Z4 #F ₁ | | |
| Abdomen collapsed; ALLOTYPE ♀ 10700a on pin. | | |
| ocellata Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9237 |
| 1969 <i>Univ. Texas Publ.</i> 6918: 47-49 Fig. 7a-c | pin | |
| HAWAIIAN IS: Kauai I: Mt Kualapa 428 m 27-28.III.1968 K.Y. Kaneshiro L45 | | |
| ALLOTYPE ♀ 9237a on pin. | | |
| ochrobasis Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8930 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 240-41 Fig. 29a-d | pin | |
| HAWAIIAN IS: Hawaii I: Puu Hualalai 1692 m 13.VI.1966 W.B. Heed G79 | | |
| Sweeping in a large lava tube | | |
| Some debris on head and abdomen; abdomen collapsed; left and right wings torn distally; type specimen also carries a label "§ Flies"; ALLOTYPE ♀ not found in collection. | | |
| ochromata Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6544 |
| 1965 <i>Insects of Hawaii</i> 12: 720-22 Fig. 312a-b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1958 D.E. Hardy | | |
| Left midleg beyond coxa, left wing, left halter and abdomen missing; genitalia in microvial mounted below specimen; type label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6544a on pin. | | |
| odontophallus Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 8907 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 202-05 Fig. 12a-e | pin | |
| HAWAIIAN IS: Maui I: Auwahi 27.VIII.1965 J.K. Fujii G7.3 | | |
| On sodom apple bush (<i>Solanum sodomeum</i>) | | |
| Abdomen collapsed; ALLOTYPE ♀ 8907a on pin. | | |
| oreas Hardy, Drosophila | HOLOTYPE ♀ | 6415 |
| 1965 <i>Insects of Hawaii</i> 12: 399-400 Fig. 157a-c | pin | |
| HAWAIIAN IS: Maui I: Haleakala 1500 m [no further data] | | |
| Right foreleg beyond tibiae missing. | | |
| orestes Hardy, Drosophila | HOLOTYPE ♂ | 6416 |
| 1965 <i>Insects of Hawaii</i> 12: 400-02 Fig. 158a-c | pin | |
| HAWAIIAN IS: Hawaii I: Pauahi: slopes of Mauna Loa 1302 m VIII.1956 D.E. Hardy | | |
| ALLOTYPE ♀ 6416a on pin. | | |

| | | |
|--|------------|-------|
| ornata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9238 |
| 1969 <i>Univ. Texas Publ.</i> 6918: 49–50 Fig. 8a–e | pin | |
| HAWAIIAN IS: Kauai I: Kanaela Swamp 763 m 19–20.III.1968 H.L. Carson L41 | | |
| Abdomen collapsed; ALLOTYPE ♀ 9238a on pin. | | |
| ornata Okada, <i>Tambourella</i> | HOLOTYPE ♂ | 11830 |
| 1980 <i>Kontyû</i> 48: 512 Fig. 27–28, 31 | pin | |
| PNG: NEW GUINEA (NE): Wau: Mt Missim 1500 m 1.XII.1977 H.L. Carson | | |
| ALLOTYPE ♀ 11830a on pin. | | |
| orphnopeza Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8908 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 205–06 Fig. 13a–d | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 22.IX.1966 J.P. Murphy J31C | | |
| Small portion of right wing torn off on posterior margin; ALLOTYPE ♀ 8908a on pin. | | |
| orthofascia Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8909 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 206–08 Fig. 14a–d | pin | |
| HAWAIIAN IS: Maui I: Auwahi 1129 m 29.VII.1965 K.Y. Kaneshiro [G7.2] | | |
| On sodom apple bush | | |
| Right wing notched on posterior margin; ALLOTYPE ♀ 8909a on pin. | | |
| orthopterus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6278 |
| 1965 <i>Insects of Hawaii</i> 12: 56–58 Fig. 13a–c | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Right 3rd antennal segment missing; left wing torn on posterodistal margin; ALLOTYPE ♀ 6278a on pin. | | |
| ostensa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6545 |
| 1965 <i>Insects of Hawaii</i> 12: 722–24 Fig. 312a–d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 C.R. Joyce | | |
| Right wing covered by glue from point; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6545a on pin. | | |
| pacifica Wheeler & Takada, <i>Neotanygastella</i> | ALLOTYPE ♀ | 3606a |
| 1964 <i>Insects Micronesia</i> 14(6): 212 Fig. 18a–d | pin | |
| MICRONESIA: Ponape I: Mt Temwetemwensekir 180 m 17.I.1953 J.L. Gressitt | | |
| Light trap | | |
| Original description cites allotype date as "I.I.1953"; holotype in University of Texas, Austin. | | |
| paenehamifera Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9239 |
| 1969 <i>Univ. Texas Publ.</i> 6918: 50–52 Fig. 9a–h | pin | |
| HAWAIIAN IS: Maui I: Hanaua 1220 m 7–8.V.1968 H.L. Carson L61 | | |
| ALLOTYPE ♀ 9239a on pin. | | |
| palata Hardy, <i>Grimshawomyia</i> | HOLOTYPE ♂ | 6475 |
| 1965 <i>Insects of Hawaii</i> 12: 536–37 Fig. 222a–f | pin | |
| HAWAIIAN IS: Maui I: Haleakala 609 m [no further data] | | |
| ALLOTYPE ♀ 6475a on pin. | | |
| pallidipennis Harrison, <i>Lissoccephala</i> | HOLOTYPE ♀ | 7547 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 113 | pin | |
| WESTERN SAMOA: Upolu I: Vailima 17.XI.1950 [R. Harrison] | | |
| Type label data cites date as "17.II.1950." | | |
| pallifrons Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6624 |
| 1959 <i>Acta Zool. Fennica</i> 97: 38 Fig. 10, 13 | pin | |
| HAWAIIAN IS: Hawaii I: Kaula Gulch 2100 m VIII.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia on plastic point mounted below specimen; type specimen also carries a label "§ Flies"; ALLOTYPE ♀ not found in collection. | | |
| palmae Hardy, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6492 |
| 1965 <i>Insects of Hawaii</i> 12: 598–600 Fig. 251a–e | pin | |
| HAWAIIAN IS: Hawaii I: Volcano 26.IV.1916 J.F. Illingworth | | |
| Reared from palm | | |
| On wooden point with holotype are 2 pupal exuvia; ALLOTYPE ♀ 6492a removed from point with holotype and remounted on separate pin. | | |

| | | |
|--|------------|-------|
| paracracens Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11580 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23 : 82-83 Fig. 17 | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu: Maulua Trail 1590 m 20.VIII.1964 D.E. Hardy | | |
| On fern | | |
| parafascipennis Okada, <i>Hypsellothyrea</i> | HOLOTYPE ♂ | 11925 |
| 1980 <i>Kontyû</i> 48 : 505-06 Fig. 1, 13-14 | pin | |
| IRIAN JAYA: NEW GUINEA (NW): Vogelkop: Sucumi Camp: nr head of Ransiki Riv 300 | | |
| m 6.VIII.1957 D.E. Hardy | | |
| paraguma Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11811 |
| 1980 <i>Pac. Insects</i> 22 (3-4): 219-20 Fig. 2a-d, 5i, j | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 30.XII.1977 Carson | | |
| Ex flowers of <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11811a on pin. | | |
| paralobae Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6546 |
| 1965 <i>Insects of Hawaii</i> 12 : 725-27 Fig. 315a-b | pin | |
| HAWAIIAN IS: Hawaii I: Mauna Loa 1302 m VIII.1956 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6546a on pin. | | |
| parviramosa Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11814 |
| 1980 <i>Pac. Insects</i> 22 (3-4): 222 Fig. 3a-c | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 26.X.1977 Carson | | |
| Ex flowers of <i>Alocasia angustiloba</i> | | |
| ALLOTYPE ♀ 11814a on pin. | | |
| paucicilia Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9325 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 163-64 Fig. 8a-h | pin | |
| HAWAIIAN IS: [Oahu I]: Waianae Mts: valley nr Waialua 490 m 1.III.1970 S. Montgomery [P10Q] | | |
| paucitarsus Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11581 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23 : 83-84 Fig. 18 | pin | |
| HAWAIIAN IS: Molokai I: Apee 520 m 23-25.VII.1968 K.Y. Kaneshiro | | |
| ALLOTYPE ♀ 11581a on pin. | | |
| paucula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6417 |
| 1965 <i>Insects of Hawaii</i> 12 : 405-07 Fig. 161a-b | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala 3.IV.1953 C.P. Hoyt | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| penicula Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6547 |
| 1965 <i>Insects of Hawaii</i> 12 : 727-28 Fig. 316a-b | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1160 m VII.1952 D.E. Hardy | | |
| Left wing torn on posterior margin; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| peniculipedis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6418 |
| 1965 <i>Insects of Hawaii</i> 12 : 408-10 Fig. 162a-c | pin | |
| HAWAIIAN IS: Maui I: Haleakala 458-609 m [no further data] | | |
| ALLOTYPE ♀ 6418a on pin. | | |
| percnosoma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6419 |
| 1965 <i>Insects of Hawaii</i> 12 : 410-12 Fig. 163a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest 1220 m VIII.1958 D.E. Hardy | | |
| In dense fern jungle | | |
| Right wing torn at axillary lobe; ALLOTYPE ♀ 6419a on pin. | | |
| perissopoda Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6420 |
| 1965 <i>Insects of Hawaii</i> 12 : 412-14 Fig. 164a-d | pin | |
| HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1375 m VIII.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6420a on pin. | | |

| | | |
|---|------------|-------|
| petalopeza Hardy, <i>Drosophila (Trichotobregma)</i> | HOLOTYPE ♂ | 6474 |
| 1965 <i>Insects of Hawaii</i> 12: 532–35 Fig. 221a–e | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VIII.1958 D.E. Hardy | | |
| ALLOTYPE ♀ 6474a on pin. | | |
| photophilia Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6548 |
| 1965 <i>Insects of Hawaii</i> 12: 728–30 Fig. 317a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| In light trap | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| phryxothrix Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6549 |
| 1965 <i>Insects of Hawaii</i> 12: 730–31 Fig. 318a–b | pin | |
| HAWAIIAN IS: Molokai I: Hanalilolilo VII.1952 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| pictifrons Malloch, <i>Upolomyia</i> | ALLOTYPE ♂ | 547a |
| 1934 <i>Insects of Samoa</i> 6(8): 280–82 Fig. 6–7 | pin | |
| [WESTERN] SAMOA: Savaii I: Salailua 23.V.1924 E.H. Bryan, Jr | | |
| Face, venter, and left side of specimen covered with glue from point; left wing torn on posterior margin; HOLOTYPE ♀ in BMNH. | | |
| pilatiseae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8910 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 209–10 Fig. 16a–c | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 17.VI.1968 J.K. Fujii G81H | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| pisonia Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9329 |
| 1971 <i>Univ. Texas Publ.</i> 7103: 169 Fig. 12a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Polo Stream 428 m 13.I.1970 H.L. Carson M95G | | |
| On rotting <i>Pisonia</i> | | |
| ALLOTYPE ♀ 9329a on pin. | | |
| pistilicola Carson & Okada, <i>Drosophilella</i> | HOLOTYPE ♂ | 11825 |
| 1980 <i>Kontyû</i> 48: 18–19 Fig. 2 | pin | |
| PNG: NEW GUINEA (NE): Bulolo 6.IX.1977 Carson & Okada | | |
| Ex flowers of <i>Colocasia esculenta</i> | | |
| ALLOTYPE ♀ 11824a on pin. | | |
| planitibia Hardy, <i>Idiomyia</i> | HOLOTYPE ♂ | 11267 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 225–27 Fig. 13a–e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 11–15.VII.1964 H.L. Carson | | |
| ALLOTYPE 11267a on pin. | | |
| platyrhina Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 11274 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 238–40 Fig. 1a–f | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1220 m 28.VII.1963 H.L. Carson C72.11 | | |
| Femora collapsed; ALLOTYPE ♀ 11274a on pin. | | |
| plaua Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11812 |
| 1980 <i>Pac. Insects</i> 22(3–4): 220–21 Fig. 2e–h | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 2–10.X.1977 Carson | | |
| Ex flowers <i>Alocasia macrorrhiza</i> | | |
| ALLOTYPE ♀ 11812a on pin. | | |
| pleurovittata Harrison, <i>Drosophila</i> | HOLOTYPE ♀ | 7542 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 108–09 | pin | |
| [WESTERN] SAMOA: Upolu I: Malololelei 18.XI.1950 [R. Harrison] | | |
| Swept off foliage | | |
| Left wing missing; right wing torn off at base. | | |
| polliciforma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6421 |
| 1965 <i>Insects of Hawaii</i> 12: 419–21 Fig. 168a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts 24.V.1917 O.H. Swezey | | |
| Left midleg beyond coxa missing. | | |

| | | |
|---|------------|------|
| powelli Carson & Wheeler, <i>Lissoccephala</i> | HOLOTYPE ♂ | 9924 |
| 1973 <i>Pac. Insects</i> 15 : 201 Fig. 1-5 | pin | |
| INDIAN OCEAN: Christmas I: Smith Point 120 m 17.VII.1972 | | |
| Ex <i>Geocarcioidea humei</i> crab | | |
| ALLOTYPE ♀ 9924a on pin. | | |
| praesutilis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6422 |
| 1965 <i>Insects of Hawaii</i> 12 : 422-23 Fig. 169a-b | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VII.1952 D.E. Hardy | | |
| Hindlegs beyond coxae and abdomen missing; apical ½ of right wing torn off; left wing torn in ½ on anterior and posterior margins; genitalia in microvial mounted below specimen. | | |
| preapicula Hardy, <i>Ateledrosophila</i> | HOLOTYPE ♂ | 6282 |
| 1965 <i>Insects of Hawaii</i> 12 : 64-66 Fig. 17a-d | pin | |
| HAWAIIAN IS: Oahu I: Honolulu Mts [305 m] [no further data] | | |
| Left mid and hindlegs beyond coxae missing; left wing torn at axillary lobe. | | |
| pretiosa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6423 |
| 1965 <i>Insects of Hawaii</i> 12 : 423-25 Fig. 169c-e | pin | |
| HAWAIIAN IS: Oahu I: Pupukea VII.1958 H. Toba | | |
| In banana thicket | | |
| ALLOTYPE ♀ 6423a on pin. | | |
| primaeva Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8929 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 258-61 Fig. 36a-c | pin | |
| HAWAIIAN IS: Kauai I: Kokee: Mohihi Stream 1220 m 25.VI.1965 K.Y. Kaneshiro | | |
| Left wing notched apically; apical ¼ of right wing torn off; ALLOTYPE ♀ 8929a on pin. | | |
| proceriseta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6424 |
| 1965 <i>Insects of Hawaii</i> 12 : 425-27 Fig. 170a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1953 D.E. Hardy | | |
| Left and right 3rd antennal segments missing; ALLOTYPE ♀ 6424a on pin. | | |
| prodita Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6425 |
| 1965 <i>Insects of Hawaii</i> 12 : 427-29 Fig. 171a-b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 D.E. Hardy | | |
| Abdomen collapsed. | | |
| prolaticilia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6426 |
| 1965 <i>Insects of Hawaii</i> 12 : 429-30 Fig. 171c-e | pin | |
| HAWAIIAN IS: Hawaii I: Kaiholena Ridge 702 m VIII.1952 D.E. Hardy | | |
| Label data cites altitude as "2300'", original description cites it as "2500'." | | |
| prolixia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6427 |
| 1965 <i>Insects of Hawaii</i> 12 : 430-32 Fig. 172a-d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1098 m VII.1952 D.E. Hardy | | |
| ALLOTYPE ♀ 6427a on pin. | | |
| prominens Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6428 |
| 1965 <i>Insects of Hawaii</i> 12 : 432-34 Fig. 173a-e | pin | |
| HAWAIIAN IS: Kauai I: Kawaikoi Stream 1129 m VIII.1953 D.E. Hardy | | |
| Right wing notched on posterior margin; ALLOTYPE ♀ 6428a on pin. | | |
| propofacies Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6429 |
| 1965 <i>Insects of Hawaii</i> 12 : 434-36 Fig. 174a-c | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| ALLOTYPE ♀ 6429a on pin. | | |
| prostopalpis Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8911 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 210-12 Fig. 17a-d | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui 26.I.1966 J.P. Murphy | | |
| Abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |

| | | |
|--|--------------|-------|
| protensa Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6550 |
| 1965 <i>Insects of Hawaii</i> 12: 731–33 Fig. 319a–b | pin | |
| HAWAIIAN IS: Kauai I: Poomau Val 1040 m VII.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6550a on pin. | | |
| psilophallus Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 9321 |
| 1971 <i>Univ. Texas Publ.</i> 7103: 157–58 Fig. 4a–e | pin | |
| HAWAIIAN IS: Oahu I: Pupukea: Kaunala Gulch VII.1969 H.L. Carson M60 | | |
| ALLOTYPE ♀ 9321a on pin. | | |
| psilotarsalis Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 10085 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22: 62–63 Fig. 5 | pin | |
| HAWAIIAN IS: Hawaii I: Hualalai: ½ mi [0.8 km] NW of Moanuiahea radio tower 4.IV.1972 K.Y. Kaneshiro | | |
| Original description cites locality as “Moahuiahea radio tower”; ALLOTYPE ♀ 10085a on pin. | | |
| psychotriae Okada & Carson, Drosophila (Scaptodrosophila) | HOLOTYPE ♂ | 11818 |
| 1980 <i>Pac. Insects</i> 22 (3–4): 225–26 Fig. 4a–c | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 30.XI.1977 H.L. Carson | | |
| Ex flowers of <i>Psychotria</i> (Rubiaceae) | | |
| ALLOTYPE ♀ 11818a on pin. | | |
| pullipes Hardy & Kaneshiro, Drosophila | HOLOTYPE ♂ | 10701 |
| 1972 <i>Univ. Texas Publ.</i> 7213: 157–58 Fig. 3 | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Honokane Nui Val: Kohala Ditch Trail 335 m 11.VIII.1970 K.Y. Kaneshiro #P50B2 | | |
| Left foreleg beyond coxa missing; posteroapical portion of left wing torn off; original description cites collection number as “PT50B2”; ALLOTYPE ♀ 10701a on pin. | | |
| punalua Bryan, Drosophila | HOLOTYPE [♀] | 815 |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8: 438–39 | pin | |
| HAWAIIAN IS: Oahu I: Punaluu 11.VI.1916 [O.H.] Swezey | | |
| Right foreleg beyond coxa missing; abdomen collapsed; sex of type not specified in original description. | | |
| punctipennis Okada, Eostegana | HOLOTYPE ♂ | 11912 |
| 1982 <i>Pac. Insects</i> 24 (1): 50–52 Fig. 1a, 2e–f | pin | |
| IRIAN JAYA: NEW GUINEA (NW): S Geelvink Bay: Nabire 1920 m 5.V.1956 J.L. Gressitt | | |
| ALLOTYPE ♀ 11912a on pin. | | |
| punctivena Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6551 |
| 1965 <i>Insects of Hawaii</i> 12: 733–35 Fig. 320a–f | pin | |
| HAWAIIAN IS: Maui I: Haleakala: “Edge of forest near Kaunae V.” 22.X.1917 1800 m [no collector] | | |
| Left and right wings torn on posterior margin; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. Original description cites locality as “... Kaunae D” and date as “22.V.1917.” | | |
| pychnochetae Hardy, Drosophila | HOLOTYPE ♂ | 6430 |
| 1965 <i>Insects of Hawaii</i> 12: 438–40 Fig. 176a–e | pin | |
| HAWAIIAN IS: Oahu I: Pupukea XII.1952 D.E. Hardy | | |
| In banana thicket | | |
| Left wing punctured; right wing torn near tip of costal vein; ALLOTYPE ♀ 6430a on pin. | | |
| quadridentata Hardy, Scaptomyza (Trogloscaptomyza) | HOLOTYPE ♂ | 6552 |
| 1965 <i>Insects of Hawaii</i> 12: 737–38 Fig. 321a–d | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala 26.IV.1952 L.D. Tuthill | | |
| On <i>Metrosideros</i> [sp.] | | |
| ALLOTYPE ♀ 6552a on pin. | | |

| | | |
|--|------------|-------|
| quadriseriata Malloch, <i>Scaptomyza</i> | HOLOTYPE ♀ | 2315 |
| 1935 <i>B.P. Bishop Mus. Bull.</i> 114: 194-95 | pin | |
| MARQUESAS IS: Hiva I: Temetiu Summit 1262 m 20.I.1932 Le Bronnec | | |
| Ex <i>Piper latifolium</i> | | |
| ALLOTYPE ♂ 2315a on pin. | | |
| quadrisetae Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6431 |
| 1965 <i>Insects of Hawaii</i> 12: 440-42 Fig. 177a-c | pin | |
| HAWAIIAN IS: Kauai I: Mualolo Val 1040 m VII.1952 D.E. Hardy | | |
| Left midleg beyond femur missing. | | |
| quasianomalipes Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6432 |
| 1965 <i>Insects of Hawaii</i> 12: 442-44 Fig. 178a-f | pin | |
| HAWAIIAN IS: Kauai I: Kokee VII.1952 D.E. Hardy | | |
| In banana bait trap | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| quasiexpansa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6433 |
| 1965 <i>Insects of Hawaii</i> 12: 444-45 Fig. 179a | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 R. Namba | | |
| reburra Hardy, <i>Drosophila (Hypenomyia)</i> | HOLOTYPE ♂ | 6473 |
| 1965 <i>Insects of Hawaii</i> 12: 522-23 Fig. 216a-c | pin | |
| HAWAIIAN IS: Maui I: Olinda III.1932 O. Bryant | | |
| Head appears to have been glued to thorax; left foreleg beyond coxa missing. | | |
| recava Hardy <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6553 |
| 1965 <i>Insects of Hawaii</i> 12: 738-40 Fig. 322a-b | pin | |
| HAWAIIAN IS: Hawaii I: Kiluaea VIII.1956 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6553a on pin. | | |
| recta Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6554 |
| 1965 <i>Insects of Hawaii</i> 12: 740-42 Fig. 323a-c | pin | |
| HAWAIIAN IS: Maui I: Puu Kukui 20.XII.1928 O.H. Swezey | | |
| On <i>Wilkesia grayana</i> | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | |
| ALLOTYPE ♀ 6554a on pin. | | |
| recticilia Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8912 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 212-15 Fig. 18a-e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 17.VI.1966 J.P. Murphy G81C | | |
| ALLOTYPE ♀ 8912a on pin. | | |
| reducta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6434 |
| 1965 <i>Insects of Hawaii</i> 12: 445-46 Fig. 179b-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olaa Forest VII.1953 D.E. Hardy | | |
| Left eye collapsed; left wing torn 2x posteroapically; abdomen beyond 3rd segment missing; | | |
| genitalia in microvial mounted below specimen. | | |
| redunda Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6435 |
| 1965 <i>Insects of Hawaii</i> 12: 446-47 Fig. 179d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 D.E. Hardy | | |
| repleteoides Carson & Okada, <i>Styloptera</i> | HOLOTYPE ♂ | 11826 |
| 1980 <i>Kontyû</i> 48: 20-21 Fig. 3 | pin | |
| PNG: NEW GUINEA (NE): Bulolo 11-18.IX.1977 Carson | | |
| Ex flowers of <i>Colocasia esculenta</i> | | |
| ALLOTYPE ♀ 11826a on pin. | | |
| reschae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9624 |
| 1975 <i>Proc. Hawaii. Entomol. Soc.</i> 22: 63-64 | pin | |
| HAWAIIAN IS: Oahu I: Puu Pane: Waialua 1.III.1970 S.L. Montgomery [P10Q] | | |
| Head in microvial mounted below specimen; mouthparts on slide 9624; ALLOTYPE ♀ | | |
| 9624a on pin. | | |

| | | | |
|---|--|------------|-------|
| residua Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6436 |
| 1965 <i>Insects of Hawaii</i> 12: 448–50 Fig. 180a–c | HAWAIIAN IS: Hawaii I: Keanakolu 1375 m 28.X.1952 C.P. Hoyt | pin | |
| retrusa Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6437 |
| 1965 <i>Insects of Hawaii</i> 12: 450–52 Fig. 181a–c | HAWAII IS: Molokai I: Hanalilolilo VII.1952 D.E. Hardy | pin | |
| | Right hindleg beyond femur missing. | | |
| retusa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6555 |
| 1965 <i>Insects of Hawaii</i> 12: 742 Fig. 323d–f | HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1281 m VII.1956 D.E. Hardy | pin | |
| | Abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen. | | |
| reynoldiae Hardy & Kaneshiro, <i>Drosophila</i> | | HOLOTYPE ♂ | 10702 |
| 1972 <i>Univ. of Texas Publ.</i> 7213: 158–59 Fig. 4a–c | HAWAIIAN IS: Oahu I: E Makaleha Val 19.VII.1970 S.L. Montgomery [P42] | pin | |
| | Reared ex rotting <i>Reynoldia</i> leaves | | |
| | Small portion on apices of right and left wings torn off; type label cites biotype data as “reared ex <i>Reynoldia</i> stem”; ALLOTYPE ♀ 10702a on pin. | | |
| robusta Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6556 |
| 1965 <i>Insects of Hawaii</i> 12: 742–45 Fig. 324a–d | HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1986 m VI.1953 C.R. Joyce | pin | |
| | Left foreleg beyond coxa and abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; original description cites date as “VI.1952”; ALLOTYPE ♀ 6556a on pin. | | |
| rostrata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6557 |
| 1965 <i>Insects of Hawaii</i> 12: 745–46 Fig. 325a–b | HAWAIIAN IS: Kauai I: Kalalau Lookout 1220 m VIII.1953 D.E. Hardy | pin | |
| | Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6557a on pin. | | |
| rotundiloba Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6558 |
| 1965 <i>Insects of Hawaii</i> 12: 746–48 Fig. 326a–d | HAWAIIAN IS: Oahu I: Waiahole 28.III.1915 O.H. Swezey | pin | |
| | Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| rufa Okada, <i>Chymomyza</i> | | HOLOTYPE ♂ | 12096 |
| 1981 <i>Kontyû</i> 49: 169–70 Fig. 1g–h | PNG: NEW GUINEA (NE): Bulolo 18.IX.1977 T. Okada | pin | |
| | ALLOTYPE ♀ 11934a on pin. | | |
| rustica Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6438 |
| 1965 <i>Insects of Hawaii</i> 12: 452–53 Fig. 182a–c | HAWAIIAN IS: Molokai I: Puu Kolekole 1067 m VII.1953 D.E. Hardy | pin | |
| | Apices of right and left wings punctured and torn off. | | |
| sadleria Bryan, <i>Drosophila</i> | | HOLOTYPE ♀ | 819 |
| 1938 <i>Proc. Hawaii. Entomol. Soc.</i> 10: 41–42 | HAWAIIAN IS: Oahu I: Niu 11.XII.1910 O.H. Swezey | pin | |
| | Ex rachis of <i>Sadleria</i> fern | | |
| | Pupal exuvium on point with pinned type. | | |
| samoensis Harrison, <i>Drosophila</i> | | HOLOTYPE ♂ | 7543 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 103–04 Fig. 7 | [WESTERN] SAMOA: Manono I 6.XII.1950 [R. Harrison] | pin | |
| | Swept off foliage | | |
| | Left wing notched at apex. | | |
| samoensis Harrison, <i>Leucophenga</i> | | HOLOTYPE ♂ | 7545 |
| 1954 <i>Trans. R. Entomol. Soc. Lond.</i> 105: 110–11 | [WESTERN] SAMOA: Manono I 6.XII.1950 [R. Harrison] | pin | |
| | Swept off foliage | | |
| | Right hindleg beyond tibia missing. | | |

| | | | |
|---|--|------------|-------|
| samoensis Malloch, <i>Zygothrica</i> | | ALLOTYPE ♂ | 546A |
| 1934 <i>Insects of Samoa</i> 6(8): 278-79 | | pin | |
| [WESTERN] SAMOA: Savaii I: Safune 12.V.1924 [E.H.] Bryan [Jr] | | | |
| Left side of specimen obscured by glue from point; right wing torn on posterior margin; | | | |
| HOLOTYPE ♀ in BMNH. | | | |
| scitula Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 11263 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 213-15 Fig. 8a-d | | pin | |
| HAWAIIAN IS: Kauai I: Kokee: Mohihi Stream 1127 m VII.1963 L.H. Throckmorton | | | , |
| scoliops Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♂ | 6559 |
| 1965 <i>Insects of Hawaii</i> 12: 748-50 Fig. 327a-b | | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala 914 m V.1956 D.E. Hardy | | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; | | | |
| ALLOTYPE ♀ 6559a on pin. | | | |
| scolopichas Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | | HOLOTYPE ♀ | 6560 |
| 1965 <i>Insects of Hawaii</i> 12: 750-51 Fig. 328a-d | | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy | | | |
| scolostoma Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6439 |
| 1965 <i>Insects of Hawaii</i> 12: 456-58 Fig. 185a-e | | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VII.1952 W.C. Mitchell | | | |
| ALLOTYPE ♀ 6439a on pin. | | | |
| scutellata Okada, <i>Chymomyza</i> | | HOLOTYPE ♂ | 11929 |
| 1981 <i>Kontyû</i> 49: 173-74 Fig. 2g-h | | pin | |
| MALAYSIA: [SABAH]: 19 mi [30.6 km] N of Kalabakan: Forest Camp 60 m 14.X.1962 Kuncheria | | | |
| ALLOTYPE ♀ 11929a on pin. | | | |
| scutellata Okada, <i>Hypselothryea</i> | | HOLOTYPE ♂ | 11829 |
| 1980 <i>Kontyû</i> 48: 508-09 Fig. 11-12 | | pin | |
| THAILAND (N): Khao Yai 25.XII.1975 H. Shima | | | |
| ALLOTYPE ♀ 11829a on pin. | | | |
| seclusa Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6440 |
| 1965 <i>Insects of Hawaii</i> 12: 458-60 Fig. 186a-b | | pin | |
| HAWAIIAN IS: Hawaii I: Kulani 1586 m VII.1952 D.E. Hardy | | | |
| sejuncta Hardy & Kaneshiro, <i>Drosophila</i> | | HOLOTYPE ♂ | 8913 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 215-16 Fig. 19a-c | | pin | |
| HAWAIIAN IS: Kauai I: Kokee 28.XII.1966 J.P. Murphy J52C | | | |
| Berry patch flat | | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | | |
| semiflava Hardy, <i>Scaptomyza (Alloscaptomyza)</i> | | HOLOTYPE ♂ | 6487 |
| 1965 <i>Insects of Hawaii</i> 12: 587-88 Fig. 244a-b | | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1952 M.S. Adachi | | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; | | | |
| ALLOTYPE ♀ 6487a on pin. | | | |
| semifuscata Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6441 |
| 1965 <i>Insects of Hawaii</i> 12: 460-61 Fig. 186c-d | | pin | |
| HAWAIIAN IS: Maui I: Makamakaole Val VI.1953 D.E. Hardy | | | |
| ALLOTYPE ♀ 6441a on pin. | | | |
| seorsa Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6442 |
| 1965 <i>Insects of Hawaii</i> 12: 461-62 Fig. 178a-b | | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VI.1952 M. Tamashiro | | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | | |
| septuosa Hardy, <i>Drosophila</i> | | HOLOTYPE ♂ | 6443 |
| 1965 <i>Insects of Hawaii</i> 12: 462-64 Fig. 187c-d | | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | | |
| In light trap | | | |

| | | |
|--|------------|------|
| setiger Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6561 |
| 1965 <i>Insects of Hawaii</i> 12: 751–53 Fig. 329a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| In light trap | | |
| Right wing notched at tip; abdomen beyond 1st segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6561a on pin. | | |
| setipalpus Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6444 |
| 1965 <i>Insects of Hawaii</i> 12: 466–68 Fig. 189a–b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| Abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen; label data cites locality as "Waiakamoi." | | |
| setosifrons Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8914 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 216–19 Fig. 20a–c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea 17.VII.1964 L.H. Throckmorton | | |
| Fern forest | | |
| Left 3rd antennal segment and right wing broken off; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| setosiloba Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6562 |
| 1965 <i>Insects of Hawaii</i> 12: 753–54 Fig. 330a–b | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1980 m VI.1953 D.E. Hardy | | |
| Abdomen crushed; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6562a on pin. | | |
| setosimentum Hardy & Kaneshiro, <i>Drosophila</i> | HOLTOYPE ♂ | 8923 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 241–44 Fig. 30a–f | pin | |
| HAWAIIAN IS: Hawaii I: Kohala Mts: Awini Camp 2000' (?) 2.VIII.1966 J.K. Fujii | | |
| J17 | | |
| ALLOTYPE ♀ 8923a on pin. | | |
| setosiscutellum Hardy, <i>Titanochaeta</i> | HOLOTYPE ♂ | 6579 |
| 1965 <i>Insects of Hawaii</i> 12: 788–90 Fig. 349a–d | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 M. Tamashiro | | |
| ALLOTYPE ♀ 6579a on pin. | | |
| silvarentis Hardy & Kaneshiro, <i>Drosophila</i> | HOLTOYPE ♂ | 8915 |
| 1968 <i>Univ. of Texas Publ.</i> 6818: 219–21 Fig. 21a–e | pin | |
| HAWAIIAN IS: Hawaii I: Humuula Saddle 13.VII.1967 W.B. Heed | | |
| Holotype, allotype and a few paratypes taken from laboratory culture from iso-female line K18A1; original female collected at above locality; ALLOTYPE ♀ 8915a on pin. | | |
| silvestris Perkins, <i>Idiomyia</i> | HOLOTYPE ♀ | 1278 |
| 1910 <i>Fauna Hawaiana</i> 2: 700 | pin | |
| HAWAIIAN IS: [Hawaii I: Kilauea 1903] [no further data] | | |
| Right 3rd annennal arista broken off. | | |
| silvicola Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6563 |
| 1965 <i>Insects of Hawaii</i> 12: 754–56 Fig. 331a–b | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest VIII.1952 D.E. Hardy | | |
| Left legs beyond coxae and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6563a on pin. | | |
| silvicola Hardy, <i>Titanochaeta</i> | HOLOTYPE ♂ | 6580 |
| 1965 <i>Insects of Hawaii</i> 12: 790–92 Fig. 350a–e | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy | | |
| Sweeping ground litter in fern jungle | | |
| Abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6580a on pin. | | |

| | | |
|---|------------|-------|
| sobrina Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9323 |
| 1971 <i>Univ. Texas Publ.</i> 7103 : 159-61 Fig. 6a-e | pin | |
| HAWAIIAN IS: Oahu I: Lulumahu Falls 320 m 16.V.1968 H.L. Carson [L64] | | |
| Right 3rd antennal segment and abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 9323a on pin. | | |
| sodomae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8916 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 221-23 Fig. 22a-e | pin | |
| HAWAIIAN IS: Maui I: Auwahi 27.VIII.1965 K.Y. Kaneshiro [G7.4] | | |
| On sodom apple bush (<i>Solanum sodomaeum</i>) | | |
| ALLOTYPE ♀ 8916a on pin. | | |
| spaniothrix Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8917 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 2334-35 Fig. 23a-c | pin | |
| HAWAIIAN IS: Oahu I: Pupukea 11.VI.1961 H.L. Carson | | |
| Right wing notched on posterior margin; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| spathicola Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11819 |
| 1980 <i>Pac. Insects</i> 22 (3-4): 226 Fig. 4d-e | pin | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 3.X.1977 Carson | | |
| Ex flowers <i>Alocasia macrorrhiza</i> | | |
| Left 3rd antennal segment and abdomen beyond 2nd segment missing; right wing, legs and genitalia on slide mounted below specimen. | | |
| spectabilis Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6445 |
| 1965 <i>Insects of Hawaii</i> 12 : 470-71 Fig. 191a | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1100 m VII.1953 D.E. Hardy | | |
| sphaerogaster Okada, <i>Tambourella</i> | HOLOTYPE ♂ | 11831 |
| 1980 <i>Kontyû</i> 48 : 512-14 Fig. 29-30, 32 | pin | |
| PNG: NEW GUINEA (NE): Wau 22.VIII.1977 T. Okada | | |
| ALLOTYPE ♀ 11831a on pin. | | |
| spicula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6446 |
| 1965 <i>Insects of Hawaii</i> 12 : 472 Fig. 191b | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| spiethi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 11264 |
| 1966 <i>Univ. Texas Publ.</i> 6615 : 217-19 Fig. 10a-e | pin | |
| HAWAIIAN IS: Hawaii I: Hawaii National Park: Kilauea: Bird Park 12.VII.1964 H.T. Spieth | | |
| ALLOTYPE ♀ 11264a on pin. | | |
| spilota Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6564 |
| 1965 <i>Insects of Hawaii</i> 12 : 756-57 Fig. 332a-c | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1980 m VI.1953 C.R. Joyce | | |
| ALLOTYPE ♀ 6564a on pin. | | |
| spinifera Okada, <i>Hypselothryea</i> | HOLOTYPE ♂ | 11827 |
| 1980 <i>Kontyû</i> 48 : 502-03 Fig. 9-10 | pin | |
| PNG: NEW GUINEA (NE): Lae: Botanical Garden 27-29.IX.1977 T. Okada | | |
| ALLOTYPE ♀ 11827a on pin. | | |
| sproati Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8918 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 225-29 Fig. 23a-c | pin | |
| HAWAIIAN IS: Hawaii I: Kahala Mts: Puu Laalaau 1020 m 30.VIII.1966 K.Y. Kaneshiro | | |
| In baits in rain forest, rainfall over 510 cm per year | | |
| stamenicola Carson & Okada, <i>Drosophilella</i> | HOLOTYPE ♂ | 11824 |
| 1980 <i>Kontyû</i> 48 : 16-18 Fig. 1 | pin | |
| PNG: NEW GUINEA (NE): Bulolo 6.IX.1977 Carson & Okada | | |
| Ex flowers of <i>Colocasia esculenta</i> | | |
| Left hind leg and abdomen beyond 4th segment missing; left wing, right legs and genitalia mounted on slide pinned below specimen; ALLOTYPE ♀ 11825a on pin. | | |

| | | |
|---|------------|-------|
| stenoptera Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6447 |
| 1965 <i>Insects of Hawaii</i> 12 : 473–74 Fig. 192a–d | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1980 m VI.1953 D.E. Hardy | | |
| Right 3rd antennal segment and abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |
| stenoptera Hardy, <i>Idiomyia</i> | HOLOTYPE ♂ | 6479 |
| 1965 <i>Insects of Hawaii</i> 12 : 562–64 Fig. 234a–d | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala IV.1952 D.E. Hardy | | |
| Right wing notched on apical margin; antennae and abdomen beyond 5th segment missing; genitalia in microvial mounted below specimen; <i>D. substenoptera</i> Hardy, 1969, new name for <i>stenoptera</i> Hardy, not Hardy, 1965; ALLOTYPE ♀ 6479a on pin. | | |
| stigma Hardy, <i>Drosophila (Antopocerus)</i> | HOLOTYPE ♂ | 11036 |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79 : 94–95 Fig. 4, 16, 24 | pin | |
| HAWAIIAN IS: Molokai I: Hanalilolilo 3500 ft [1067 m] 9–11.I.1975 A. Ohta [T38] | | |
| ALLOTYPE ♀ 11036a on pin. | | |
| stramineifrons Hackman, <i>Scaptomyza (Alloscaptomyza)</i> | HOLOTYPE ♂ | 6613 |
| 1962 <i>Not. Entomol.</i> 42 : 40–41 Fig. 6 | pin | |
| HAWAIIAN IS: Oahu I: Palehua 20.XII.1952 C.P. Hoyt | | |
| Abdomen beyond 3rd segment missing; according to label on specimen, genitalia are in Hackman collection; ALLOTYPE ♀ 6613a on pin. | | |
| stramineipes Malloch, <i>Scaptomyza</i> | HOLOTYPE ♂ | 551 |
| 1934 <i>Insects of Samoa</i> 6 (8): 295–96 | pin | |
| [WESTERN] SAMOA: Savaii I: Salailua 23.V.1924 [E.H.] Bryan [Jr] | | |
| Specimen glued to point; left side obliterated by glue. | | |
| striatifrons Hackman, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6619 |
| 1959 <i>Acta Zool. Fennica</i> 97 : 36 Fig. 2–3 | pin | |
| HAWAIIAN IS: Kauai I: Waialae Stream 1000 m VII.1952 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia on plastic point mounted below specimen; ALLOTYPE ♀ 6619a on pin. | | |
| subobscura Okada, <i>Chymomyza</i> | HOLOTYPE ♂ | 11932 |
| 1981 <i>Kontyû</i> 49 : 168–69 Fig. 1e–f | pin | |
| PHILIPPINES: [Luzon I]: Camarines Sur Prov 800–850 m 29.IV.1963 H. Torrevillas | | |
| swezeyi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6448 |
| 1965 <i>Insects of Hawaii</i> 12 : 474–76 Fig. 193a–c | pin | |
| HAWAIIAN IS: Oahu I: Waianae Mts 22.I.1924 O.H. Swezey | | |
| Left antennal arista broken off; label data cites date as "27.I.24." | | |
| systemopeza Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 11582 |
| 1979 <i>Proc. Hawaii. Entomol. Soc.</i> 23 : 85 Fig. 23a–b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 11.III.1966 W.B. Heed | | |
| Reared from <i>Pelea</i> leaves | | |
| taeniata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6449 |
| 1965 <i>Insects of Hawaii</i> 12 : 476–77 Fig. 194a–c | pin | |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku 1980 m VI.1953 D.E. Hardy | | |
| Left and right wings torn on apical margins; abdomen missing; genitalia in microvial mounted below specimen. | | |
| tamashiroi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6450 |
| 1965 <i>Insects of Hawaii</i> 12 : 477–79 Fig. 195a–c | pin | |
| HAWAIIAN IS: Oahu I: Makaleha Val V.1951 M. Tamashiro | | |
| In stream bed | | |
| tanythrix Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6279 |
| 1965 <i>Insects of Hawaii</i> 12 : 58–61 Fig. 14a–d | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy | | |
| Sweeping around bases of trees in treefern jungle | | |
| Right hind leg beyond coxa missing; ALLOTYPE ♀ 6279a on pin. | | |

| | | |
|--|------------|-------|
| taractica Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6451 |
| 1965 <i>Insects of Hawaii</i> 12: 479 Fig. 195d-e | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1590 m X.1952 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| tarphytrichia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6452 |
| 1965 <i>Insects of Hawaii</i> 12: 479-81 Fig. 196a-c | pin | |
| HAWAIIAN IS: Oahu I: Manoa Falls 16.IV.1949 G. Mainland | | , |
| In banana bait trap | | |
| Head, left foreleg and both hind legs beyond coxae, both wings, and abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6452a on pin. | | |
| tendomentum Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6453 |
| 1965 <i>Insects of Hawaii</i> 12: 481-83 Fig. 197a-d | pin | |
| HAWAIIAN IS: Hawaii I: Keanakolu 1980 m X.1952 D.E. Hardy | | |
| Type also carries label "see mouth parts"; ALLOTYPE ♀ 6453a on pin. | | |
| tenuata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6565 |
| 1965 <i>Insects of Hawaii</i> 12: 757-59 Fig. 333a-b | pin | |
| HAWAIIAN IS: Hawaii I: N slope of Mauna Kea: Puu Kihe 2440 m X.1952 D.E. Hardy | | |
| Apical portion of right wing torn off; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| tenuis Okada, <i>Hypselothryea</i> | HOLOTYPE ♂ | 11828 |
| 1980 <i>Kontyû</i> 48: 503-04 Fig. 4, 17-18 | pin | |
| PNG: NEW GUINEA (NE): Wau: Mt Missim Trail 1570 m [1.XII.1977] H.L. Carson | | |
| Ex <i>Megapode</i> mound | | |
| tesellata Okada, <i>Eostegana</i> | HOLOTYPE ♂ | 11916 |
| 1982 <i>Pac. Insects</i> 24(1): 55-56 Fig. 1d, 2g-h | pin | |
| SOLOMON IS: Malaita: Dale NW 19.VI.1964 R. Straatman | | |
| tetraspilota Hardy, <i>Drosophila</i> | HOLOTYPE ♀ | 6454 |
| 1965 <i>Insects of Hawaii</i> 12: 483-84 Fig. 198a-b | pin | |
| HAWAIIAN IS: Hawaii I: upper Hamakua Ditch Trail 30.VII.1921 O.H. Swezey | | |
| Right wing folded on itself. | | |
| throckmortonii Hardy, <i>Scaptomyza (Exalloscaptomyza)</i> | HOLOTYPE ♂ | 11273 |
| 1966 <i>Univ. Texas Publ.</i> 6615: 237-38 Fig. 17d-f | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1100 m 29.VII.1963 D.E. Hardy | | |
| ALLOTYPE ♀ 11273a on pin. | | |
| torula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6455 |
| 1965 <i>Insects of Hawaii</i> 12: 484-86 Fig. 199a-b | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy | | |
| Label data cites locality as "Waiakamoi"; ALLOTYPE ♀ 6455a on pin. | | |
| tonotrigra Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6456 |
| 1965 <i>Insects of Hawaii</i> 12: 486-87 Fig. 199c-f | pin | |
| HAWAIIAN IS: [Oahu I]: Mt Kaala IV.1952 D.E. Hardy | | |
| touchardiae Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 10703 |
| 1972 <i>Univ. Texas Publ.</i> 7213: 159-60 Fig. 5a-b | pin | |
| HAWAIIAN IS: Oahu I: Castle Trail 640 m 15.III.1970 S.L. Montgomery P12Q1 | | |
| Abdomen collapsed; ALLOTYPE ♀ 10703a on pin. | | |
| transfuga Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6457 |
| 1965 <i>Insects of Hawaii</i> 12: 487-89 Fig. 200a-c | pin | |
| HAWAIIAN IS: Maui I: Iao Val VI.1952 M. Tamashiro | | |
| Right foreleg beyond coxae, left foreleg beyond tibia, and abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |
| trichaetosa Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6458 |
| 1965 <i>Insects of Hawaii</i> 12: 489-91 Fig. 201a-d | pin | |
| HAWAIIAN IS: Hawaii I: Kulani 5200 ft [1585 m] VII.1952 D.E. Hardy | | |
| ALLOTYPE 6458a on pin. | | |

| | | |
|---|------------|---------|
| tricingulata Okada & Carson, <i>Drosophila (Scaptodrosophila)</i> | HOLOTYPE ♂ | 11821 |
| 1980 <i>Pac. Insects</i> 22 (3-4): 227-28 Fig. 5a-c | pin | |
| PNG: NEW GUINEA (NE): [Morobe Distr]: Mt Kaindi 1900 m 30.XI.1977 Carson | | |
| Near <i>Alocasia macrorrhiza</i> | | |
| Abdomen beyond 4th segment missing; right wing, right legs and genitalia on slide mounted below specimen; ALLOTYPE ♀ 11821a on pin. | | |
| trivittata Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6566 |
| 1965 <i>Insects of Hawaii</i> 12 : 759-61 Fig. 334a-d | pin | |
| HAWAIIAN IS: Kauai I: Alakai Swamp 1220 m VIII.1953 D.E. Hardy | | |
| Posterior portion of right wing torn off; abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| trukana Wheeler & Takada, <i>Liodrosophila</i> | ALLOTYPE ♀ | [3667a] |
| 1964 <i>Insects Micronesia</i> 14 (6): 223 Fig. 21f-i | pin | |
| MICRONESIA: CAROLINE IS: Truk Is: Tol I: Mt Unibot 200 m 30.XII.1952 J.L. Gressitt | | |
| In light trap | | |
| Published as 3607a; type number changed to 3667a; HOLOTYPE ♂ in USNM (#67357). | | |
| truncata Okada, <i>Hypselothyrea</i> | HOLOTYPE ♂ | 11926 |
| 1980 <i>Kontyū</i> 48 : 507-08 Fig. 5, 19-20 | pin | |
| THAILAND (N): Chaing Mai Prov: Doi Suthep 28-31.III.1958 T.C. Maa | | |
| truncipenna Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6459 |
| 1965 <i>Insects of Hawaii</i> 12 : 491-93 Fig. 202a-e | pin | |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VIII.1959 D.E. Hardy | | |
| In banana bait trap | | |
| Label data cite date as "VIII.58"; ALLOTYPE 6459a on pin. | | |
| tuberofacies Okada, <i>Hypselothyrea</i> | HOLOTYPE ♀ | 11927 |
| 1980 <i>Kontyū</i> 48 : 504-05 | pin | |
| PHILIPPINES: [Mindanao I]: Misamis Oriental Prov: Chingoog Mt: Kiongolzokuse 700-800 m 8-18.IV.1960 H. Torrevillas | | |
| tumidula Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6567 |
| 1965 <i>Insects of Hawaii</i> 12 : 761-62 Fig. 335a-c | pin | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest 1220 m VII.1956 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| turbata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 9240 |
| 1969 <i>Univ. Texas Publ.</i> 6918 : 52-54 Fig. 10a-c | pin | |
| HAWAIIAN IS: Oahu I: Peacock Flat 425 m 23.V.1968 H.L. Carson L67 | | |
| ALLOTYPE ♀ 9240a on pin. | | |
| uliginosa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6568 |
| 1965 <i>Insects of Hawaii</i> 12 : 763-64 Fig. 336a-d | pin | |
| HAWAIIAN IS: Kauai I: Kawaikoi Stream 1127 m VIII.1953 D.E. Hardy | | |
| Sweeping in wet, swampy vegetation along stream | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| umbrosa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6569 |
| 1965 <i>Insects of Hawaii</i> 12 : 765-66 Fig. 337a-e | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| At light trap | | |
| Alular lobe of right wing torn off; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6569a on pin. | | |
| unicula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6460 |
| 1965 <i>Insects of Hawaii</i> 12 : 495-96 Fig. 204a-c | pin | |
| HAWAIIAN IS: Hawaii I: Kilauea VIII.1958 J.W. Beardsley | | |
| In light trap | | |

| | | |
|--|------------|------|
| uniseriata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8919 |
| 1968 <i>Univ. Texas Publ.</i> 6818 : 229-31 Fig. 25a-g | pin | |
| HAWAIIAN IS: Oahu I: Kupaua Val (Niu Section) 240 m 21.VIII.1965 H.L. Carson C144.5A | | |
| Apical portion of left wing torn off; ALLOTYPE ♀ 8919a on pin. | | |
| univitta Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6570 |
| 1965 <i>Insects of Hawaii</i> 12 : 766-67 Fig. 338a-b | pin | |
| HAWAIIAN IS: Kauai I: Waialae Stream 1100 m VIII.1953 D.E. Hardy | | |
| Specimen greasy and covered with debris; posterior portion of right wing torn off; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6570a on pin. | | |
| vagabunda Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6571 |
| 1965 <i>Insects of Hawaii</i> 12 : 768-69 Fig. 339a-b | pin | |
| HAWAIIAN IS: Kauai I: Halemanu Val VIII.1953 D.E. Hardy | | |
| Right wing torn at alula; abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| varga Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6461 |
| 1965 <i>Insects of Hawaii</i> 12 : 496-97 Fig. 204d-e | pin | |
| HAWAIIAN IS: Maui I: Haelaau 21.XII.1928 O.H. Swezey | | |
| Specimen slightly greasy; abdomen beyond 4th segment missing; genitalia in microvial mounted below specimen. | | |
| varia Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6572 |
| 1965 <i>Insects of Hawaii</i> 12 : 769-70 Fig. 340a-c | pin | |
| HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1370 m VIII.1953 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| variabilis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6462 |
| 1965 <i>Insects of Hawaii</i> 12 : 497-99 Fig. 205a-b | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole 1100 m VII.1953 D.E. Hardy & M. Tamashiro | | |
| ALLOTYPE 6462a on pin. | | |
| varipicta Hardy, <i>Scaptomyza (Tantalia)</i> | HOLOTYPE ♂ | 6499 |
| 1965 <i>Insects of Hawaii</i> 12 : 627-29 Fig. 263c-d | pin | |
| HAWAIIAN IS: Kauai I: Kokee 1100 m VII.1952 D.E. Hardy | | |
| Sweeping ground litter in the rain forest | | |
| ALLOTYPE ♀ 6499a on pin. | | |
| velata Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6463 |
| 1965 <i>Insects of Hawaii</i> 12 : 499-500 Fig. 205c-e | pin | |
| HAWAIIAN IS: Oahu I: Mt Kaala V.1952 M. Tamashiro | | |
| ALLOTYPE ♀ 6463a on pin. | | |
| velutinifrons Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6464 |
| 1965 <i>Insects of Hawaii</i> 12 : 501-02 Fig. 206a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 D.E. Hardy | | |
| ALLOTYPE ♀ 6464a on pin. | | |
| venusta Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6465 |
| 1965 <i>Insects of Hawaii</i> 12 : 502-03 Fig. 207a-c | pin | |
| HAWAIIAN IS: Molokai I: Puu Kolekole VII.1952 M. Tamashiro | | |
| Left midleg and righ hindleg beyond coxae, and abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen. | | |
| versicolor Malloch, <i>Lisocephala</i> | ALLOTYPE ♀ | 549a |
| 1934 <i>Insects of Samoa</i> 6 (8): 287-89 | pin | |
| [WESTERN] SAMOA: Upolu I: Vaea 334 m 25.IV.1924 [E.H.] Bryan [Jr] | | |
| Specimen greasy and covered with debris; wings twisted and matted to body; HOLOTYPE in BMNH. | | |

| | | |
|---|------------|------|
| vescicata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8920 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 231–34 Fig. 26a–d | pin | pin |
| HAWAIIAN IS: Maui I: Keanae Val 460 m 21.VII.1965 H.L. Carson C134.1 | | |
| On <i>Clermontia</i> | | |
| ALLOTYPE ♀ 8920a on pin. | | |
| vicaria Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6466 |
| 1965 <i>Insects of Hawaii</i> 12: 504–06 Fig. 208a–d | pin | pin |
| HAWAIIAN IS: Maui I: Haleakala 610 m [no further data] | | |
| Right 3rd antennal segment and abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6466a on pin. | | |
| villitibia Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6467 |
| 1965 <i>Insects of Hawaii</i> 12: 506–08 Fig. 209a–b | pin | pin |
| HAWAIIAN IS: Molokai I: Manawainui Val VII.1952 M. Tamashiro | | |
| villosa Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6573 |
| 1965 <i>Insects of Hawaii</i> 12: 770–72 Fig. 341a–d | pin | pin |
| HAWAIIAN IS: Maui I: Haleakala Crater: Paliku VI.1952 D.E. Hardy | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6573a on pin. | | |
| villosipedis Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6468 |
| 1965 <i>Insects of Hawaii</i> 12: 509–10 Fig. 210a–c | pin | pin |
| HAWAIIAN IS: Kauai I: Kokee 1100 m VII.1952 D.E. Hardy | | |
| In banana bait trap | | |
| Abdominal tergum crushed but intact; ALLOTYPE ♀ 6468a on pin. | | |
| villosus Hardy, <i>Antopocerus</i> | HOLOTYPE ♂ | 6280 |
| 1965 <i>Insects of Hawaii</i> 12: 61–62 Fig. 15a–b | pin | pin |
| HAWAIIAN IS: Maui I: Waikamoi 1220 m VII.1956 D.E. Hardy & R. Namba | | |
| Abdomen collapsed; label data cites locality as "Waikamoi"; ALLOTYPE ♀ 6280a on pin. | | |
| vinnula Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6469 |
| 1965 <i>Insects of Hawaii</i> 12: 510–12 Fig. 211a–c | pin | pin |
| HAWAIIAN IS: Oahu I: Poamoho 19.XI.1948 D.E. Hardy | | |
| Abdomen beyond 2nd segment missing; genitalia in microvial mounted below specimen. | | |
| virgulata Hardy & Kaneshiro, <i>Drosophila</i> | HOLOTYPE ♂ | 8921 |
| 1968 <i>Univ. Texas Publ.</i> 6818: 234–36 Fig. 27a–e | pin | pin |
| HAWAIIAN IS: Maui I: Waikamoi 22.IX.1966 J.P. Murphy J31C1 | | |
| Right wing notched on posterior margin; ALLOTYPE ♀ 8921a on pin. | | |
| vittiger Hardy, <i>Titanochaeta</i> | HOLOTYPE ♀ | 6581 |
| 1965 <i>Insects of Hawaii</i> 12: 793–95 Fig. 352a–b | pin | pin |
| HAWAIIAN IS: Kauai I: Kokee Val VIII.1953 D.E. Hardy | | |
| wialealeae Hardy, <i>Scaptomyza (Trogloscaptomyza)</i> | HOLOTYPE ♂ | 6574 |
| 1965 <i>Insects of Hawaii</i> 12: 772–74 Fig. 342a–e | pin | pin |
| HAWAIIAN IS: Kauai I: Mt Waialeale Trail 1370 m VIII.1953 D.E. Hardy | | |
| ALLOTYPE ♀ 6574a on pin. | | |
| williamsi Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6470 |
| 1965 <i>Insects of Hawaii</i> 12: 512–13 Fig. 211d–e | pin | pin |
| HAWAIIAN IS: Oahu I: Lulumahu Val 18.IV.1937 F.X. Williams | | |
| xanthognoma Hardy, <i>Drosophila</i> | HOLOTYPE ♂ | 6471 |
| 1965 <i>Insects of Hawaii</i> 12: 513–15 Fig. 212a–d | pin | pin |
| HAWAIIAN IS: Oahu I: Manoa Falls 8.XI.1946 G.B. Mainland | | |
| In banana trap | | |
| [ALLOTYPE ♀] 6471a on pin. | | |
| xanthopleura Hardy, <i>Scaptomyza (Bunostoma)</i> | HOLOTYPE ♂ | 6493 |
| 1965 <i>Insects of Hawaii</i> 12: 602–03 Fig. 253a–c | pin | pin |
| HAWAIIAN IS: Oahu I: Kolekole Pass VII.1958 K. Sakimura | | |

| | | | |
|--|--------------|-------|--|
| Reared from bracket-type fungus | | | |
| Both wings notched and torn at base; abdomen missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6493a on pin. | | | |
| xanthops Okada & Carson, Drosophila (Scaptodrosophila) | HOLOTYPE ♂ | 11816 | |
| 1980 <i>Pac. Insects</i> 22(3-4): 224 Fig. 3g-i | pin | | |
| PNG: NEW GUINEA (NE): Mt Kaindi 1900 m 3.X.1977 Carson | | | |
| Ex flowers <i>Alocasia macrorrhiza</i> | | | |
| Head and abdomen beyond 3rd segment missing; right wing, right legs and genitalia on slide mounted below specimen; ALLOTYPE ♀ 11816a on pin. | | | |
| xuthoptera Hardy, Drosophila | HOLOTYPE ♂ | 6472 | |
| 1965 <i>Insects of Hawaii</i> 12: 516-19 Fig. 214a-e | pin | | |
| HAWAIIAN IS: Molokai I: Puu O Kaeha VII.1953 D.E. Hardy | | | |
| Abdomen beyond 3rd segment missing; genitalia in microvial mounted below specimen; ALLOTYPE ♀ 6472a on pin. | | | |
| yooni Hardy, Drosophila | HOLOTYPE ♂ | 11032 | |
| 1977 <i>Proc. Entomol. Soc. Wash.</i> 79: 89-91 Fig. 1, 6, 21 | pin | | |
| HAWAIIAN IS: Hawaii I: upper Olao Forest Reserve: Wright Rd 1150 m | | | |
| 25.VII.1975 H.T. Spieth | | | |
| Type label reads: "Drosophila (Antopocerus) yooni." | | | |
| z-notata Bryan, Drosophila | 3 ♀ SYNTYPES | 812 | |
| 1934 <i>Proc. Hawaii. Entomol. Soc.</i> 8: 437 | pin | | |
| HAWAIIAN IS: Oahu I: Waiahole 28.III.1915 O.H. Swezey | | | |
| Three ♀ syntypes pinned with minutens to large wooden square; specimen on left marked as "type," but not in Bryan's handwriting. | | | |
| zonaria Okuda, Stegana (Pseudostegana) | HOLOTYPE ♂ | 11919 | |
| 1982 <i>Pac. Insects</i> 24(1): 41-42 Fig. 1d, 4a-c | pin | | |
| PNG: NEW GUINEA (NE): Eliptamin Val 1200-1350 m 1-15.VIII.1959 O. Brandt | | | |

Acknowledgments. Sincere thanks are extended to Marge Carothers and Kay Orr for the large task of typing the manuscript of this paper.

GENUS GROUP INVENTORY

Antopocerus: aduncus, arcuatus, diamphidiopodus, entrichocnemus, orthopterus, tanythrix, villosus
 Ateledrosophila: diaphidia, preapicula

Bunostoma: flavifacies

Celidosoma: nigrocincta

Chymomyza: brevis, clavata, femorata, flabellata, flagellata, longicauda, nigripes, rufa, scutellata, subobscura

Dicladochaeta: biseriata

Drosophila: abjuncta, acanthostoma, achyla, achrostichalis, adiastola, adventitia, aethostoma, affinidisjuncta, agitona, aglaia, alfibacies, alsophila, ambochila, amplilobus, amydrospilota, ancyla, anoplostoma, anthrax, apicalis, apicipuncta, apicisetae, apodasta, apoxyloma, aquila, araiotrichia, artigena, asketostoma, assista, atrimentum, atroscutellata, attenuata, attigua, badia, balioptera, basimacula, basisetae, basisetosa, beardsleyi, bicondyla, bipolita, biseriata, bostrycha, brevicilia, brevissima, bridwelli, brunneifrons, brunneisetae, bryani, caccabata, canipolita, canuta, capitata, cariosa, ceratostoma, chaetocephala, chaetopeza, ciliaticrus, cilifemorata, cilifera, clavata, clavitiibia, claytonae, clydonia, cnecopleura, comatifemora, conformis, confutata, conjectura, contorta, cornutitarsus, cracens, curticilia, curvata, curvitibia, cyrtoloma, dasycnemia, deltaneuron, demipolita, denotata, dicropeza, differens, diffusa, digressa, diminuens, discreta, disjuncta, dissita, disticha, distinguenda, divaricata, dolichotarsis, dolomata, dorsigera, dorsociliata,

dracaenae, dumalis, engyocheaea, enoplotarsus, eumecothrix, eurypeza, expansa, fasciculisetae, fastigata, flavibasis, flavisternum, flexipes, freycinetiae, forficata, formella, fundita, fungicola, furcatarsus, furva, furvifacies, fuscifrons, fuscoamoeba, fuscoapex, fuscovittata, fusticula, gilvilateralis, glabriapex, gradata, gubleri, gymnobasis, gymnophallus, hamifera, hanauiae, heedi, hexachaetae, hirticoxa, hirtipalpus, hirtitarsus, hirtitibia, hystricosa, illusiolopita, imitator, imparisetae, improcera, inciliata, incognita, incompleta, inedita, ingens, insignita, intermedia, involuta, ischnotrix, joycei, kambysellisi, kauluai, kokeensis, kraussi, laciniosa, larifuga, lasiopoda, latigena, lemniscata, limitata, lineosetae, liophallus, longoptera, lulumahu, luteola, macrochaetae, macrothrix, magnimacula, magnipalpa, manonoensis, marrayae, meccocnemia, mediana, megasticta, melanoloma, melanopedes, micromyia, mimica, mimiconformis, mimiconfutata, mitchelli, montgomeryi, murphyi, musae, musaphilia, mycetophila, nanella, neglecta, neutralis, nigella, nigra iki, nigricolor, nigrifrons, nigripalpus, nigritarsus, nigrocirrus, nigropolita, obatai, ocellata, ochrobasis, odontophallus, oreas, orestes, ornata, orphnopeza, orthofascia, paenehamifera, paracracens, paucicilia, paucitarsus, paucula, peniculipedus, percnosoma, perissopoda, pilatisetae, pisonia, pleurovittata, polliciforma, praesutilis, pretiosa, primaeva, proceriseta, prodira, prolaticilia, prolixa, prominens, propofacies, prostopalpis, psilophallus, psilotarsalis, pullipes, punalua, pychnochaetae, quadrisetae, quasianomalipes, quasiexpansa, recticilia, reducta, redundca, reschae, residua, retrusa, reynoldiae, rustica, sadleria, samoensis, scitula, scolostoma, seclusa, sejuncta, semifuscata, seorsa, septuosa, setipalpus, setosifrons, setosimentum, silvarentis, sobrina, sodomae, spaniothrix, spectabilis, spicula, spieghi, sproati, stenoptera, swezeyi, systemopeza, taeniata, tamashiroi, taractica, tarphytrichia, tendomentum, tetraspilota, torula, totonigra, touchardiae, transfuga, trichaetosa, truncipenna, turbata, unicula, uniserrata, varga, variabilis, velata, velutinifrons, venusta, vesciseta, vicaria, villitibia, villosipidis, vinnula, virgulata, williamsi, xanthognoma, xuthoptera, yooni, z-notata

Drosophila (Antopocerus): kaneshiroi, stigma

Drosophila (*Drosophila*): alpiniae

Drosophila (Engiscaptomyza): inflatus

Drosophila (Hypenomyia): reburra

Drosophila (Scaptodrosophila): aproclinata, incisurifrons, metatarsalis, nigrops, nuda, paraguma, parviramosa, plaua, psychotriae, spathicola, tricingulata, xanthops

Drosophila (Trichotobregma): petalozea

Drosophilella: pistilicola, stamenicola

Eostegana: argentea, inclinata, maculosa, punctipennis, tesellata

Grimshawomyia: palata

Hopkinsomyia: convergens

Hypsellothyrea: albifasciata, parafascipennis, scutellata, spinifera, tenuis, truncata, tuberofacies

Idiomyia: brunneipennis, clavisetae, grimshawi, hemipeza heteroneura, melanocephala, nigrifacies, planitibia, silvestris, stenoptera

Leucophenga: samoensis

Liodrosophila: flavipes, trukana

Lisocephala: fijiensis, pallidipennis, powelli, versicolor

Marquesia: major

Neotanygastella: pacifica

Nudidrosophila: aericta, amita, eximia, gemmula, lepidobregma

Rosenwaldia: kaavae

Samoaea: nuda

Scaptomyza: biseta, femoralis, latifrons, mumfordi, quadriseriata, stramineipes

Scaptomyza (*Alloscaptomyza*): aberrans, buccata, cerina, fuscifrons, mutica, semiflava, stramineifrons

Scaptomyza (*Bunostoma*): anomala, bryanti, cneicosoma, confusa, hamata, palmae, xanthopleura

Scaptomyza (*Exalloscaptomyza*): caliginosa, deludens, molokaiensis, oahuensis, throckmortoni

Scaptomyza (*Parascaptomyza*): longisetosa

Scaptomyza (*Rosenwaldia*): finitima

Scaptomyza (*Tantalia*): brunnimaculata, flavidia, gilvivirilia, nigrosignata, varipicta

Scaptomyza (*Trogloscaptomyza*): abrupta, acronastes, adunca, affinicuspidata, aloha, anechocerca, apiciputulla apponopusilla, argentifrons, articulata, basiloba, bilobata, bipars, brachycerca, campochaites, concinna, connata, cornuta, cryptoloba, ctenophora, cuspidata, cyrtandrae, decepta, dentata, devexa,

diaphorocerca, domita, dubautiae, dubia, eurystylata, evexa, fastigata, hackmani, hardyi, hawaiensis, inermis, infurcula, innotabilis, intricata, isopeden, kauaiensis, latitergum, levata, lobifera, longipecten, longipecten griseonigra, meccerca, mediana, mediopallens, mimula, mitchelli, multidenta, ochromata, ostensa, pallifrons, paralobae, penicula, photophilia, phryxothrix, platyrhina, protensa, punctivena, quadridentata, recava, recta, retusa, robusta, rostrata, rotundiloba, scoliops, scolioplichas, setiger, setosiloba, silvicola, spilota, striatifrons, tenuata, trivittata, tumidula, uliginosa, umbrosa, univittata, vagabunda, varia, villosa, waialealeae

Stegana (*Pseudostegana*): albinotata, campanularia, hirta, lacrymaria, latiparma, latizonaria, lineoparma, zonaria

Styloptera: alocasiae, repleteoides

Tambourella: ornata, sphaerogaster

Tantalia: albovittata

Titanochaeta: bryani, chauliodon, contestata, evexa, glauca, setosiscutellum, silvicola, vittiger

Upolomyia: bimaculata, pictifrons

Zygothrica: samoensis

LITERATURE CITED

- Basden, E.B.** 1976. Oswald Duda and *Scaptomyza*, 1921 (Dipt., Drosophilidae). *Entomol. Mon. Mag.* **111**: 185.
- Bryan, E.H., Jr.** 1934. A review of the Hawaiian Diptera, with descriptions of new species. *Proc. Hawaii. Entomol. Soc.* **8**: 434-40, 456-57.
1938. Key to the Hawaiian Drosophilidae and descriptions of new species. *Proc. Hawaii. Entomol. Soc.* **10**: 25-42.
- Carson, H.L. & T. Okada.** 1980. Drosophilidae associated with flowers in Papua New Guinea. I. *Colocasia esculenta*. *Kontyû* **48**: 15-29.
- Carson, H.L. & M.R. Wheeler.** 1973. A new crab fly from Christmas Island, Indian Ocean (Diptera: Drosophilidae). *Pac. Insects* **15**: 199-208.
- Hackman, W.** 1959. On the genus *Scaptomyza* Hardy (Dipt., Drosophilidae) with descriptions of new species from various parts of the world. *Acta Zool. Fennica* **97**: 3-73.
1962. On Hawaiian *Scaptomyza* species (Dipt., Drosophilidae). *Notul. Entomol.* **42**: 33-42.
- Hardy, D.E.** 1965. *Diptera: Cyclorrhapha II, Series Schizophora Section Acalypterae I Family Drosophilidae. Insects of Hawaii, Volume 12*. University of Hawaii Press, Honolulu. 814 p.
1966. VIII. Descriptions and notes on Hawaiian Drosophilidae (Diptera). *Univ. Texas Publ.* **6615**: 195-244.
1969. VI. Notes on Hawaiian "idiomyia" (*Drosophila*). *Univ. Texas Publ.* **6918**: 71-77.
1977. Review of the Hawaiian *Drosophila* (*Antopocerus*) Hardy. *Proc. Entomol. Soc. Wash.* **79**: 82-95.
1978. Note: Replacement name for *Drosophila nigricolor* Hardy (Diptera: Drosophilidae). *Proc. Entomol. Soc. Wash.* **80**: 102.
1978. A new symmorphic sibling species of *Drosophila* (Diptera) from the Island of Maui, Hawaii. *Am. Midland Nat.* **99**: 350-51.
- Hardy, D.E. & K.Y. Kaneshiro.** 1968. X. New picture-winged *Drosophila* from Hawaii. *Univ. Texas Publ.* **6818**: 171-262.
1969. IV. Descriptions of new Hawaiian *Drosophila*. *Univ. Texas Publ.* **6918**: 39-54.
1971. VII. New picture-winged *Drosophila* from Hawaii, part II (Drosophilidae, Diptera). *Univ. Texas Publ.* **7103**: 151-70.
1972. V. New picture-winged *Drosophila* from Hawaii, part III (Drosophilidae, Diptera). *Univ. Texas Publ.* **7213**: 155-61.
1975. Studies in Hawaiian *Drosophila*, miscellaneous new species, no. I. *Proc. Hawaii. Entomol. Soc.* **22**: 57-64.
1979. A review of the modified tarsus species group of Hawaiian *Drosophila* (Drosophilidae: Diptera). I. The "split-tarsus" subgroup. *Proc. Hawaii. Entomol. Soc.* **23**: 71-90.
- Harrison, R.A.** 1954. Some notes on and additions to the Drosophilidae (Diptera) of Samoa and Fiji. *Trans. R. Entomol. Soc. London* **105**: 97-116.
- Kaneshiro, K.Y.** 1969. The *Drosophila crassifemur* group of species in a new subgenus. *Univ. Texas Publ.* **6918**: 79-83.

- Lee, D.J., M. Crust & C.W. Sabrosky.** 1956. The Australian Diptera of J.R. Malloch. *Proc. Linn. Soc. N.S.W.* **80:** 289–342.
- Malloch, J.R.** 1932. New species and other records of Otitidae (Ortalidae), Piophilidae, Clusiidae, Chloropidae, and Drosophilidae from the Marquesas. *B.P. Bishop Mus. Bull.* **98:** 205–23.
1934. Drosophilidae, Ephydriidae, Sphaeroceridae and Milichiidae. p. 267–328. *Insects of Samoa and other Samoan terrestrial Arthropoda. Part VI. Diptera. Fasc. 3.* British Museum (Natural History), London.
1935. An aberrant *Scaptomyza* from the Society Islands (Diptera, Drosophilidae). *B.P. Bishop Mus. Bull.* **113:** 95–96.
1935. Some acalypterate Diptera from the Marquesas Islands. *B.P. Bishop Mus. Bull.* **114:** 3–31.
1938. Two genera of Hawaiian Drosophilidae (Diptera). *Proc. Hawaii. Entomol. Soc.* **10:** 53–55.
- Okada, T.** 1980. A revision of the genera *Hypseothyrea* de Meijere and *Tambourella* Wheeler (Diptera, Drosophilidae). *Kontyû* **48:** 501–06.
1981. The genus *Chymomyza* Czerny (Diptera, Drosophilidae) from New Guinea, Bismarck Archipelago and Southeast Asia, with an ecological note. *Kontyû* **49:** 166–77.
1982. A revision of the subgenus *Pseudostegana* of the genus *Stegana* (Diptera: Drosophilidae) with descriptions of eight new species. *Pac. Insects* **24**(1): 39–49.
1982. A revision of the genus *Eostegana* Hendel (Diptera: Drosophilidae) with descriptions of five new species. *Pac. Insects* **24**(1): 50–59.
- Okada, T. & H.L. Carson.** 1980. Drosophilidae associated with flowers in Papua New Guinea. II. *Alocasia* (Araceae). *Pac. Insects* **22**(3–4): 217–36.
- Perkins, R.C.L.** 1910. Supplement to Diptera. p. 697–700. In: Sharp, D., ed., *Fauna Hawaiensis or the zoology of the Sandwich (Hawaiian) Isles . . . Volume II. Part VI.* Cambridge University Press, Cambridge.
- Radovsky, F.J., G.A. Samuelson & W.A. Steffan.** 1976. Catalog of entomological types in the Bishop Museum. Introduction. *Pac. Insects* **17:** 1–5.
- Wheeler, M.R.** 1959. A nomenclatural study of the genus *Drosophila*. *Univ. Texas Publ.* **5914:** 181–205.
- Wheeler, M.R. & N. Hamilton.** 1972. XII. Catalog of *Drosophila* species names, 1959–1971. *Univ. Texas Publ.* **7213:** 257–68.
- Wheeler, M.R. & H. Takada.** 1964. Diptera: Drosophilidae. *Insects Micronesia* **14**(6): 163–242.
- Wirth, W.W.** 1952. Two new spider egg predators from the Hawaiian Islands (Diptera: Drosophilidae). *Proc. Hawaii. Entomol. Soc.* **14:** 415–17.